

Interuniversity Research Centre on Enterprise Networks, Logistics and Transportation

# Improved Lower Bounds and Exact Algorithm for the Capacitated Arc Routing Problem

Enrico Bartolini Jean-François Cordeau Gilbert Laporte

May 2011

**CIRRELT-2011-33** 

Bureaux de Montréal :

Université de Montréal C.P. 6128, succ. Centre-ville Montréal (Québec) Canada H3C 3J7 Téléphone : 514 343-7575 Télécopie : 514 343-7121 Bureaux de Québec :

Université Laval 2325, de la Terrasse, bureau 2642 Québec (Québec) Canada G1V 0A6 Téléphone : 418 656-2073 Télécopie : 418 656-2624

www.cirrelt.ca











## Improved Lower Bounds and Exact Algorithm for the Capacitated Arc Routing Problem

Enrico Bartolini<sup>1,2,\*</sup>, Jean-François Cordeau<sup>1,3</sup>, Gilbert Laporte<sup>1,2</sup>

<sup>1</sup> Interuniversity Research Centre on Enterprise Networks, Logistics and Transportation (CIRRELT)

<sup>2</sup> Department of Management Sciences, HEC Montréal, 3000 Côte-Sainte-Catherine, Montréal, Canada H3T 2A7

<sup>3</sup> Department of Logistics and Operations Management, HEC Montréal, 3000 Côte-Sainte-Catherine, Montréal, Canada H3T 2A7

**Abstract.** In the Capacitated Arc Routing Problem (CARP), a subset of the edges of an undirected graph has to be serviced at least cost by a fleet of identical vehicles in such a way that the total demand of the edges serviced by each vehicle does not exceed its capacity. This paper describes a new lower bounding method for the CARP based on a set partitioning-like formulation of the problem with additional cuts. This method uses cutand-column generation to solve different relaxations of the problem, and a new dynamic programming method for generating routes. An exact algorithm based on the new lower bounds was also implemented to assess their effectiveness. Computational results over a large set of classical benchmark instances show that the proposed method improves most of the best known lower bounds for the open instances, and can solve several of these for the first time.

**Keywords**. Arc routing, set partitioning, valid inequalities, column generation, dynamic programming.

**Acknowledgements.** This work was partly supported by the Natural Sciences and Engineering Council of Canada (NSERC) under grants 227837-09 and 39682-10. This support is gratefully acknowledged.

Results and views expressed in this publication are the sole responsibility of the authors and do not necessarily reflect those of CIRRELT.

Les résultats et opinions contenus dans cette publication ne reflètent pas nécessairement la position du CIRRELT et n'engagent pas sa responsabilité.

<sup>\*</sup> Corresponding author: Enrico.Bartolini@cirrelt.ca

Dépôt légal – Bibliothèque et Archives nationales du Québec Bibliothèque et Archives Canada, 2011

<sup>©</sup> Copyright Bartolini, Cordeau, Laporte and CIRRELT, 2011

# 1 Introduction

In arc routing problems, the aim is to determine a least cost traversal of a subset of arcs or edges of a graph subject to some constraints. The Capacitated Arc Routing Problem (CARP), introduced by Golden and Wong [1981], is one of the best known arc routing problems. It consists in servicing a set of demands associated with *required* links using a fleet of capacitated vehicles based at a depot. When all links are required, the problem is known as the Capacitated Chinese Postman Problem [Christofides, 1973]. Solving the CARP and computing a 1.5-approximation are both NP-hard [Golden and Wong, 1981]. In this paper, we restrict our attention to the undirected version of the CARP.

The CARP arises in a wide variety of contexts, including refuse collection, street sweeping, winter gritting, postal delivery, inspection of power lines, bridges and pipeline systems, meter reading, etc. The surveys of Assad and Golden [1995] and of Eiselt et al. [1995a,b], and the book of Dror [2000] describe several real-world applications and discuss different solution methodologies. More recent surveys are those of Wøhlk [2008] and Corberán and Prins [2010].

#### 1.1 Literature review

The CARP has been much less studied than the Capacitated Vehicle Routing Problem (CVRP) which is its natural counterpart in a node setting, and is considered to be significantly more difficult. To date, most of the research on the CARP concerns heuristics and lower bounding procedures. The earliest lower bounds for the CARP are based on matching techniques and on dynamic programming [Golden and Wong, 1981, Assad et al., 1987, Win, 1987, Pearn, 1988, Benavent et al., 1992, Hirabayashi et al., 1992, Amberg and Voß, 2002, Wøhlk, 2006].

To our knowledge, the first attempt to solve the CARP by means of polyhedral combinatorics and linear programming (LP) techniques is due to Belenguer and Benavent [1998]. This paper presented a polyhedral study of the CARP, and introduced valid inequalities which were computationally tested within a cutting plane algorithm. Building upon this study, Belenguer and Benavent [2003] developed a branch-and-cut method based on a very sparse formulation involving an exponential class of inequalities from Belenguer and Benavent [1998], and introduced a new class of valid inequalities. Their for-

mulation is very compact, but it does not always yield a feasible solution. However, it can be used to provide a lower bound on the CARP optimum. Computational tests reported by Belenguer and Benavent [2003] have shown that lower bounds computed by means of this formulation were significantly better than previous ones, and matched the best known upper bounds for 47 out of the 87 tested instances.

Column generation based approaches for the CARP were recently proposed by Gómez-Cabrero et al. [2005], Letchford and Oukil [2009], and Martinelli et al. [2010]. These methods are based on formulating the CARP using an exponential number of variables, each corresponding to a possible vehicle route. Gómez-Cabrero et al. used a set covering formulation of the CARP where columns correspond to non-elementary routes, i.e., a relaxation of routes where a link is allowed to be serviced more than once. The LP relaxation of this formulation is strengthened by valid inequalities for the CARP and solved by cut-and-column generation. Letchford and Oukil [2009] also adopted a set covering formulation and proposed two column generation methods based on elementary and non-elementary routes, respectively, with the aim of exploiting the sparsity of the network in generating routes. Non-elementary routes were computed by dynamic programming, whereas elementary routes were computed by solving a mixed-integer problem. Martinelli et al. [2010] applied a similar approach, but used a set partitioning formulation and dynamic programming to generate both elementary and non-elementary routes. A branch-and-price algorithm for the CARP was very recently proposed by Bode and Irnich [2011]. This algorithm can be viewed as a two-phase method that combines the sparse formulation of Belenguer and Benavent, and a set partitioning formulation based on nonelementary routes. The idea is to first solve the sparse formulation using a cutting plane procedure, and then apply a branch-and-price algorithm based on a set partitioning formulation where the initial master is initialized with the cuts identified in the first phase.

An indirect approach for solving the CARP was suggested by Longo et al. [2006] and Baldacci and Maniezzo [2006]. These two papers independently proposed a method to transform a CARP instance with m required links into an equivalent CVRP with 2m + 1 nodes. In Longo et al. [2006] the resulting CVRP is solved by branch-and-cut-and-price by adapting the algorithm of Fukasawa et al. [2006], whereas in Baldacci and Maniezzo [2006] the resulting CVRP is modeled using a two-index formulation and solved by branch-and-cut.

These transformations appear at present to be the most promising methods for solving the CARP to optimality. They outperformed all other specific lower bounding procedures, and could solve to optimality several instances for the first time. However, we note that preliminary results reported by Bode and Irnich [2011] show that their two-phase method is also competitive with the best previous methods, and is able to find new optima for some open benchmark instances.

#### **1.2** Contributions of this paper

We propose a new lower bounding method for the CARP based on cutand-column generation to solve a set partitioning (SP) formulation of the CARP where each column corresponds to a route. The LP relaxation of this formulation is strengthened using both valid inequalities that are specific to the CARP, and valid inequalities for the set partitioning polytope.

This method embeds four lower bounding procedures executed in sequence to progressively obtain better lower bounds. Two of these procedures are based on non-elementary CARP routes and two on elementary ones. CARP routes are generated by dynamic programming using a transformation of the original CARP instance into a Generalized Vehicle Routing Problem (GVRP) in which each required edge is represented by a cluster containing two nodes. The new dynamic programming algorithm uses bounding functions and different fathoming rules to reduce the size of the state space. To assess the effectiveness of the new lower bounds, we have implemented an exact algorithm that uses the final dual solution computed by the lower bounding method to generate a reduced integer problem which is guaranteed to contain an optimal solution, and which is solved using an integer programming (IP) solver.

We present extensive computational results over five sets of benchmark CARP instances showing that the proposed lower bound is consistently better than previous ones. Our results also show that the new exact algorithm based on this lower bound is competitive with the best known ones, and can solve to optimality 27 previously unsolved instances with up to 159 required edges, a size that is likely to be intractable for methods based on a transformation of the problem into a CVRP.

### **1.3** Organization of this paper

The remainder of the paper is organized as follows. In Section 2 we formally describe the CARP and formulate it as a set partitioning-like integer model. In Section 3 we present the valid inequalities used to strengthen the SP formulation, and we show how some known valid inequalities for the CARP can be lifted when translated into this formulation. Section 4 provides an overview of our algorithm. It first computes a lower bound on the CARP optimum and then uses it to attempt to obtain an optimal solution. In Section 5, we describe a transformation of the CARP into an asymmetric GVRP and establish a one-to-one correspondence between optimal CARP routes and GVRP routes. In Section 6 we describe a dynamic programming algorithm for the generation of elementary CARP routes based on the results of Section 5. In Section 7, we detail four lower bounding procedures based on column generation which are used to compute the final lower bound. Computational results on the main test instances from the literature are reported in Section 8, followed by conclusions in Section 9.

# 2 Formal problem description and mathematical formulation

Let G = (V, E) be a connected undirected graph where  $V = \{0, \ldots, n\}$  is a set of |V| = n + 1 nodes, node 0 is a *depot*, and E is a set of edges with endpoints in V. With each edge  $e \in E$  are associated a demand  $q_e \ge 0$  and a travel cost  $c_e \ge 0$ . Edges requiring service are called *required edges*, and the subset of required edges is denoted by  $E_R \subseteq E$ . We denote by  $m = |E_R|$  the number of required edges and following Belenguer and Benavent [1998, 2003], we assume that required edges have a strictly positive demand. We denote by  $i_e$  and  $j_e$  the two endpoints of edge e, and by  $A = \{(i_e, j_e), (j_e, i_e) : e \in E\}$ the set of arcs associated with E. Conversely, for any arc  $a = (i_e, j_e) \in A$ , the mapping e(a) gives the corresponding edge e. We also denote by  $A_R \subseteq A$ the subset of arcs associated with the required edge set  $E_R$ .

The CARP is to find K closed walks in G such that: (i) each walk passes through the depot, (ii) each required edge is *serviced* by exactly one walk traversing it, (iii) the total demand of the edges serviced by any walk does not exceed a *capacity* Q, and (iv) the total cost of all walks is minimized. In the CARP literature, K is sometimes unrestricted or bounded above. As in Longo et al. [2006] and Belenguer and Benavent [2003], we assume that K is unbounded.

A closed walk  $R = (v_0, a_0, v_1, a_1, \ldots, v_p, a_p)$ , with  $v_0, \ldots, v_p \in V$ ,  $a_i = (v_i, v_{i+1}) \in A$ ,  $i = 0, \ldots, p-1$ ,  $a_p = (v_p, v_0) \in A$ , that traverses an edge set E(R) and services a subset  $S(R) \subseteq E(R) \cap E_R$  of required edges satisfying (i) and (iii) is called a *CARP route* (or simply a route). Each route represents the walk of a vehicle based at the depot and used to provide service to a non-empty subset of the required edges. Similarly, we define a *CARP walk* as a CARP route not necessarily ending at the depot. An edge traversed by a route but not serviced by it, or an edge traversed more than once is said to be *deadheaded* by that route. Similarly, a path corresponding to a sequence of edges deadheaded by the same route is said to be deadheaded by that route.

Let  $\mathscr{R}$  be the index set of all routes. For each route  $R_{\ell}$ ,  $\ell \in \mathscr{R}$ , let  $a_{\ell e}$ be the number of times edge  $e \in E_R$  is serviced by route  $R_{\ell}$ , and let  $b_{\ell e}$  be the number of times edge  $e \in E$  is traversed by route  $R_{\ell}$ . We denote by  $S(R_{\ell})$ , or simply  $S_{\ell}$ , the set of required edges serviced by route  $R_{\ell}$ , and by  $d_{\ell e} = b_{\ell e} - a_{\ell e}$  the number of times route  $R_{\ell}$  deadheads edge  $e \in E$ . Let  $c_{\ell} = \sum_{e \in E} b_{\ell e} c_e$  be the cost of route  $R_{\ell}$ ,  $\ell \in \mathscr{R}$ , and let  $x_{\ell}$  be a binary variable equal to 1 if and only if route  $R_{\ell}$  is in the solution. The CARP can be formulated as the following IP model.

$$z(SP) = \min \sum_{\ell \in \mathscr{R}} c_\ell x_\ell \tag{1}$$

$$s.t.\sum_{\ell \in \mathscr{Q}} a_{\ell e} x_{\ell} = 1, \, \forall e \in E_R,$$

$$\tag{2}$$

$$\sum_{\ell \in \mathscr{R}} x_{\ell} \geqslant K^*,\tag{3}$$

$$x_{\ell} \in \{0, 1\}, \quad \forall \ell \in \mathscr{R}.$$
(4)

Constraints (2) impose that each required edge is serviced by exactly one route, and (3) is a redundant constraint imposing a lower bound  $K^* = \left[\sum_{e \in E_R} q_e/Q\right]$  on the number of routes needed to service all required edges.

Note that in any optimal SP solution, the sequence of edges on a route  $R_{\ell}$  between any two required edges  $e_1$  and  $e_2$  serviced consecutively by  $R_{\ell}$  corresponds to a shortest path between an endpoint of  $e_1$  and an endpoint of  $e_2$ . Therefore, we assume that routes not satisfying this condition do not belong to  $\mathcal{R}$ . If there are several shortest paths of equal length between two

nodes, we can a priori select one without excluding all optimal solutions. We henceforth write *the* shortest path. Let  $P_{ij}$  be the shortest path from node  $i \in V$  to node  $j \in V$ . We denote by  $\zeta_{ij}^{\ell}$  the number of times route  $R_{\ell}$  deadheads both paths  $P_{ij}$  and  $P_{ji}$  (i.e., the number of times it deadheads path  $P_{ij}$ , plus the number of times it deadheads path  $P_{ji}$ ).

## 3 Valid inequalities for SP

The cost z(LSP) of an optimal solution to the LP relaxation of SP (denoted by LSP) may yield a weak lower bound. We now describe three main classes of valid inequalities that we have incorporated into SP to yield a stronger formulation: odd edge cutset constraints, capacity constraints, and subsetrow inequalities.

#### 3.1 Odd edge cutset constraints

Odd edge cutset constraints were originally introduced by Belenguer and Benavent [1998, 2003] and can be defined as follows. Given a feasible SP solution  $\mathbf{x}$ , let  $z_e$  be an integer aggregated variable representing the number of times edge e is deadheaded:

$$z_e = \sum_{\ell \in \mathscr{R}} d_{\ell e} x_{\ell}.$$
 (5)

For any node set  $S \subseteq V$ , let  $\delta(S) = \{e \in E : i_e \in S, j_e \in V \setminus S \text{ or } j_e \in S, i_e \in V \setminus S\}$ , and let  $\delta_R(S) = \delta(S) \cap E_R$ . Define  $\mathscr{S} = \{S \subseteq V \setminus \{0\} : |\delta_R(S)| \text{ is odd}\}$ . Odd edge cutset inequalities are as follows:

$$\sum_{e \in \delta(S)} z_e \ge 1, \quad \forall S \in \mathscr{S}.$$
(6)

Because the solution graph induced by any feasible SP solution is Eulerian, inequalities (6) express the fact that if  $|\delta_R(S)|$  is odd, then at least one edge incident to S must be deadheaded.

Because of the assumption that the shortest path between any two consecutive serviced edges is unique, inequalities (6) can be strengthened as follows. Given a feasible SP solution  $\mathbf{x}$ , define an aggregated variable  $y_{ij}$  representing the number of times both shortest paths  $P_{ij}$  and  $P_{ji}$  between nodes  $i, j \in V$  are deadheaded, that is:

$$y_{ij} = \sum_{\ell \in \mathscr{R}} \zeta_{ij}^{\ell} x_{\ell}, \quad \forall i, j \in V.$$
(7)

Using variables  $y_{ij}$ , we obtain the following lifted odd edge cutset inequalities:

$$\sum_{\substack{i \in S \\ j \in V \setminus S}} y_{ij} \ge 1, \quad \forall S \in \mathscr{S}.$$
 (8)

Constraints (8) are shown to be valid by extending the argument used to prove the validity of odd edge cutset inequalities. Because  $|\delta_R(S)|$  is odd, each route crosses S an even number of times, and each required edge is serviced by exactly one route, then at least one path crossing node set S has to be deadheaded.

Let  $E(P_{ij}) \subseteq E$  be the set of edges traversed by path  $P_{ij}$ . Note that because G is symmetric, we can assume  $P_{ij} = P_{ji}$ , and therefore variables  $y_{ij}$  and  $z_e$  can be linked by the following equations:

$$z_e = \sum_{\substack{i,j \in V, \ i < j, \\ e \in E(P_{ij})}} y_{ij}, \quad \forall e \in E.$$
(9)

It is then easy to see that an inequality (8) defined by set S corresponds to a lifting of the corresponding inequality (6) defined by the same node set. In fact, using equations (9), (6) can be rewritten as

$$\sum_{\substack{i,j \in V, \ i < j, \\ (P_{ij}) \cap \delta(S) \neq \emptyset}} y_{ij} \ge 1, \quad \forall S \in \mathscr{S},$$
(10)

which is dominated by (8).

E

Note that inequalities (8) can be written in terms of the  $x_{\ell}$  variables by using equations (7), and because their right-hand side is equal to one, their coefficients are positive integers, and  $x_{\ell}$  variables are binary, they can further be lifted to obtain the following inequalities:

$$\sum_{\substack{i \in S \\ j \in V \setminus S}} \sum_{\substack{\ell \in \mathscr{R} \\ \zeta_{i_{\ell}}^{\ell} > 0}} x_{\ell} \ge 1, \quad \forall S \in \mathscr{S}.$$

$$(11)$$



Figure 1: Example of lifted inequality (8) defined by a node set S. From left to right: input graph (dashed edges are non-required), support graph induced by variables  $z_e$ , and support graph induced by variables  $y_{ij}$ .

However, we use inequalities (8) instead of (11) because it is straightforward to incorporate these inequalities exactly within the pricing problem.

The following example shows an inequality (6) defined by a set S dominated by the corresponding lifted inequality (8) defined by the same set. Consider the graph shown at the left of Figure 1. In this graph, dashed lines represent non-required edges and a node set  $S = \{b, d\}$  is defined. Suppose all edge costs correspond to Euclidean distances. A feasible LSP solution is given by the four routes  $R_{\ell_1} = (0, a, b, d, g, d, e, 0)$  with  $S_{\ell_1} = \{\{a, b\}, \{b, d\}, \{d, g\}\},$  $R_{\ell_2} = (0, e, d, g, d, e, 0)$  with  $S_{\ell_2} = \{\{0, e\}, \{e, d\}, \{d, g\}\}, R_{\ell_3} = (0, a, b, d, e, 0)$ with  $S_{\ell_3} = \{\{a, b\}, \{b, d\}, \{d, e\}\},$  and  $R_{\ell_4} = (0, e, 0)$  with  $S_{\ell_4} = \{\{0, e\}\},$  and setting  $x_{\ell_1} = x_{\ell_2} = x_{\ell_3} = x_{\ell_4} = 0.5$ . The center and right parts of Figure 1 show the support graphs defined by vectors  $\mathbf{z}$  and  $\mathbf{y}$  associated with solution  $\mathbf{x}$ , respectively. It is easy to check that inequality (6) defined by node set Sis satisfied by  $\mathbf{z}$ , whereas inequality (8) is violated by  $\mathbf{y}$ .

#### 3.2 Capacity constraints

Let  $\mathscr{F} = \{F \subseteq E_R : |F| \ge 2\}$  be the family of all subsets of required edges of cardinality at least 2, and let  $\mathscr{R}(F) \subseteq \mathscr{R}$  be the index-subset of routes servicing at least one edge in the set  $F \in \mathscr{F}$ . Moreover, for any edge subset  $F \in \mathscr{F}$ , let  $q(F) = \sum_{e \in F} q_e$  be the sum of the demands of the edges in F. Because at least  $r(F) = \lceil q(F)/Q \rceil$  routes are required to service F, the following capacity constraints are valid for SP:

$$\sum_{\ell \in \mathscr{R}(F)} x_{\ell} \ge r(F), \quad \forall F \in \mathscr{F}.$$
(12)

Because a route is a closed walk starting and ending at the depot, inequalities (12) can be reformulated as follows. Let  $\beta_{e_f}^{\ell}$  be a binary coefficient equal to 1 if and only if route  $R_{\ell}$  services in sequence required edges  $e, f \in E_R$ . Moreover, let  $\beta_{0e}^{\ell}$  be equal to 1 if edge  $e \in E_R$  is the first or last edge serviced by route  $R_{\ell}$  ( $\beta_{0e}^{\ell} = 2$  if route  $R_{\ell}$  services only edge e). Given a feasible SP solution **x**, define aggregated variables  $\xi_{e_f}$  as follows:

$$\xi_{ef} = \sum_{\ell \in \mathscr{R}} \beta_{ef}^{\ell} x_{\ell}, \ \forall e, f \in E_R, \text{ and } \xi_{0e} = \sum_{\ell \in \mathscr{R}} \beta_{0e}^{\ell} x_{\ell}, \ \forall e \in E_R.$$
(13)

Inequalities (12) can then be written in the following weaker form:

$$\sum_{\substack{e \in F \\ f \in E_R \setminus F}} \xi_{ef} + \sum_{e \in F} \xi_{0e} \ge 2r(F), \quad \forall F \in \mathscr{F}.$$
 (14)

The interest of inequalities (14) is that although they are weaker than (12) they are stronger than the CARP capacity constraints introduced in Belenguer and Benavent [1998, 2003], and can also be incorporated exactly in the pricing problem.

For any node set  $S \subseteq V \setminus \{0\}$ , let  $E_R(S) = \{e \in E_R : i_e, j_e \in S\}$ . The CARP capacity constraints are defined in terms of the aggregated variables  $z_e$  as follows:

$$\sum_{e \in \delta(S)} z_e \ge 2 \left\lceil \frac{q(E_R(S)) + q(\delta_R(S))}{Q} \right\rceil - |\delta_R(S)|, \quad \forall S \subseteq V \setminus \{0\}.$$
(15)

The following theorem shows that inequalities (14) (and therefore (12)) are stronger than the CARP capacity constraints (15).

**Theorem 1** Let  $S \subseteq V \setminus \{0\}$ , and define a corresponding edge set  $F_S = \{E_R(S) \cup \delta_R(S)\}$ . Let **x** be a feasible LSP solution, and let  $\boldsymbol{\xi}$  and **z** be the corresponding vectors obtained through equations (13) and (5), respectively. An inequality (15) defined by node set S is dominated by inequality (14) defined by edge set  $F_S$ .

Let  $\ell_e$  be the index of the route servicing only required edge e. Denote by  $\mathscr{R}^1(\delta_R(S)) = \{\ell \in \mathscr{R} : \beta_{ef}^\ell = 1, \beta_{eg}^\ell = 1, e \in \delta_R(S), f, g \in E_R \setminus F_S\} \cup \{\ell \in \mathscr{R} : \beta_{0e}^\ell = 1, \beta_{ef}^\ell = 1, e \in \delta_R(S), f \in E_R \setminus F_S\} \cup \{\ell_e\}, \text{ and let } \mathscr{R}^2(\delta_R(S)) = \{\ell \in \mathscr{R} : \beta_{ef}^\ell = 1, \beta_{eg}^\ell = 1, e \in \delta_R(S), f \in E_R \setminus F_S, g \in E_R(S)\}.$  Note that any route in the set  $\mathscr{R}^1(\delta_R(S))$  deadheads at least one edge in  $\delta(S)$ . Moreover, any route servicing in sequence two edges  $e, f \in E_R$  such that  $e \in E_R(S)$  and  $f \in E_R \setminus F_S$  also has to deadhead at least one edge in  $\delta(S)$ . Therefore from the definition of variables  $z_e$  we have:

$$\sum_{e \in \delta(S)} z_e \ge \sum_{\substack{e \in E_R(S) \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in E_R(S)} \xi_{0e} + \sum_{\ell \in \mathscr{R}^1(\delta_R(S))} x_\ell.$$
(16)

The definitions of sets  $\mathscr{R}^1(\delta_R(S)), \mathscr{R}^2(\delta_R(S))$  and of variables  $\xi_{ef}$  imply:

$$\sum_{\substack{e \in \delta_R(S) \\ t \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in \delta_R(S)} \xi_{0e} = \sum_{\ell \in \mathscr{R}^1(\delta_R(S))} x_\ell + \sum_{\ell \in \mathscr{R}^2(\delta_R(S))} x_\ell,$$
(17)

and therefore, adding  $\sum_{\ell \in \mathscr{R}^2(\delta_R(S))}$  to both sides of (16) we obtain

$$\sum_{e \in \delta(S)} z_e + \sum_{\ell \in \mathscr{R}^2(\delta_R(S))} x_\ell \geqslant \sum_{\substack{e \in E_R(S) \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in E_R(S)} \xi_{0e} + \sum_{\substack{e \in \delta_R(S) \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in \delta_R(S)} \xi_{0e}.$$
(18)

Let  $\mathscr{R}_e = \{\ell \in \mathscr{R} : a_{\ell e} = 1\}$ . Because **x** satisfies constraints (2), and  $\mathscr{R}^2(\delta_R(S)) \subseteq \bigcup_{e \in \delta_R(S)} \mathscr{R}_e$ , we also have  $\sum_{\ell \in \mathscr{R}^2(\delta_R(S))} \leq |\delta_R(S)|$ , and from (18) we obtain

$$\sum \xi_{ef} + \sum \xi_{0e} + \sum \xi_{ef}$$

$$\sum_{\substack{e \in E_R(S) \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in E_R(S)} \xi_{0e} + \sum_{\substack{e \in \delta_R(S) \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in \delta_R(S)} \xi_{0e} \leqslant \sum_{e \in \delta(S)} z_e + |\delta_R(S)|,$$
(19)

and the inequality can be strict. Because  $F_S = \{E_R(S) \cup \delta_R(S)\}$ , the lefthand side of (19) can be rewritten as  $\sum_{\substack{e \in F_S \ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in F_S} \xi_{0e}$ , and we have  $2r(F_S) = 2 \left\lceil \frac{q(E_R(S)) + q(\delta_R(S))}{Q} \right\rceil$ . Then, subtracting  $2r(F_S)$  from both sides of (19) yields

$$\sum_{\substack{e \in F_S \\ f \in E_R \setminus F_S}} \xi_{ef} + \sum_{e \in F_S} \xi_{0e} - 2r(F_S) \leqslant \sum_{e \in \delta(S)} z_e + |\delta_R(S)| - 2r(F_S),$$
(20)

that is, the slack of inequality (14) defined by edge set  $F_S$  is at least as small as that of inequality (15) defined by set S.  $\Box$ 

Note that inequalities (15) are formally the same as rounded capacity inequalities for the two-index formulation of the CVRP. Indeed, letting  $E'_R = E_R \cup \{0\}$ , it is easy to see that any vector  $\boldsymbol{\xi}$  associated with a feasible SP solution  $\mathbf{x}$  satisfies

$$\sum_{i \in E'_R} \xi_{ij} = 2, \qquad \forall i \in E_R, \tag{21}$$

$$\sum_{\substack{i \in F \\ j \in E'_R \setminus F}} \xi_{ij} \ge 2 \left\lceil \frac{q(F)}{Q} \right\rceil, \quad \forall F \subseteq E_R, |F| \ge 2$$
(22)

$$\xi_{ij} \in \{0, 1\}, \qquad \forall i, j \in E_R, \tag{23}$$

$$\xi_{0i} \in \{0, 1, 2\}, \qquad \forall i \in E_R.$$
 (24)

Thus, any valid inequality for the polytope associated with (22) - (24) is also valid for SP, and can be translated into the SP model using equations (13). In our preliminary experiments, we have considered the use of strengthened combs and framed capacity inequalities, presented in Lysgaard et al. [2004], using the CVRPSEP package of Lysgaard [2003] to separate them. However, because the resulting improvement in the lower bounds was marginal, these inequalities were not used in the computational experiments reported in Section 8.

#### 3.3 Subset-row inequalities.

Let  $\mathscr{C} = \{C \subseteq E_R : |E_R| = 3\}$  be the set of all required edge triplets, i.e., subsets of three required edges. For  $C \in \mathscr{C}$ , let  $\mathscr{R}^2(C) \subseteq \mathscr{R}$  be the subset of routes servicing at least two edges in C, i.e.,  $\mathscr{R}^2(C) = \{\ell \in \mathscr{R} : |S_\ell \cap C| \ge 2\}$ . Because each required edge has to be serviced by exactly one route, the following inequalities are valid for SP:

$$\sum_{\ell \in \mathscr{R}^2(C)} x_\ell \leqslant 1, \quad \forall C \in \mathscr{C}.$$
 (25)

Inequalities (25) are a subset of the clique inequalities and a special case of the subset-row inequalities introduced by Jepsen et al. [2008].

We denote by LRP the LP relaxation of the problem obtained by adding to SP all inequalities (8), (14), and (25), and by DRP its dual. Let  $\pi_e$ ,  $e \in E_R$ , and  $\pi_0$  be the dual variables associated with constraints (2) and (3), respectively, and let  $v_F$ ,  $F \in \mathscr{F}$ ,  $w_S$ ,  $S \in \mathscr{S}$ , and  $g_C$ ,  $C \in \mathscr{C}$ , be dual variables associated with constraints (14), (8) and (25), respectively. We denote a DRP solution by  $(\boldsymbol{\pi}, \boldsymbol{v}, \mathbf{w}, \mathbf{g})$ , where  $\boldsymbol{\pi} = (\pi_0, \ldots, \pi_m)$ ,  $\boldsymbol{v} = (v_1, \ldots, v_{|\mathscr{F}|})$ ,  $\mathbf{w} = (w_1, \ldots, w_{|\mathscr{F}|})$ , and  $\mathbf{g} = (g_1, \ldots, g_{|\mathscr{C}|})$ .

## 4 Overview of the algorithm

This section provides an overview of our algorithm. This algorithm sequentially executes four lower bounding procedures, called BP1, BP2, BP3 and BP4, to solve increasingly tighter relaxations of LRP, and thus to compute a sequence of non-worsening lower bounds. An exact algorithm then exploits the final lower bound to generate an optimal CARP solution. The four lower bounding procedures use column generation to dynamically generate the set of routes  $\mathscr{R}$ . They thus define an initial master problem in which the full route set  $\mathscr{R}$  is substituted by a small subset  $\overline{\mathscr{R}} \subseteq \mathscr{R}$ . At each iteration they use the current master dual solution to solve the pricing problem which consists in finding the CARP route of minimum reduced cost with respect to the master dual solution. A detailed description of procedures BP1, BP2, BP3 and BP4 is provided in Section 7.

To compute the lower bounds, our algorithm first generates CARP routes by transforming the CARP into an equivalent asymmetric GVRP in which GVRP routes correspond to CARP routes. This transformation is described in Section 5, whereas Section 6 describes a dynamic programming algorithm, called GENROUTES, to actually generate the GVRP routes, and translate them into the corresponding CARP ones.

Procedures BP1 and BP2 are based on non-elementary routes, whereas BP3 and BP4 use elementary routes. The algorithm described in this paper can thus be viewed as a three-step procedure (see Figure 2) in which two lower bounding methods based on elementary and non-elementary CARP routes are first executed in sequence, and an exact algorithm then attempts to obtain a reduced integer problem from SP containing at least one optimal solution.

The algorithm requires the knowledge of a valid upper bound  $z_{UB}$  on the CARP optimum. It starts by executing in sequence procedures BP1, BP2, BP3, and BP4 to compute a final lower bound LB4 and a corresponding dual solution  $(\bar{\pi}^4, \bar{v}^4, \bar{v}^4, \bar{g}^4)$ . It then generates the largest subset  $\mathscr{R}^* \subseteq \mathscr{R}$ 

of routes having a reduced cost smaller than the gap  $z_{UB} - LB4$  with respect to the final dual solution  $(\pi^4, \upsilon^4, \mathbf{w}^4, \mathbf{g}^4)$ . An optimal CARP solution can then be obtained by solving a reduced problem derived from SP by replacing the entire route set  $\mathscr{R}$  with  $\mathscr{R}^*$ . The full algorithm can be summarized as follows.

- 1. Execute in sequence the lower bounding procedures BP1, BP2, BP3, and BP4. If  $LB4 = z_{UB}$ , then stop since  $z_{UB}$  is the cost of an optimal solution.
- 2. Set  $\rho = z_{UB} LB4$  and  $\Delta = \Delta^{MAX}$ . Use algorithm GENROUTES to generate the largest subset  $\mathscr{R}^*$  of routes having a reduced cost smaller than  $\rho$  with respect to the final dual solution  $(\pi^4, \boldsymbol{v}^4, \mathbf{w}^4, \mathbf{g}^4)$  computed by BP4.
- 3. Let  $\overline{\mathscr{S}}^4$ ,  $\overline{\mathscr{F}}^4$ , and  $\overline{\mathscr{C}}^4$  be the subsets of inequalities (14), (8), and (25), respectively, active at the end of procedure BP4. Define the reduced problem SP\* derived from SP by (i) replacing the route set  $\mathscr{R}$  with the set  $\mathscr{R}^*$ , and (ii) adding to SP\* all constraints  $\overline{\mathscr{S}}^4$ ,  $\overline{\mathscr{F}}^4$ , and  $\overline{\mathscr{C}}^4$ . The problem SP\* is solved by an IP solver.

In the following, we refer to Step 1 as a lower bounding method, and to Steps 2 and 3 as an exact algorithm.

Before solving the reduced problem  $SP^*$  at Step 3, the algorithm replaces all inequalities (14) defined by edge sets in  $\overline{\mathscr{F}}^4$  with the corresponding stronger inequalities (12), and solves the LP relaxation of SP<sup>\*</sup>. The final lower bound LB4 and the corresponding dual solution ( $\pi^4$ ,  $v^4$ ,  $w^4$ ,  $g^4$ ) are then updated, and all routes having a reduced cost greater than  $z_{UB} - LB4$ with respect to ( $\pi^4$ ,  $v^4$ ,  $w^4$ ,  $g^4$ ) are removed from  $\mathscr{R}^*$ .

## 5 Transformation of the CARP into a GVRP

We first show how to transform the CARP into an equivalent asymmetric GVRP. It is indeed well known [see e.g., Ghiani and Improta, 2000, Blais and Laporte, 2003] that a wide class of arc and node routing problems can be modeled as a GVRP. Here we describe this transformation in detail over an asymmetric graph  $\tilde{G}$ , we establish a one-to-one correspondence between GVRP routes in  $\tilde{G}$  and CARP routes indexed by  $\mathscr{R}$ , and show that GVRP paths can be combined to yield CARP routes. As a result, we obtain a



Figure 2: Overview of the algorithm.



Figure 2 (continued): Overview of the algorithm.

method for generating CARP routes as GVRP routes in  $\tilde{G}$ . In this section, we also describe two relaxations of GVRP paths, namely the *q*-path relaxation and the *ng*-path relaxation (originally introduced for the CVRP), to be used by algorithm GENROUTES in Section 5.

#### 5.1 Description of the transformation

Let  $\widetilde{G} = (\widetilde{V}, \widetilde{E})$  be a directed graph obtained from G as follows:

- $\widetilde{V}$  contains 2m+1 nodes partitioned into m+1 clusters  $\widetilde{V}_0, \ldots, \widetilde{V}_m$ , where  $\widetilde{V}_0$  contains the depot. For each required edge  $e \in E_R$ ,  $\widetilde{V}_e$  contains two nodes associated with the two arcs  $(i_e, j_e) \in A_R$  and  $(j_e, i_e) \in A_R$ , respectively. We denote by  $\nu(a)$  the node  $v \in \widetilde{V}$  associated with arc  $a \in A_R$ . For each node  $v \in \widetilde{V} \setminus \{0\}$ , we denote by  $\alpha(v) \in A_R$  the arc associated with node v, and by i(v) and j(v) the initial and terminal endpoints of  $\alpha(v)$ , respectively. Moreover, we denote by  $\varepsilon(v) = e(\alpha(v)) \in E_R$  the required edge corresponding to the arc  $\alpha(v)$  associated with v. Note that  $\widetilde{V}_{\varepsilon(v)}$  corresponds to the unique cluster containing v. For notational convenience, we also define i(0) = j(0) = 0, and  $\varepsilon(0) = e_0$ , where  $e_0 = \{0, 0\}$  is a non-required dummy loop in G of cost  $c_{e_0} = 0$ .
- With each node  $v \in \widetilde{V}$  is associated a demand  $\widetilde{q}_v = q_{\varepsilon(v)}, \ (\widetilde{q}_0 = 0).$

• Let  $s_{ij}$  be the cost of the shortest path  $P_{ij}$  from node  $i \in V$  to node  $j \in V$ . For each node pair  $u, v \in \widetilde{V} \setminus \{0\}$  such that  $\varepsilon(u) \neq \varepsilon(v)$ ,  $\widetilde{E}$  contains two arcs (u, v) and (v, u) of cost  $\widetilde{c}_{uv} = s_{j(u)i(v)} + \frac{1}{2}c_{\varepsilon(u)} + \frac{1}{2}c_{\varepsilon(v)}$  and  $\widetilde{c}_{vu} = s_{j(v)i(u)} + \frac{1}{2}c_{\varepsilon(u)} + \frac{1}{2}c_{\varepsilon(v)}$ , respectively. Moreover, for each  $v \in \widetilde{V} \setminus \{0\}$ ,  $\widetilde{E}$  contains two arcs (0, v) and (v, 0) of cost  $\widetilde{c}_{0v} = s_{0i(v)} + \frac{1}{2}c_{\varepsilon(v)}$  and  $\widetilde{c}_{v0} = s_{j(v)0} + \frac{1}{2}c_{\varepsilon(v)}$ , respectively.

A GVRP path  $P = (v_1, \ldots, v_p)$  is a simple path in  $\widetilde{G}$  starting from node  $v_1 = b(P)$ , visiting the nodes of  $V(P) = \{v_1, \ldots, v_p\}$ , ending at node  $v_p = e(P)$ , and such that (i) its demand  $q(P) = \sum_{k=1}^{p} \widetilde{q}_{v_k}$  does not exceed Q, and (ii)  $|V(P) \cap \widetilde{V}_e| \leq 1, \forall e \in E_R$ . We denote by A(P) and by  $\mathscr{V}(P)$  the set of arcs and the index set of clusters traversed by path P, respectively. The cost of path P is defined as  $\widetilde{c}(P) = \sum_{(u,v) \in A(P)} \widetilde{c}_{uv}$ . A GVRP path P is called forward if b(P) = 0, and it is called backward if e(P) = 0. A GVRP path  $\widetilde{R}$  such that  $b(\widetilde{R}) = e(\widetilde{R}) = 0$  is called a GVRP route. In the following, we denote by  $\widetilde{\mathscr{R}}$  the index-set of all GVRP routes in  $\widetilde{G}$ .

It is easy to see that any GVRP route  $\tilde{R}_{\ell}$ ,  $\ell \in \mathscr{R}$ , can be obtained by combining a forward GVRP path P and a backward GVRP path  $\overline{P}$  such that  $e(P) = b(\overline{P}) = v$ , for some  $v \in \tilde{R}_{\ell}$ , and satisfying (A)  $q(P) + q(\overline{P}) \leq Q + \tilde{q}_v$ and (B)  $\mathscr{V}(P) \cap \mathscr{V}(\overline{P}) = \{0, \varepsilon(v)\}$ . Note that although  $\tilde{G}$  is asymmetric, because of the definition of costs  $\{\tilde{c}_{uv}\}$ , any GVRP backward path  $\overline{P} = (v_p, \ldots, v_1, 0)$  in  $\tilde{G}$  corresponds to a forward path  $\overline{P}^R$  of the same cost  $\tilde{c}(\overline{P}^R) = \tilde{c}(\overline{P})$  obtained by setting  $\overline{P}^R = (0, \widetilde{V}_{\varepsilon(v_1)} \setminus \{v_1\}, \ldots, \widetilde{V}_{\varepsilon(v_p)} \setminus \{v_p\})$ . The forward path  $\overline{P}^R$  is called the *reverse path* of the backward path  $\overline{P}$ . Figure 3 depicts a backward path  $\overline{P}$  and its reverse path  $\overline{P}^R$ . It follows that any GVRP route  $\tilde{R}_{\ell}$ ,  $\ell \in \mathscr{R}$ , can be obtained by combining two forward paths P and  $\overline{P}^R$  such that  $\overline{P}^R$  is the reverse of a backward path  $\overline{P}$ , and the pair  $\{P, \overline{P}\}$  satisfies conditions (A) and (B), plus the following condition: (C)  $e(\overline{P}^R) = \widetilde{V}_{\varepsilon(v)} \setminus e(\overline{P})$ . In the following we refer to conditions (A), (B), and (C) as route feasibility conditions.

### 5.2 GVRP paths and CARP routes.

The definition of a CARP route given in Section 2 gives rise to a number of redundant routes associated with those walks that traverse a serviced edge more than once, and this redundancy is not removed by the assumption that



Figure 3: Example of reverse path in  $\widetilde{G}$ : a backward path  $\overline{P}$  on the left, and its reverse  $\overline{P}^R$  on the right.

the path traversed between two edges serviced in sequence is the shortest one.

Consider a CARP route  $R_{\ell}$ , and let  $E(R_{\ell}) \subseteq E$  be the set of edges traversed by this route. We call a *line* of route  $R_{\ell}$  a subset of edges  $L \subseteq E(R_{\ell})$ such that: (i) each edge  $e \in L$  is traversed exactly twice by  $R_{\ell}$  in opposite directions, (ii) edges in L form a simple open chain in G, and (iii) L is maximal with respect to inclusion. Each line L of a route  $R_{\ell}$  such that  $|S_{\ell} \cap L| = r$  gives rise to  $2^r$  routes equivalent to  $R_{\ell}$  (i.e., having the same cost and servicing the same edges) obtained by switching the service of each edge e in  $S_{\ell} \cap L$  from the first to the second time it is visited by  $R_{\ell}$ , or vice versa. The number of these equivalent routes can be huge, especially for routes containing more than one line.

A simple method to avoid this drawback is to impose an arbitrary ordering of service for all edges on a line. We say that a CARP route  $R_{\ell}$  is a forwardservice route if all edges in  $S_{\ell}$  are serviced the first time they are traversed. Conversely,  $R_{\ell}$  is called a backward-service route if all required edges in  $S_{\ell}$ are serviced by  $R_{\ell}$  the last time they are traversed. Similarly, we define a forward-service and backward-service CARP walk. Clearly, it is possible to assume that in any CARP solution all CARP routes are forward-service (equivalently, backward-service) routes.

It is easy to see that any GVRP path  $P = (0, v_1, \ldots, v_p)$  corresponds to

a CARP walk that services in sequence edges  $\varepsilon(v_1), \ldots, \varepsilon(v_p)$  through arcs  $\alpha(v_1), \ldots, \alpha(v_p)$ , and deadheads paths  $P_{0i(v_1)}, \ldots, P_{i(v_{p-1})j(v_p)}$ . Obviously, the same correspondence holds between any GVRP route  $\widetilde{R}_{\ell}, \ell \in \mathscr{R}$ , and a CARP route  $R_{\ell}, \ell \in \mathscr{R}$ . Moreover, assuming that the path deadheaded by any CARP route  $R_{\ell}, \ell \in \mathscr{R}$ , between two edges serviced in sequence is the shortest one, and that  $R_{\ell}$  is a CARP forward-service route, the converse is also true. We can therefore establish a one-to-one correspondence between CARP routes in G indexed by  $\mathscr{R}$  and GVRP routes in  $\widetilde{G}$  indexed by  $\widetilde{\mathscr{R}}$ , and between their costs. In the following, we denote by  $\widetilde{R}_{\ell}, \ell \in \mathscr{R}$ .

Note that any GVRP route  $\overline{R}_{\ell}$ ,  $\ell \in \mathscr{R}$ , corresponding to a forward-service CARP route  $R_{\ell}$  can be obtained by combining a forward GVRP path P and a reverse GVRP path  $\overline{P}^R$  satisfying route feasibility conditions, and such that P corresponds to a forward-service CARP walk and  $\overline{P}^R$  corresponds to a backward-service CARP walk. In the next section, we describe a dynamic programming algorithm that exploits this correspondence to generate CARP routes corresponding to GVRP routes in  $\widetilde{G}$ . This algorithm uses two relaxations of GVRP paths, namely q-paths and ng-paths, to compute lower bounds on the cost of the least cost GVRP route that can be obtained by combining a GVRP path P with any reverse path. These relaxations are now briefly described.

#### 5.3 *q*-path relaxation of GVRP paths

The q-path relaxation was introduced by Christofides et al. [1981] for the CVRP. In the context of the CARP, a similar relaxation was proposed by Benavent et al. [1992], and also adopted to relax CARP routes by Gómez-Cabrero et al. [2005], Letchford and Oukil [2009], and Bode and Irnich [2011].

A GVRP(q, v)-path in  $\tilde{G}$  is a not necessarily simple path starting from node 0, ending at node  $v \in \tilde{V}$ , and whose total demand does not exceed Q. A GVRP(q, 0)-path is called a GVRP q-route. Let f(q, v) be the cost of the least cost GVRP q-path in  $\tilde{G}$  ending in  $v \in \tilde{V}$ , and let  $\pi(q, v) \in E_R$  be the cluster visited just prior to v in this path. Let g(q, v) be the cost of the least cost GVRP q-path ending at v with the constraint that the cluster  $\chi(q, v)$ preceding i in this second path is not equal to  $\pi(q, v)$ . We say that a GVRPq-path contains a loop of k consecutive clusters (k-cluster-loop) if it visits in sequence k nodes  $v_1, \ldots, v_k$  such that  $\varepsilon(v_1) = \varepsilon(v_k)$ . The functions f(q, v), and g(q, v) can be computed in pseudo-polynomial time by an extension of the dynamic programming recursion described by Christofides et al. [1981], imposing the restriction that the corresponding (q, v)-paths do not contain 2-cluster-loops.

#### 5.4 *ng*-path relaxation of GVRP paths

The ng-path relaxation was introduced by Baldacci et al. [2011a] for the CVRP and the vehicle routing problem with time windows. This relaxation can be extended to the GVRP as follows. For each cluster  $\tilde{V}_e$ ,  $e \in E_R$ , let  $\tilde{N}_e$  be a subset of clusters (selected according to some criterion) such that  $V_e \in \tilde{N}_e$  and  $|\tilde{N}_e| \leq \Delta(\tilde{N}_e)$ , where  $\Delta(\tilde{N}_e)$  is an a priori defined parameter. Clusters in  $\tilde{N}_e$  are called *neighbor clusters* of  $\tilde{V}_e$ . Let  $\Pi$  be the family of all cluster subsets. Using sets  $N_e$ , associate with each GVRP path  $P = (0, v_1, \ldots, v_p)$  a cluster subset  $\Pi(P) \in \Pi$  containing cluster  $\tilde{V}_{\varepsilon(v_p)}$  plus every other cluster  $\tilde{V}_{\varepsilon(v_k)}, k = 1, \ldots, p$ , that belongs to all sets  $\tilde{N}_{\varepsilon(v_{k+1})}, \ldots, \tilde{N}_{\varepsilon(v_p)}$ . Formally, we have  $\Pi(P) = \{\tilde{V}_{\varepsilon(v_k)} \in \mathscr{V}(P) : \tilde{V}_{\varepsilon(v_k)} \in \bigcap_{s=k+1,\ldots,p} \tilde{N}_{\varepsilon(v_s)}, k = 1, \ldots, p\}$ 

 $1, \ldots, p-1 \} \cup \{\widetilde{V}_{\varepsilon(v_p)}\}\)$ . Note that  $\Pi(P)$  is a subset of the clusters visited by P that depends on the order in which these clusters are visited by P. For any path P in  $\widetilde{G}$ , let P' be the subpath of P obtained by removing the last node from P. A GVRP ng-path (NG, q, v) is a not necessarily simple path P in  $\widetilde{G}$  of demand q, starting from node 0, ending at node  $v \in \widetilde{V}$ , and such that  $\Pi(P) = NG$ , and  $\varepsilon(v) \notin \Pi(P')$ . Let f(NG, q, v) be the cost of the least cost ng-path (NG, q, v). Because of the definition of an ng-path (NG, q, v), a lower bound on the cost  $\widetilde{c}(P)$  of any forward GVRP path P can be obtained using functions f(NG, q, v) as follows:

$$\tilde{c}(P) \ge \min_{NG \subseteq \mathscr{V}(P) \cap N_{\varepsilon(e(P))}} \left\{ f(NG, q(P), e(P)) \right\}.$$
(26)

The functions f(NG, q, v),  $\forall NG \in \Pi$ ,  $\forall v \in \tilde{V}$ ,  $0 \leq q \leq Q$ , can be computed by means of a dynamic programming recursion similar to that described in Baldacci et al. [2011a]. The computational complexity of this recursion, unlike that used for q-path functions f(q, v) and g(q, v), is not pseudo-polynomial because of the exponential size of  $\Pi$ . However, in practice it is possible to considerably reduce the time spent for computing functions f(NG, q, v) by limiting the size of sets  $\tilde{N}_e$ ,  $\forall e \in E_R$ , and using dominance rules as described by Baldacci et al. [2011b]. Note that, depending on the definition of sets  $\tilde{N}_e$ , ng-paths are allowed to contain two-cluster loops. These loops can be eliminated using the method described by Christofides et al. [1981] for computing q-paths without 2-vertex loops. However, we do not implement this method, as in practice it is often sufficient to set  $\Delta(\tilde{N}_e) \geq 10$  to avoid such loops.

## 6 Dynamic programming algorithm genRoutes

We now describe a dynamic programming algorithm, called GENROUTES, used by our lower bounding method to generate CARP routes.

For each route  $R_{\ell}$ ,  $\ell \in \mathscr{R}$ , define the set  $\mathscr{C}(R_{\ell}) = \{C \in \mathscr{C} : |C \cap S_{\ell}| \ge 2\}$ , and let  $\mathcal{\beta}_{\ell}(F) = \sum_{\substack{e \in F \\ f \in E_R \setminus F}} \beta_{ef}^{\ell} + \sum_{e \in F} \beta_{0e}^{\ell}, \forall F \in \mathscr{F}, \text{ and } \zeta_{\ell}(S) = \sum_{\substack{i,j \in S \\ i < j}} \zeta_{ij}^{\ell},$  $\forall S \in \mathscr{S}.$  Given a DRP solution  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$ , the reduced cost  $\bar{c}^r(R_{\ell})$ , or simply  $\bar{c}_{\ell}^r$ , of CARP route  $R_{\ell}, \ell \in \mathscr{R}$ , with respect to  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  is

$$\bar{c}_{\ell}^{r} = c_{\ell} - \sum_{e \in S_{\ell}} a_{e\ell} \pi_{e} - \sum_{F \in \mathscr{F}} \beta_{\ell}(F) \upsilon_{F} - \sum_{S \in \mathscr{S}} \zeta_{\ell}(S) w_{S} - \sum_{C \in \mathscr{C}(R_{\ell})} g_{C} - \pi_{0}.$$
(27)

GENROUTES generates GVRP routes in  $\widetilde{G}$  corresponding to forwardservice CARP routes using bounding functions based on the ng-path and q-path relaxations. Given dual values  $(\overline{\boldsymbol{\pi}}, \overline{\boldsymbol{\upsilon}}, \overline{\mathbf{w}}, \overline{\mathbf{g}})$ , and two user-defined parameters  $\Delta$  and  $\varrho$ , GENROUTES outputs a subset  $\mathscr{D} \subseteq \mathscr{R}$  containing at most  $\Delta$  forward-service CARP route  $R_{\ell}$  having reduced cost  $\overline{c}_{\ell}^{r}$  not exceeding  $\varrho$ .

### 6.1 Description of genRoutes

Let  $\mathscr{P}$  be the set of all GVRP forward paths in  $\widetilde{G}$ , and let  $\mathscr{P}_v \subseteq \mathscr{P}$  be the subset of paths ending at vertex  $v \in \widetilde{V}$ . GENROUTES is a two-phase procedure that generates path sets  $\mathscr{P}_v, v \in \widetilde{V}$  in phase 1, and in phase 2 combines these paths to extract the route set  $\mathscr{D}$ . It associates with each GVRP path  $P \in \mathscr{P}$  a modified path cost  $\overline{d}(P)$  such that, for each pair of paths  $P, \overline{P} \in \mathscr{P}$  that can be combined to obtain a GVRP route  $\widetilde{R}_\ell$  corresponding to  $R_\ell$ , the modified costs satisfy  $\overline{d}(P) + \overline{d}(\overline{P}) = \overline{d}(\widetilde{R}_\ell) \leq \overline{c}_\ell^r$ . Therefore, the set  $\mathscr{D}$  of CARP routes can be obtained generating all GVRP routes having a modified cost not exceeding  $\varrho$ . To compute the modified path costs, we associate a modified arc cost  $\overline{d}_{uv}$  to each arc  $(u, v) \in \widetilde{A}$ , computed as

$$\bar{d}_{uv} = \tilde{c}_{uv} - \frac{1}{2}\bar{\pi}_{\varepsilon(u)} - \frac{1}{2}\bar{\pi}_{\varepsilon(v)} - \sum_{\substack{F \in \mathscr{F}s.t.\\\varepsilon(u) \in F, \varepsilon(v) \notin F}} \bar{\upsilon}_F - \sum_{\substack{S \in \mathscr{F}s.t.\\j(u) \in S, i(v) \notin S}} \bar{w}_S, \quad \forall u, v \in \widetilde{V}.$$
(28)

For any edge triplet  $C = \{e_1, e_2, e_3\} \in \mathscr{C}$ , let  $\widetilde{C} = \{\widetilde{V}_{e_1}, \widetilde{V}_{e_2}, \widetilde{V}_{e_3}\}$  be the corresponding cluster triplet in  $\widetilde{G}$ , and define  $\mathscr{C}^k(P) = \{C \in \mathscr{C} : |\widetilde{C} \cap \mathscr{V}(P)| = k\}$  for each GVRP path P. Using modified arc costs  $\overline{d}_{uv}$ , the modified path cost  $\overline{d}(P)$  associated with path  $P \in \mathscr{P}$  is computed as

$$\bar{d}(P) = \sum_{(u,v)\in A(P)} \bar{d}_{uv} - \sum_{C\in\mathscr{C}^3(P)} \bar{g}_C - \sum_{\substack{C\in\mathscr{C}^2(P)\\\varepsilon(e(P))\notin C}} \bar{g}_C.$$
(29)

The following lemma shows that the modified costs of any two GVRP paths that can be combined to obtain a GVRP route  $\tilde{R}_{\ell}$  corresponding to  $R_{\ell}$  provide a lower bound on  $\bar{c}_{\ell}^{r}$ .

**Lemma 1** Let P and  $\overline{P}$  be two GVRP forward paths satisfying route feasibility conditions (A) - (C), and let  $R_{\ell}$ ,  $\ell \in \widetilde{\mathscr{R}}$ , be the GVRP route obtained by combining P and  $\overline{P}$ . The reduced cost  $\overline{c}_{\ell}^r$  of CARP route  $R_{\ell}$ ,  $\ell \in \mathscr{R}$ , corresponding to  $\widetilde{R}_{\ell}$ , satisfies  $\overline{c}_{\ell}^r \ge \overline{d}(P) + \overline{d}(\overline{P})$ .

Because  $\widetilde{R}_{\ell}$  corresponds to  $R_{\ell}$ , we have  $\mathscr{V}(P) \cup \mathscr{V}(\overline{P}) = \{\widetilde{V}_e \subset \widetilde{V} : e \in S_{\ell}\},\$ and  $\mathscr{C}(R_{\ell}) = \mathscr{C}^3(P) \cup \mathscr{C}^3(\overline{P}) \cup \mathscr{C}^2(P) \cup \mathscr{C}^2(\overline{P}).$  From the definition of costs  $\{\overline{d}_{uv}\},\$  we have

$$\bar{c}_{\ell}^{r} = \sum_{(u,v)\in P} \bar{d}_{uv} - \sum_{C\in\mathscr{C}(R_{\ell})} \bar{g}_{C}.$$
(30)

Consider any edge triplet  $C \in \mathscr{C}(R_{\ell})$ , and let  $\widetilde{C}$  be the corresponding cluster triplet in  $\widetilde{V}$ , we have the following two cases:

- (i)  $|\widetilde{C} \cap \mathscr{V}(P)| = 3$ : because  $\mathscr{V}(P) \cap \mathscr{V}(\overline{P}) = {\widetilde{V}_0, \widetilde{V}_{\varepsilon(e(P))}}$ , we have  $|\widetilde{C} \cap \mathscr{V}(\overline{P})| \leq 1$ . The same holds for the symmetric case when  $|\widetilde{C} \cap \mathscr{V}(\overline{P})| = 3$ .
- (ii)  $|\widetilde{C} \cap \mathscr{V}(P)| = 2$ : because  $\mathscr{V}(P) \cap \mathscr{V}(\overline{P}) = {\widetilde{V}_0, \widetilde{V}_{\varepsilon(e(P))}}$ , we have  $|\widetilde{C} \cap \mathscr{V}(\overline{P})| \leq 1 + |\widetilde{C} \cap \widetilde{V}_{\varepsilon(e(P))}|$ .

From (i) it follows that  $\mathscr{C}^{3}(P) \cap \mathscr{C}^{3}(\overline{P}) = \emptyset$ , and from (ii) we have  $\mathscr{C}^{2}(P) \cap \mathscr{C}^{2}(\overline{P}) \subseteq \{C \in \mathscr{C} : \widetilde{V}_{\varepsilon(e(P))} \in \widetilde{C}\}$ . Therefore,  $\sum_{C \in \mathscr{C}(R_{\ell})} \bar{g}_{C} \leq \sum_{C \in \mathscr{C}^{3}(P)} \bar{g}_{C} + \sum_{\substack{C \in \mathscr{C}^{2}(P) \\ \varepsilon(e(P)) \notin C}} \bar{g}_{C} + \sum_{\substack{C \in \mathscr{C}^{3}(\overline{P}) \\ \varepsilon(e(P)) \notin C}} \bar{g}_{C} + \sum_{\substack{C \in \mathscr{C}^{2}(\overline{P}) \\ \varepsilon(e(P)) \notin C}} \bar{g}_{C}$ , and because  $\mathbf{g} \leq 0$  from (30) we have  $\bar{c}_{\ell}^{r} \geq \bar{d}(P) + \bar{d}(\overline{P})$ .  $\Box$ 

Let  $P \in \mathscr{P}$  be any GVRP path, and let  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  be any DRP solution. A completion bound on P with respect to  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  is defined as a lower bound on the reduced cost with respect to  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  of any CARP route corresponding to a GVRP route containing P. When generating the path set  $\mathscr{P}$ , GENROUTES uses ng-path and q-path bounding functions to associate with each GVRP path  $P \in \mathscr{P}$  a completion bound  $\overline{LB}^{ng}(P)$  on P with respect to the input DRP solution. The lower bound  $LB^{ng}(P)$  is used to fathom all paths P generated such that  $LB^{ng}(P) > \varrho$ , and is computed according to the following.

**Lemma 2** A valid lower bound  $\overline{LB}^{ng}(P)$  on the reduced cost  $\bar{c}_{\ell}^r$  with respect to a DRP solution  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  of any CARP route  $R_{\ell}, \ell \in \mathscr{R}$ , corresponding to a GVRP route  $\tilde{R}_{\ell}$  containing path P can be computed as

$$LB^{ng}(P) = \bar{d}(P) + \min_{\substack{NG \subseteq \Pi \ s.t. \ NG \cap \mathscr{V}(P) = \{V_{\varepsilon(e(P))}\}\\q \leqslant Q - q(P) + \tilde{q}_{\varepsilon(P)}}} \{f(NG, q, e(P))\}, \quad (31)$$

where functions f(NG, q, v) are computed using modified arc costs  $\overline{d}_{uv}$ .

Let R be the CARP route having smallest reduced cost  $\bar{c}^r(R)$  with respect to  $(\bar{\pi}, \bar{v}, \bar{w}, \bar{g})$  and corresponding to a GVRP route  $\tilde{R}$  containing P. Moreover, let  $\overline{P}$  be the GVRP path that gives  $\tilde{R}$  when combined with P. Denote by  $\bar{d}'(\overline{P})$  the cost of path  $\overline{P}$  using modified arc costs  $\bar{d}_{uv}$  (i.e.,  $\bar{d}'(\overline{P}) = \sum_{(uv)\in A(\overline{P})} \bar{d}_{uv}$ ), from expression (26) we have

$$\bar{d}'(\overline{P}) \geqslant \min_{NG \subseteq \mathscr{V}(\overline{P}) \cap \tilde{N}_{\varepsilon(e(\overline{P}))}} \left\{ f(NG, q(\overline{P}), e(\overline{P})) \right\}.$$
(32)

Because P and  $\overline{P}$  satisfy route feasibility conditions (A) - (C) we have that  $\varepsilon(e(P)) = \varepsilon(e(\overline{P}))$ , say  $\varepsilon(e(P)) = e$ , and  $\mathscr{V}(\overline{P}) \cap \mathscr{V}(P) = {\widetilde{V}_0, \widetilde{V}_e}$ , and therefore

$$\{NG \subseteq \Pi : NG \subseteq \mathscr{V}(\overline{P}) \cap \widetilde{N}_e\} \subseteq \{NG \subseteq \Pi : NG \cap \mathscr{V}(P) = \{\widetilde{V}_e\}\}.$$
 (33)

Moreover, from condition (A),

$$q(\overline{P}) \leqslant Q - q(P) + q_e. \tag{34}$$

Therefore, from (32) using (33), (34) we obtain

$$\bar{d}'(\overline{P}) \ge \min_{\substack{NG \cap \mathscr{V}(P) = \{\widetilde{V}_e\}\\q \leqslant Q - q(\overline{P}) + q_e}} \left\{ f(NG, q, e(\overline{P})) \right\}.$$
(35)

Finally, because  $\mathbf{g} \leqslant 0$  and from Lemma 1 we obtain

$$\bar{c}^{r}(R) \ge \bar{d}(P) + \bar{d}(\overline{P}) \ge \bar{d}(P) + \bar{d}'(\overline{P}).$$
(36)

From (35) and (36) we obtain  $LB^{ng}(P) \leq \bar{c}^r(R)$ .  $\Box$ 

Although ng-path functions usually provide a better bound than q-path functions, because the computation of  $\overline{LB}^{ng}(P)$  can be time-consuming due to the minimization over  $\Pi$ , we first compute a weaker completion bound  $\overline{LB}^{q}(P)$  using functions f(q, v) and g(q, v) as follows:

$$\overline{LB}^{q}(P) = \overline{d}(P) + \min_{\tilde{q}_{e(P)} \leqslant q \leqslant q(P) + \tilde{q}_{e(P)}} \begin{cases} f(q, e(P)), & \text{if}\pi(q(P), e(P)) \notin \mathscr{V}(P) \\ g(q(P), e(P)), & \text{otherwise,} \end{cases}$$
(37)

where f(q, v) and g(q, v) are computed using modified costs  $\bar{d}_{uv}$ . All paths P such that  $\overline{LB}^q(P) > \varrho$  are fathomed.

We now provide a detailed description of the two phases of algorithm GENROUTES called GEN $\mathscr{P}$  and COMBINE $\mathscr{P}$ , respectively.

### 6.2 Phase 1 of genRoutes: Procedure gen $\mathscr{P}$

Phase 1 of GENROUTES is called GEN $\mathscr{P}$  and corresponds to a Dijkstra-like algorithm that generates a sequence of GVRP forward paths  $(P^1, \ldots, P^h)$  satisfying the following conditions:

- (C1)  $\overline{LB}^{ng}(P^1) \leqslant \ldots \leqslant \overline{LB}^{ng}(P^h) \leqslant \varrho;$
- (C2)  $\tilde{c}(P^k) \leq \tilde{c}(P^s)$ , for each path  $P^s$  such that  $V(P^k) = V(P^s)$ ,  $1 \leq k, s \leq h$ ;

(C3) 
$$\tilde{q}(P^k) \leq \lceil Q/2 \rceil + \tilde{q}_{e(P^k)}, \ 1 \leq k \leq h;$$

(C4)  $P^k$ ,  $1 \leq k \leq h$ , corresponds to either a forward-service CARP walk, or a backward-service CARP walk.

GEN  $\mathscr{P}$  uses a set  $\mathscr{T}$  of temporary paths which is initialized as  $\mathscr{T} = \{P^0\}$ , where  $P^0 = (0)$  is an empty path visiting only node 0. At each iteration of GEN  $\mathscr{P}$ , a path  $P \in \mathscr{T}$  having smallest value  $\overline{LB}^{ng}(P)$  is extracted from  $\mathscr{T}$ and inserted in  $\mathscr{P}_{e(P)}$ . A new path  $P_v$  is then created for each  $v \in \widetilde{V}$  by inserting v at the end of P. Path  $P_v$  is rejected if it does not satisfy (C1)– (C4), otherwise it is inserted in  $\mathscr{T}$ . GEN  $\mathscr{P}$  terminates when either  $\mathscr{T} = \emptyset$ , or  $\overline{LB}^{ng}(P) > \varrho$ .

In order to reduce the number of generated paths, GEN  $\mathscr{P}$  uses three fathoming rules: fathoming 1, fathoming 2, and fathoming 3. Fathoming 1 and 2 are dominance rules used to eliminate GVRP paths that are not optimal with respect to the arc costs  $\tilde{c}_{uv}$ : fathoming 1 performs a two-opt check of the cluster sequence visited by a path, whereas fathoming 2 keeps the cluster sequence fixed and checks whether the path is the shortest one visiting this sequence. Fathoming 3 requires the knowledge of a valid upper bound  $z_{UB}$ on z(SP), and a feasible DRP solution  $(\hat{\pi}, \hat{v}, \hat{w}, \hat{g})$  of cost  $\hat{z}$ . It is based on the observation that the reduced cost  $\hat{c}_{\ell}^r$  with respect to  $(\hat{\pi}, \hat{v}, \hat{w}, \hat{g})$  of any route  $R_{\ell}$  being part of a feasible solution of cost  $z_{UB}$  satisfies  $c_{\ell}^r \leq z_{UB} - \hat{z}$ . Fathoming 3 was introduced by Baldacci et al. [2011a].

**Fathoming 1.** Let  $P \in \mathscr{P}$  be a forward GVRP path such that  $|P| \ge 4$ and let  $e^3(P)$ ,  $e^2(P)$ ,  $e^1(P)$ , be the three nodes preceding e(P) in this path (i.e.,  $P = (0, v_1, \ldots, e^3(P), e^2(P), e^1(P), e(P))$ ). Path P can be fathomed if the subpath  $(e^3(P), e^2(P), e^1(P), e(P))$  has a cost greater than the subpath  $(e^3(P), e^1(P), e^2(P), e(P))$  with respect to arc costs  $\tilde{c}_{uv}$ .

**Fathoming 2.** Let  $P = (0, v_1, \ldots, v_p) \in \mathscr{P}$  be a forward GVRP path, and let  $P^*$  be the shortest GVRP path in  $\widetilde{G}$  using arc costs  $\tilde{c}_{uv}$ , visiting the cluster sequence  $(\widetilde{V}_0, \widetilde{V}_{\varepsilon(v_1)}, \ldots, \widetilde{V}_{\varepsilon(v_{p-1})})$ , and ending in  $v_p$ . Path P can be fathomed if  $\tilde{c}(P) > \tilde{c}(P^*)$ .

**Fathoming 3.** Let  $(\hat{\boldsymbol{\pi}}, \hat{\boldsymbol{v}}, \hat{\mathbf{w}}, \hat{\mathbf{g}})$  be a feasible DRP solution of cost  $\hat{z}$ , and let  $\widehat{LB}^{ng}(P)$ ,  $P \in \mathscr{P}$ , be a completion bound on P with respect to  $(\hat{\boldsymbol{\pi}}, \hat{\boldsymbol{v}}, \hat{\mathbf{w}}, \hat{\mathbf{g}})$ . Any path  $P \in \mathscr{P}$  such that  $\widehat{LB}^{ng}(P) > z_{UB} - \hat{z}$  can be fathomed as it cannot generate any GVRP route corresponding to a CARP route of any SP solution of cost less than or equal to  $z_{UB}$ .

The completion bound  $\widehat{LB}^{ng}(P)$  required by fathoming 3 is computed as described in Section 6 using (31) and replacing  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$  with  $(\hat{\boldsymbol{\pi}}, \hat{\boldsymbol{v}}, \hat{\mathbf{w}}, \hat{\mathbf{g}})$ . The shortest path  $P^*$  and its cost  $\tilde{c}(P^*)$  required by fathoming 2 can be computed in O(|P|) time as follows. Let  $\tilde{s}(P, v_k)$  be the cost of the shortest path in  $\tilde{G}$  starting at 0, visiting cluster sequence  $(\tilde{V}_0, \tilde{V}_{\varepsilon(v_1)}, \ldots, \tilde{V}_{\varepsilon(v_k)}), k \leq p-1$ , and ending at vertex  $v_k \in \tilde{V}_k$ . Moreover, define  $\bar{v} = V_{\varepsilon(v)} \setminus \{v\}, \forall v \in \tilde{V}$ . We have,  $\tilde{s}(P, v_1) = \tilde{c}_{0v_1}, \tilde{s}(P, \bar{v}_1) = \tilde{c}_{0\bar{v}_1}, \text{ and } \tilde{s}(P, v_k) = \min\{\tilde{s}(P, v_{k-1}) + \tilde{c}_{v_{k-1}v_k}, \tilde{s}(P, \bar{v}_{k-1}) + \tilde{c}_{\bar{v}_{k-1}v_k}\}, \tilde{s}(P, \bar{v}_k) = \min\{\tilde{s}(P, v_{k-1}) + \tilde{c}_{v_{k-1}\bar{v}_k}, \tilde{s}(P, \bar{v}_{k-1}) + \tilde{c}_{\bar{v}_{k-1}\bar{v}_k}\}$ . The cost  $\tilde{c}(P^*)$  is then given by setting  $\tilde{c}(P^*) = \min\{\tilde{s}(P, v_{p-1}) + \tilde{c}_{\bar{v}_p}, \tilde{s}(P, \bar{v}_{p-1}) + \tilde{c}_{\bar{v}_p}\}$ .

Note that both fathoming 1 and 2 can be viewed as special cases of condition (C2). However, because of duals  $\boldsymbol{v}$  and  $\mathbf{w}$ , given any two paths  $P^k$ ,  $P^s$ ,  $1 \leq k, s, \leq h$ , it is often the case that  $\tilde{c}(P^k) \leq \tilde{c}(P^s)$ , but  $\bar{d}(P^k) \geq \bar{d}(P^s)$ , and the path sequence  $(P^1, \ldots, P^h)$  generated by GEN $\mathscr{P}$  does not in general satisfy  $\tilde{c}(P^1) \leq \ldots \leq \tilde{c}(P^h)$ . Therefore, using fathoming 1 and 2 can result in practice in a significant reduction in the computing time and memory required by procedure GEN $\mathscr{P}$ .

It is clear that by removing condition (C3) procedure GEN $\mathscr{P}$  can be used directly to generate GVRP routes. In our computational experiments, we have observed a clear trade-off between the speedup obtained by imposing condition (C3) when generating path set  $\mathscr{P}$  and the time spent combining these paths to obtain routes. In particular, whenever  $|\mathscr{P}|$  becomes large (say  $|\mathscr{P}| > 10^6$ ) we found it convenient to turn GENROUTES into a single phase procedure that directly generates GVRP routes using GEN $\mathscr{P}$ . In this case, it is possible to modify condition (C4) to also fathom all GVRP paths corresponding to backward-service CARP walks. Directly generating routes using GEN $\mathscr{P}$  also avoids the drawback of combining path pairs giving rise to routes that would be rejected by fathoming 1 or 2.

#### 6.3 Phase 2 of genRoutes: Procedure combine $\mathcal{P}$

Phase 2 of GENROUTES is an iterative procedure called COMBINE  $\mathscr{P}$  which is executed after GEN  $\mathscr{P}$  to combine paths  $\mathscr{P}_v, v \in \widetilde{V}$ , and is designed to avoid symmetries when combining path pairs to extract route set  $\mathscr{D}$ .

Procedure COMBINE  $\mathscr{P}$  is based on the observation that any forwardservice CARP route having reduced cost less than or equal to  $\varrho$  corresponds to a GVRP route  $\tilde{R}_{\ell}$ ,  $\ell \in \mathscr{R}$ , that can be decomposed into two forward GVRP paths P and  $\overline{P}$  such that:

(C5)  $\bar{d}(P) + \bar{d}(\overline{P}) \leq \varrho;$ 

(C6) P and  $\overline{P}$  satisfy route feasibility conditions (A) - (C) (see Section 5.1);

(C7)  $q(\overline{P}) - \tilde{q}_{e(P)} \leqslant q(P) \leqslant q(\overline{P}) + \tilde{q}_{e(P)}.$ 

COMBINE  $\mathscr{P}$  initializes  $\mathscr{D} = \emptyset$  and generates a sequence of GVRP forward path pairs  $\mathscr{L} = ((P^{r_1}, \overline{P}^{s_1}), (P^{r_2}, \overline{P}^{s_2}), \ldots, (P^{r_p}, \overline{P}^{s_p}))$  such that each pair  $(P^{r_k}, \overline{P}^{s_k}) \in \mathscr{L}$  satisfies (C5)-(C7), and  $\overline{d}(P^{k_1})+\overline{d}(\overline{P}^{s_1}) \leq \overline{d}(P^{k_2})+\overline{d}(\overline{P}^{s_2}) \leq \cdots \leq \overline{d}(P^{k_p}) + \overline{d}(\overline{P}^{s_p})$ . For each pair  $h, 1 \leq h \leq p$ , a corresponding CARP route  $R^h$  is obtained, and if  $\overline{c}^r(R^h) \leq \varrho$ , then  $R^h$  is added to  $\mathscr{D}$ . Procedure COMBINE  $\mathscr{P}$  terminates whenever either  $|\mathscr{D}| \geq \Delta$ , or no more pairs  $(P, \overline{P})$ satisfying (C5)-(C7) can be extracted from path sets  $\mathscr{P}_v$ .

Step-by-step description of combine  ${\mathcal P}$ 

Let  $\mathscr{P}_v = (P_v^1, \ldots, P_v^{h_v}), v \in \widetilde{V}$ , be the set of all GVRP paths ending at node v computed by procedure GEN $\mathscr{P}$ . In the following, we assume that each  $\mathscr{P}_v$  is ordered by non-decreasing values of modified path costs, i.e.,  $\overline{d}(P_v^1) \leq \cdots \leq \overline{d}(P_v^{h_v})$ . For the sake of simplicity, we denote by  $P_e^k$  the path in position k of ordered set  $\mathscr{P}_v$  such that  $\varepsilon(v) = e$  and i(v) < j(v), and by  $\overline{P}_e^k$ the path in position k of ordered set  $\mathscr{P}_v$  such that  $\varepsilon(v) = e$  and i(v) > j(v),  $\forall e \in E_R$ . Thus,  $P_e^k$  and  $\overline{P}_e^k$  correspond to CARP walks ending at edge e and servicing it through arc  $(i_e, j_e)$  and  $(j_e, i_e)$ , respectively. Moreover, we define  $\overline{v} = V_{\varepsilon(v)} \setminus \{v\}, \forall v \in \widetilde{V}$ . A step-by-step description of procedure COMBINE $\mathscr{P}$ is as follows.

- 1. Initialize  $\mathscr{L} = ((P_e^1, \overline{P}_e^1) : P_e^1, \overline{P}_e^1 \text{ satisfy } (C5) (C7)), \forall e \in E_R.$
- 2. If  $\mathscr{L} = \emptyset$ , then STOP. Otherwise, extract from  $\mathscr{L}$  a pair  $(P_e^r, \overline{P}_e^s)$  having smallest value  $\overline{d}(P_e^r) + \overline{d}(\overline{P}_e^s)$ , and execute the following steps.
- 3. Let  $R_e^{rs}$  be the CARP route obtained by combining paths  $P_e^r$ ,  $\overline{P}_e^s$ . If  $\overline{c}^r(R_e^{rs}) \leq \rho$  and  $c(R_e^{rs}) < c(R)$ ,  $\forall R \in \mathscr{D}$  such that  $S(R) = S(R_e^{rs})$ , then, add R to  $\mathscr{D}$ . If  $|\mathscr{D}| \geq \Delta$ , STOP. Otherwise, execute the following steps.
- 4. Add the following pairs to  $\mathscr{L}$ :
  - (a)  $(P_e^{r'}, \overline{P}_e^s)$ , where  $r' = \min\{\overline{r} = r+1, \ldots, |\mathscr{P}_v| \text{ s.t. } \overline{d}(P_e^{\overline{r}}) + \overline{d}(\overline{P}_e^s) \leq \varrho$ , and  $P_e^{\overline{r}}, \overline{P}_e^s$  satisfy (C5)–(C7)}, if  $r-s \geq 0$ .
  - (b)  $(P_e^r, \overline{P}_e^{s'})$ , where  $s' = \min\{\bar{s} = s + 1, \dots, |\mathscr{P}_{\bar{v}}| \text{ s.t. } \bar{d}(P_e^r) + \bar{d}(\overline{P}_e^{\bar{s}}) \leq \varrho$ , and  $P_e^r, \overline{P}_e^{\bar{s}}$  satisfy (C5)–(C7)}, if  $r - s \leq 0$ .
- 5. If r s = 1, or r = s and r s' < -1; then set r = r + 1, s = s + 1, add pair  $(P_e^r, \overline{P}_e^s)$  to  $\mathscr{L}$ , and go to Step 4. Otherwise, go to Step 2.

A dominance rule similar to fathoming 3 described for GEN $\mathscr{P}$  is also applied at Step 3 of COMBINE $\mathscr{P}$ . Specifically, the following fathoming procedure is applied for each route  $R_e^{rs}$  generated at Step 3.

**Fathoming 4.** Let  $(\hat{\boldsymbol{\pi}}, \hat{\boldsymbol{v}}, \hat{\mathbf{w}}, \hat{\mathbf{g}})$  be a feasible DRP solution of cost  $\hat{z}$ , and let  $\hat{c}_{\ell}^r$  be the reduced cost with respect to  $(\hat{\boldsymbol{\pi}}, \hat{\boldsymbol{v}}, \hat{\mathbf{w}}, \hat{\mathbf{g}})$  of any CARP route  $R_{\ell}$ ,  $\ell \in \mathscr{R}$ . Any route  $R_{\ell}$  such that  $\hat{c}_{\ell}^r > z_{UB} - \hat{z}$  can be fathomed as it cannot be part of any SP solution of cost less than or equal to  $z_{UB}$ .

# 7 Lower bounding procedures

We have developed four lower bounding procedures BP1, BP2, BP3, and BP4 to compute the final lower bound *LB*4 on the CARP optimum. Procedure BP1 is an extension of a procedure originally proposed by Baldacci et al. [2008] for the CVRP that uses a dual ascent heuristic instead of the simplex algorithm to solve the master problem. Procedures BP2, BP3, and BP4 use the same simplex-based cut-and-column generation method, called LPCG, to solve different relaxations of LRP.

#### 7.1 Lower bounding procedure BP1

Procedure BP1 solves a relaxation of problem LRP, called RF1, where constraints (14), (8), and (25) are ignored, and the route set  $\mathscr{R}$  is enlarged to contain all CARP *q*-routes in *G*.

Here, we briefly define CARP q-routes, and relate them with corresponding GVRP q-routes in  $\tilde{G}$  (see Section 5.3). A CARP q-route is defined as a CARP route where the requirement that a required edge is serviced at most once is relaxed. A CARP q-route ends at arc a if  $e(a) \in E_R$  is the last edge serviced, through arc a, before returning to the depot for the last time. Each CARP q-route ending at arc a corresponds to a GVRP q-route in  $\tilde{G}$  of the same cost ending at node  $v = \nu(a)$ , i.e., visiting node  $v = \nu(a) \in \tilde{V}$  just before returning to node 0. Conversely, given any GVRP q-route  $\tilde{R} = (0, v_1, \ldots, v, 0)$  ending at node v, a corresponding CARP q-route ending at arc  $\alpha(v)$  is obtained by servicing in sequence edges  $\varepsilon(v_1), \ldots, \varepsilon(v)$ through arcs  $\alpha(v_1), \ldots, \alpha(v)$ , and deadheading the shortest paths  $P_{0i(v_1)}, \ldots,$  $P_{j(v)0}$ . It is obvious how to define a CARP (q, u)-path in  $\tilde{G}$ . We say that a CARP q-route contains a loop of k consecutive edges (k-loop) if it services in sequence k required edges  $e_1, \ldots, e_k = e_1$  (note that a 1-loop corresponds to servicing twice the same edge consecutively).

It is worth noting that the q-path relaxation adopted in this paper is slightly different from that commonly adopted in the previous CARP literature. Indeed, since we assume that a CARP route always deadheads shortest paths, a CARP (q, a)-path as defined in this paper always ends at a serviced edge e(a), whereas the usual q-path relaxation for the CARP is obtained by defining, for each vertex  $i \in V$ , a (q, i)-path of demand q ending at vertex *i*. This last definition has the advantage of exploiting the sparsity of the graph, yielding a pricing algorithm for CARP q-routes which can be executed in  $O(Q|E| + |V| \log |V|)$  time [see Letchford and Oukil, 2009] rather than in  $O(Q|E_R|^2)$  time as in this paper. However, our definition enables the generation of CARP q-routes as corresponding GVRP q-routes in  $\tilde{G}$ , and because there are no arcs between nodes of a same cluster in  $\widetilde{G}$ , imposing that GVRP q-routes cannot contain loops of two consecutive clusters implies that the corresponding CARP q-routes do not contain 3-loops. That is, pricing GVRP q-routes with 2-cycle elimination yields CARP q-routes without 3loops. Therefore, the q-path relaxation adopted in this paper, which is quite fast to solve in practice, can yield better lower bounds than the classical one even if 2-cycle elimination is used.

Procedure BP1 is a dual ascent method that uses column generation to compute a near optimal solution  $\pi^1$  of cost LB1 to the dual of RF1, called DRF1. The final DRP solution of cost LB1 corresponding to  $\pi^1$  is denoted by  $(\pi^1, \boldsymbol{v}^1, \mathbf{w}^1, \mathbf{g}^1)$ , where  $\boldsymbol{v}^1 = 0$ ,  $\mathbf{w}^1 = 0$ ,  $\mathbf{g}^1 = 0$ . Procedure BP1 is based on the following theorem.

**Theorem 2** Let  $\lambda_e \in \mathbb{R}$ ,  $\forall e \in E_R$ , and  $\lambda_0 \in \mathbb{R}^+$  be penalties associated with constraints (2) and (3), respectively. A feasible DRF1 solution  $\pi$  of cost  $z(DRF1(\lambda))$  can be obtained by means of the following equations:

$$\pi_e = q_e \min_{\substack{\ell \in \mathscr{R} \\ a_{e\ell} > 0}} \left\{ \frac{(c_\ell - \lambda(S_\ell) - \lambda_0)}{q(S_\ell)} \right\} + \lambda_e, \quad \forall e \in E_R,$$
(38)

$$\pi_0 = \lambda_0, \tag{39}$$

where  $q(S_{\ell}) = \sum_{e \in S_{\ell}} a_{e\ell} q_e$  and  $\lambda(S_{\ell}) = \sum_{e \in S_{\ell}} a_{e\ell} \lambda_e$ .

Consider any route  $R_{\ell'}, \ell' \in \mathscr{R}$ . Because  $a_{e\ell'} > 0, \forall e \in S_{\ell'}$ , we have

$$q_e \min_{\substack{\ell \in \mathscr{R} \\ a_{e\ell} > 0}} \left\{ \frac{(c_\ell - \lambda(S_\ell) - \lambda_0)}{q(S_\ell)} \right\} \leqslant q_e \frac{(c_{\ell'} - \lambda(S_{\ell'}) - \lambda_0)}{q(S_{\ell'})}, \quad \forall e \in S_{\ell'}.$$
(40)

Using expressions (38) and (39), from (40) we obtain

$$\sum_{e \in E_R} a_{e\ell'} \pi_e + \pi_0 \leqslant \sum_{e \in E_R} a_{e\ell'} q_e \frac{(c_{\ell'} - \lambda(S_{\ell'}) - \lambda_0)}{q(S_{\ell'})} + \lambda(S_{\ell'}) + \lambda_0 = c_{\ell'}.$$
 (41)

Procedure BP1 uses subgradient optimization and column generation to heuristically solve  $\max_{\lambda}\{z(DRF1(\lambda))\}$  as follows. Let  $\overline{\text{RF1}}$  be a restricted problem obtained from RF1 by substituting  $\mathscr{R}$  with a subset  $\overline{\mathscr{R}} \subseteq \mathscr{R}$ , and let  $\bar{\pi}$  be a solution to the dual  $\overline{\text{DRF1}}$  of problem  $\overline{\text{RF1}}$ . We denote by  $\bar{\phi}(a)$ the cost of the least cost GVRP q-route ending at  $\nu(a)$  with respect to the modified arc costs  $\bar{d}_{uv}$ . The value  $\bar{\phi}(a)$  corresponds to the reduced cost of the least reduced cost CARP q-route with respect to  $\bar{\pi}$ . Cost  $\bar{\phi}(a)$  is computed as  $\bar{\phi}(a) = \min_{\bar{q}=q_{\nu(a)},\dots,Q}\{f(\bar{q},\nu(a))+\bar{d}_{\nu(a)0}\}$ , where functions f(q,v)are calculated using the modified arc costs  $\bar{d}_{uv}$  obtained according to equation (28) by setting  $\bar{\boldsymbol{v}} = 0$  and  $\bar{\boldsymbol{w}} = 0$ 

BP1 initializes LB1 = 0,  $\lambda = 0$ ,  $\overline{\mathscr{R}} = \emptyset$ , and executes a fixed number  $maxit_1$  of macro-iterations which perform the following steps:

- 1. execute a fixed number  $maxit_2$  of subgradient iterations using Theorem 2 (where  $\mathscr{R}$  is replaced by  $\overline{\mathscr{R}}$ ) to compute a dual solution  $\overline{\pi}$  of cost  $\overline{z}$  to  $\overline{\mathrm{RF1}}$ , and modifying the penalties  $\lambda$  using the subgradient method;
- 2. generate a subset  $\mathscr{N}$  containing the CARP *q*-route of minimum reduced cost  $\bar{\phi}_a$  ending at arc  $a, \forall a \in A_R$ . If  $\mathscr{N} = \emptyset$  and  $\bar{z}$  is greater than LB1, then update  $LB1 = \bar{z}$ , and  $\pi^1 = \bar{\pi}$ . Otherwise, update  $\mathscr{R} = \mathscr{R} \cup \mathscr{N}$ .

At Step 1, a subgradient  $\bar{\psi}$  on  $z(\overline{DRF1}(\lambda))$  can be computed as follows. Let  $\ell_e \in \overline{\mathscr{R}}, e \in E_R$ , be the index of a route  $R_{\ell_e}$  yielding the minimum in (38), and define a not necessarily feasible LRF1 solution  $\bar{\mathbf{x}}$  setting  $\bar{x}_{\ell} = \sum_{e \in E_R} a_{e\ell}(q_e/q(S_{\ell_e})), \forall \ell \in \mathscr{R}$ . A valid subgradient on  $z(\overline{DRF1}(\lambda))$  is given by setting  $\bar{\psi}_e = \sum_{\ell \in \overline{\mathscr{R}}} a_{e\ell} \bar{x}_{\ell} - 1$ , and  $\bar{\psi}_0 = \sum_{\ell \in \overline{\mathscr{R}}} \bar{x}_{\ell} - K^*$ .

### 7.2 Cut-and-column generation algorithm LPCG

LPCG is a simplex-based cut-and-column generation method for solving LRP which constitutes the skeleton of procedures BP2, BP3, and BP4. It can be briefly described as follows.

Let  $\eta$ ,  $\gamma$ , and  $M(\mathcal{N})$  be a priori defined parameters. LPCG starts by defining an initial master problem  $\overline{LRP}$  obtained from LRP by substituting the route set  $\mathscr{R}$  with a subset  $\overline{\mathscr{R}} \subseteq \mathscr{R}$ , and the sets  $\mathscr{S}, \mathscr{F}$ , and  $\mathscr{C}$  of inequalities (8), (14), and (25) with subsets  $\overline{\mathscr{S}} \subseteq \mathscr{S}, \overline{\mathscr{F}} \subseteq \widetilde{\mathscr{F}}, \text{ and } \overline{\mathscr{C}} \subseteq \mathscr{C}.$ At each iteration, it solves  $\overline{LRP}$  using the simplex algorithm to obtain an optimal  $\overline{LRP}$  solution  $\bar{\mathbf{x}}$ , and a corresponding  $\overline{DRP}$  solution  $(\bar{\boldsymbol{\pi}}, \bar{\boldsymbol{v}}, \bar{\mathbf{w}}, \bar{\mathbf{g}})$ . It then generates at most  $\eta$  constraints (14), (8), (25) violated by  $\bar{\mathbf{x}}$ , adds them to  $\overline{\mathscr{S}}, \overline{\mathscr{F}}, \text{ and } \overline{\mathscr{C}}, \text{ respectively, and executes a new iteration. Whenever no$ violated inequality is found, or after at least  $\gamma$  inequalities have been added to LRP in subsequent iterations, LPCG solves the pricing problem to generate a subset  $\mathcal{N} \subset \mathscr{R}$  containing at most  $M(\mathcal{N})$  CARP routes having negative reduced cost with respect to  $(\bar{\pi}, \bar{v}, \bar{w}, \bar{g})$ . The new routes are then added to  $\overline{\mathscr{R}}$ . LPCG terminates whenever  $\mathscr{N} = \emptyset$ , and no violated inequalities (14), (8), or (25) were identified in the last iteration. In order to keep the LP compact, at each iteration, LPCG removes from LRP all variables and cuts that were inactive in the last  $\theta$  iterations (say,  $\theta = 20$ ), and moves them into a route pool  $\mathfrak{R}$  and and a cut pool  $\mathfrak{B}$ , respectively. These pools are checked at each iteration before attempting to solve the pricing problem and before generating violated inequalities.

Violated inequalities at each iteration of LPCG are detected in the order (14), (8), and (25), and the corresponding separation problems are solved as follows.

Capacity constraints (14). Inequalities (14) are separated as CVRP rounded capacity inequalities over a weighted undirected graph  $\hat{G}(\xi) = (\hat{V}(\xi), \hat{E}(\xi))$ defined by the aggregated variables  $\xi_{ef}$  obtained through equations (13). The graph  $\hat{G}(\xi)$  is defined as follows. The node set  $\hat{V}(\xi)$  contains a node 0 and a node  $u^e$  of demand  $q_e$  for each required edge  $e \in E_R$ . The edge set  $\hat{E}(\xi)$  contains an edge  $\{u^e, u^f\}$  of weight  $\xi_{ef}$  for each pair e, f such that  $\xi_{ef} > 0$ , and an edge  $\{0, e\}$  of weight  $\xi_{0e}$  for each edge  $e \in E_R$  such that  $\xi_{0e} > 0$ . Let  $q(\hat{S})$ be the total demand of nodes in  $\hat{S}$ , for any  $\hat{S} \subseteq \hat{V}(\xi)$ , and let  $\xi(\delta(\hat{S}))$  be the total weight of edges in  $\hat{E}(\xi)$  crossing  $\hat{S}$ . Any set  $\hat{S} \subseteq \hat{V}(\xi) \setminus \{0\}$  such that  $\xi(\delta(\hat{S})) < \lceil q(\hat{S})/Q \rceil$  corresponds to a violated inequality (14) defined by an edge set  $F = \{e \in E_R : u^e \in \hat{S}\}$ . We use the package CVRPSEP [Lysgaard,

2003] to identify sets in  $\hat{G}(\xi)$  corresponding to violated inequalities (14). Odd edge cutset constraints (8). Inequalities (8) can be separated exactly similarly to CARP odd edge cutset constraints (6) over a weighted undirected graph  $G(\bar{y}) = (V(\bar{y}), E(\bar{y}))$  defined by the aggregated variables  $y_{ij}$  obtained through equations (7). Node set  $V(\bar{y})$  of  $G(\bar{y})$  corresponds to V, and edge set  $E(\bar{y})$  contains an edge  $\{i, j\}$  of weight  $\bar{y}_{ij}$  for each node pair i, j, i < j, such that  $\bar{y}_{ij} > 0$ . For each node in  $i \in V(\bar{y})$ , node *i* is labeled "odd" if  $|\delta_R(i)|$  is odd, and "even" otherwise. Let  $\bar{y}(\delta(S))$  be the total weight of edges in  $E(\bar{y})$ crossing S. Any set  $S \subseteq V(\bar{y}) \setminus \{0\}$  containing an odd number of odd nodes and such that  $\bar{y}(\delta(S)) < 1$  corresponds to a violated inequality (8) defined by a node set S. To determine set S, we use the algorithm of Padberg and Rao [1982] to compute the minimum weight odd cut  $(S: V(\bar{y}) \setminus S)$  in  $G(\bar{y})$ . Note that the size of graph  $G(\bar{y})$  can be reduced by iteratively shrinking edges having weight greater than or equal to one, and if  $G(\bar{y})$  is not connected the search can be restricted by considering each connected component of  $G(\bar{y})$ separately.

Subset row inequalities (25). Let  $\overline{\mathscr{R}}^{\varepsilon} = \{\ell \in \overline{\mathscr{R}} : \bar{x}_{\ell} > \varepsilon\}$ , where  $\varepsilon$  is an a priori defined parameter. Inequalities (25) are separated by enumerating all triplets  $\mathscr{C}$  and checking the degree of violation of the corresponding inequality with respect to the routes in  $\overline{\mathscr{R}}^{\varepsilon}$ . When detecting violated inequalities (25), an attempt is made to avoid generating violated inequalities that will likely be redundant in subsequent iterations. To this end, let  $\mathscr{C}'$  be the set of triplets corresponding to all violated inequalities identified in the current iteration, and let  $\omega(C)$  be the degree of violation of inequality (25) defined by  $C, \forall C \in \mathscr{C}'$ . All triplets C such that, for some  $C' \in \mathscr{C}', \omega(C) < \omega(C')$ , and  $|C' \cap C| = 2$  are then removed from  $\mathscr{C}'$ .

### 7.3 Lower bounding procedure BP2

Procedure BP2 solves a relaxation of LRP, denoted by RF2, not containing constraints (25) and in which the set  $\mathscr{R}$  of CARP routes is enlarged to contain all CARP q-routes. RF2 is solved by a lower bounding procedure called BP2 which is based on LPCG. The initial master problem  $\overline{\text{RF2}}$  is obtained from RF2 by substituting  $\mathscr{R}$  with a subset  $\overline{\mathscr{R}} \subseteq \mathscr{R}$  containing a CARP q-route ending in arc a, for each arc  $a \in A_R$ , having minimum reduced cost with respect to the dual solution  $(\pi^1, \boldsymbol{v}^1, \mathbf{w}^1, \mathbf{g}^1)$  computed by BP1. The route and cut pools  $\mathfrak{R}$  and  $\mathfrak{B}$  are initialized as  $\mathfrak{R} = \emptyset$ , and  $\mathfrak{B} = \emptyset$ . Moreover, BP2 initializes  $\overline{\mathscr{S}} = \{\{i\} : i \in V, |\delta_R(i)| \text{ is odd}\}, \text{ and } \overline{\mathscr{F}} = \emptyset, \overline{\mathscr{C}} = \emptyset$ . At each iteration of LPCG, the route subset  $\mathscr{N}$  is obtained by computing a CARP *q*-route of minimum reduced cost  $\bar{\phi}_a$  ending at arc  $a, \forall a \in A_R$ , with respect to the current master dual solution. Values  $\bar{\phi}_a, \forall a \in A_R$ , are computed as  $\bar{\phi}(a) = \min_{\bar{q}=q_{\nu(a)},\dots,Q} \{f(\bar{q},\nu(a)) + \bar{d}_{\nu(a)0}\}$ , where functions f(q,v)are calculated using the modified arc costs  $\bar{d}_{uv}$  computed according to (28).

In the following, we denote by  $(\pi^2, v^2, \mathbf{w}^2, \mathbf{g}^2)$ ,  $\mathbf{g}^2 = 0$ , the final DRP solution of cost *LB*2 computed by procedure BP2.

### 7.4 Lower bounding procedure BP3

Procedure BP3 solves a relaxation RF3 of problem LRP obtained by ignoring constraints (25). RF3 is solved by a lower bounding procedure called BP3 which is based on LPCG, and applies algorithm GENROUTES to generate CARP routes.

Let  $M(\mathscr{R}^2)$  and  $M(\mathscr{P}_v^2)$  be two parameters defined a priori. Before starting LPCG, BP3 applies GENROUTES to generate a subset  $\mathscr{R}^2 \subseteq \mathscr{R}$  containing at most  $M(\mathscr{R}^2)$  CARP routes having reduced cost with respect to  $(\pi^2, v^2, w^2, g^2)$  less than or equal to the gap  $z_{UB} - LB2$ . Let  $\mathscr{P}^2$  be the set of all paths generated by GENROUTES to compute  $\mathscr{R}^2$ . When generating  $\mathscr{R}^2$ , we impose that  $|\mathscr{P}_v^2| \leq M(\mathscr{P}_v^2), \forall v \in \widetilde{V}$ , and both fathoming 3 and fathoming 4 are applied within GENROUTES using DRP solutions  $(\pi^1, v^1, w^1, g^1)$ and  $(\pi^2, v^2, w^2, g^2)$ . The path set  $\mathscr{P}^2$  is called *optimal* if  $|\mathscr{P}_v^2| < M(\mathscr{P}_v^2)$ ,  $\forall v \in \widetilde{V}$ . Note that if  $\mathscr{P}^2$  is optimal, it is not required to use GENROUTES within BP3, as all routes that can be part of an optimal solution can be generated by combining paths in the set  $\mathscr{P}^2$ .

The initial master problem of LPCG is obtained setting  $\overline{\mathscr{R}} = \mathscr{R}^2$ , and  $\overline{\mathscr{S}} = \emptyset$ ,  $\overline{\mathscr{F}} = \emptyset$ , and  $\overline{\mathscr{C}} = \emptyset$ . The route pool  $\mathfrak{R}$  is initialized as  $\mathfrak{R} = \emptyset$ , and the cut pool  $\mathfrak{B}$  initially contains all inequalities found by procedure BP2. At each iteration of LPCG, the subset  $\mathscr{N} \subseteq \mathscr{R}$  containing at most  $M(\mathscr{N})$  routes of negative reduced cost is generated according to the following two cases:

1.  $\mathscr{P}^2 \neq \emptyset$ :

(i) Extract from  $\mathscr{P}^2$  a subset  $\overline{\mathscr{P}}_v \subseteq \mathscr{P}_v^2$  containing the  $M(\mathscr{P}_v)$  $(M(\mathscr{P}_v)$  defined a priori) paths of minimum modified cost  $\overline{d}(P)$ ending at node  $v, \forall v \in \widetilde{V}$ , and such that  $\overline{LB}^{ng}(P) \leq 0, \forall P \in \mathscr{P}_v,$  $v \in \widetilde{V}$ .

- (ii) Use procedure COMBINE  $\mathscr{P}$  to combine paths in  $\overline{\mathscr{P}}_v, \forall v \in \widetilde{V}$ , setting  $\Delta = M(\mathscr{N})$  and  $\varrho = 0$ .
- (iii) If  $|\mathcal{N}| = 0$  we have to consider two cases:
  - (a)  $\mathscr{P}^2$  is not optimal: set  $\mathscr{P}^2 = \emptyset$ , and go to case 2.
  - (b)  $\mathscr{P}^2$  is optimal and  $|\overline{\mathscr{P}}_v| < |\mathscr{P}_v^2|$  for some  $v \in \widetilde{V}$ : set  $M(\mathscr{P}_v) = \infty$  and return to (i).
- 2.  $\mathscr{P}^2 = \emptyset$ :
  - a Use GENROUTES to compute route subset  $\mathscr{N}$  by setting  $\Delta = M(\mathscr{N})$ and  $\varrho = 0$ , and imposing  $|\mathscr{P}_v| \leq M(\mathscr{P}_v), \forall v \in \widetilde{V}$ , within GEN $\mathscr{P}$ .
  - b If  $|\mathscr{N}| = 0$  and  $|\mathscr{P}_v| = M(\mathscr{P}_v)$  for some  $v \in \widetilde{V}$ , then set  $M(\mathscr{P}_v) = \infty$  and repeat case 2.

In both cases 1 and 2, whenever  $|\mathcal{N}| = \emptyset$  or GENROUTES runs out of memory procedure BP3 terminates prematurely.

When generating  $\mathscr{N}$ , fathoming 3 and fathoming 4 are applied within GEN-ROUTES using both DRP solutions  $(\boldsymbol{\pi}^1, \boldsymbol{v}^1, \mathbf{w}^1, \mathbf{g}^1)$  and  $(\boldsymbol{\pi}^2, \boldsymbol{v}^2, \mathbf{w}^2, \mathbf{g}^2)$ . Moreover, any route R such that  $c(R) \ge c(R_\ell)$ , for some  $\ell \in \overline{\mathscr{R}} \cup \mathfrak{R}$ , and such that  $S(R) = S(R_\ell)$  is removed from  $\mathscr{N}$ . In the following, we denote by  $(\boldsymbol{\pi}^3, \boldsymbol{v}^3, \mathbf{w}^3, \mathbf{g}^3), \mathbf{g}^3 = 0$ , the final DRP solution of cost *LB*3 computed by procedure BP3, and by  $\overline{\mathscr{R}}^3, \overline{\mathscr{S}}^3$  and  $\overline{\mathscr{F}}^3$  the subsets of routes and inequalities (8) and (14), respectively, of the final master  $\overline{\mathrm{RF3}}$  at the end of BP3.

### 7.5 Lower bounding procedure BP4

Procedure BP4 is similar to BP3 except that it incorporates constraints (25). It is executed after BP3 and starts by generating a subset  $\mathscr{R}^3 \subseteq \mathscr{R}$  containing at most  $M(\mathscr{R}^3)$  CARP routes having reduced cost with respect to  $(\pi^3, \boldsymbol{v}^3, \mathbf{w}^3, \mathbf{g}^3)$  less than or equal to the gap  $z_{UB} - LB3$ , where  $M(\mathscr{R}^3)$  is defined a priori. Fathoming 3 and fathoming 4 are applied within GEN $\mathscr{P}$ and COMBINE $\mathscr{P}$  using DRP solutions  $(\pi^1, \boldsymbol{v}^1, \mathbf{w}^1, \mathbf{g}^1), (\pi^2, \boldsymbol{v}^2, \mathbf{w}^2, \mathbf{g}^2),$  and  $(\pi^3, \boldsymbol{v}^3, \mathbf{w}^3, \mathbf{g}^3)$ . When generating  $\mathscr{R}^3$ , we impose that  $|\mathscr{P}^3| \leq M(\mathscr{P}^3)$ , where  $\mathscr{P}^3$  is the set of all paths that are generated by GENROUTES to compute route set  $\mathscr{R}^3$ , and  $M(\mathscr{P}^3)$  is a parameter defined a priori. Path set  $\mathscr{P}^3$ is called *optimal* if  $|\mathscr{P}^3| < M(\mathscr{P}^3)$ . BP4 uses the route set  $\mathscr{R}^3$  to update the pool  $\mathfrak{R}$  as  $\mathfrak{R} = \mathfrak{R} \cup \mathscr{R}^3$ , whereas the master problem is initialized by setting  $\overline{\mathscr{R}} = \overline{\mathscr{R}}^3$ , and  $\overline{\mathscr{S}} = \overline{\mathscr{F}}^3$ ,  $\overline{\mathscr{F}} = \overline{\mathscr{F}}^3$ . At each iteration of LPCG, the subset  $\mathscr{N} \subseteq \mathscr{R}$  is generated according to the same strategy as in procedure BP3 where  $\mathscr{P}^2$  is replaced with  $\mathscr{P}^3$ , and fathoming rules 3 and 4 are applied within GENROUTES using DRP solutions  $(\pi^1, v^1, w^1, g^1), (\pi^2, v^2, w^2, g^2), \text{ and } (\pi^3, v^3, w^4, g^3).$ 

# 8 Computational experiments

All algorithms were coded in C and compiled under Visual Studio 2008. CPLEX 12.1 [CPLEX, 2008] was used as the LP solver in procedures BP2, BP3, BP4, and as the IP solver in the exact algorithm. All computational experiments were run on an Intel Xeon E5310 Workstation clocked at 1.6 GHz with 8 Gb RAM running Windows Server 2003 x64 Edition.

### 8.1 Test instances

We have used five sets of CARP benchmark instances called *eql* [Belenguer and Benavent, 2003], val [Benavent et al., 1992], qdb [Golden et al., 1983], kshs [Kiuchi et al., 1995], and *bmcv* [Beullens et al., 2003]. The sets val, *qdb*, and *kshs* correspond to Capacitated Chinese Postman Problems in that all edges of the corresponding graphs are required. Data set eql is based on data from a winter gritting application in Lancashire, England [Li and Eglese, 1966, Eglese, 1994] and contains 24 instances based on two networks created by changing the set of required edges and the capacities of the vehicles. These instances involve up to 140 nodes and 190 edges, and the demand quantities for the required edges are proportional to their costs. Data set val contains 34 instances with up to 50 vertices and 97 edges obtained from 10 randomly generated graphs by changing the capacity of the vehicles. Data sets gdb and kshs contain 23 randomly generated instances with up to 27 nodes and 55 edges, and six instances with up to 10 nodes and 15 edges, respectively. Finally, the data set bmcv is made up of 100 instances with up to 97 vertices and 142 edges obtained by partitioning the inter-city road network of Flanders, Belgium, into districts in the context of winter gritting. The latter instances are further partitioned into four classes, called C, D, E and F. Instances D and F are defined over the same graphs as instances C and E but double the vehicle capacity. Data sets eql, val, qdb, and kshs are publicly available at http://www.uv.es/~belengue/carp.html, whereas instances *bmcv* were kindly provided to us by Beullens and Muyldermans [2010].

#### 8.2 Computational results

In Tables 1–5 we compare the results obtained by the four lower bounding procedures BP1, BP2, BP3, and BP4, and by our exact algorithm (columns headed "Our algorithm") with those obtained by the methods of Baldacci and Maniezzo [2006] (columns "BM"), Longo et al. [2006] (columns "LPU"), Belenguer and Benavent [2003] (columns "BB"), and Beullens et al. [2003] (columns "BMCV").

The algorithm of Baldacci and Maniezzo works by transforming the CARP into an equivalent CVRP which is solved by branch-and-cut using a twoindex formulation strengthened by the generation of several classes of valid inequalities for the CVRP. The algorithm of Longo et al. is also based on a transformation of the CARP into a CVRP. However, these authors model this CVRP as a set covering-like problem which is solved by branch-and-cut-andprice. This formulation is strengthened using rounded capacity cuts, framed capacity, and strengthened comb cuts. The algorithm of Belenguer and Benavent is a cutting plane method based on a sparse formulation described by integer variables representing the number of times an edge is deadheaded. This formulation contains capacity constraints, odd edge cutset constraints, and disjoint path inequalities. Finally, the lower bounds computed by Beullens et al. are obtained by first applying the cutting plane algorithm of Belenguer and Benavent, but ignoring disjoint path inequalities, and then using the CPLEX IP solver to obtain an integer solution.

In all instances, edge costs are represented as integers, and therefore the final lower bounds obtained by procedures BP1, BP2, BP3, and BP4 are rounded up to the nearest integer. Tables 1 – 5 display the following data for each instance. Column "Ins." reports the instance name whereas column " $z_{UB}$ " reports the best known upper bound (either taken from Santos et al. [2010], or computed by our exact algorithm; bold values indicate an improvement over the best known upper bound), and column " $z_{LB}$ " reports the best lower bound found by our algorithm. Columns "% LBx",  $x = 1, \ldots, 4$ , report the percentage ratio of lower bounds LBx computed by procedures BPx (i.e.,  $\% LBx = LBx/z_{UB} \cdot 100$ ); columns " $t_x$ ", report the total (cumulative) time in seconds spent by procedures "BPx" (e.g.,  $t_4$  is the total time spent for computing LB1, LB2, LB3, and LB4). Columns "% LB" under

headings LPU, BM, BB, and BMCV report the percentage ratio of the best lower bound obtained by the respective authors, and columns "t", give the corresponding computing times in seconds (computing times for BMCV are not available). Lower bound ratios reported for Longo et al., Baldacci and Maniezzo, and Belenguer and Benavent are computed with respect to the root lower bounds, whereas those of Beullens et al. are relative to the best lower bound at termination. Columns " $|\mathscr{R}^*|$ " give the cardinality of the final route set  $\mathscr{R}^*$  computed by the exact method described in Section 4. Finally, column "t<sup>\*</sup>" provides the total computing time for the instances solved to optimality.

A time limit of four hours was imposed to all lower bounding procedures described in this paper. An entry tl in column " $t_x$ " indicates that the the time limit was reached. An additional time limit of six hours was then allowed to the execution of the exact algorithm described in Section 4. An entry  $_M$  in columns "LBx" and in column " $|\mathscr{R}^*|$ " indicates that GENROUTES ran out of memory in generating the route set  $\mathscr{N}$  within procedure BPx and route set  $\mathscr{R}^*$  at Step 2 of the exact algorithm, respectively. In these cases, the algorithm terminated prematurely.

All computing times reported for Longo et al., and Baldacci and Maniezzo are relative to an Intel Pentium IV clocked at 2.8 GHz, and to an Intel Pentium IV clocked at 2.4 GHz, respectively. In order to allow a fair comparison between the running times of these algorithms and ours, we have used the CPU2000 benchmarks, reported by the Standard Performance Evaluation Corporation (SPEC 2005), which are publicly available at http://www.spec.org/cpu/results/. According to these benchmarks the SPECint and SPECfp scores for the Intel Xeon E5310 used in this paper are 1,680 and 1,619, whereas the scores for the Pentium IV at 2.8 GHz of Longo et al. are 976 and 915, and those of the Pentium IV at 2.4 GHz of Baldacci and Maniezzo are 852 and 840. Therefore, we estimate that our computer is approximately 1.8 times faster than that of Longo et al., and twice faster than that of Baldacci and Maniezzo. Belenguer and Benavent used a SUN Sparc 20. We could not find benchmarks for this computer, but our machine is clearly much faster, probably by at least one order of magnitude.

The following parameter settings were used by our algorithm to obtain all results reported in Tables 1–5: maxit1 = 100, and maxit2 = 50 in procedure BP1;  $M(\mathscr{R}^2) = 100000, M(\mathscr{R}^1) = 50000, M(\mathscr{P}_v^2) = \lceil \frac{1000000}{|E_R|} \rceil, M(\mathscr{R}_e) = \lceil \frac{1000000}{|E_R|} \rceil$ , in procedure BP3;  $M(\mathscr{R}^3) = 50000$  and  $M(\mathscr{P}^3) = 50000000$ , in

procedure BP4;  $M(\mathcal{N}) = 500$  and  $M(\mathcal{P}_v) = 50000$ , in both procedures BP3 and BP4. Finally, we set  $\Delta^{MAX} = 1000000$  in the exact method.

#### 8.3 Analysis of the computational results

The results reported in Tables 1-5 show that the new lower bounds are tighter than the previous best ones. Lower bound LB2 is on average better and significantly faster all previous best ones. An exception is data-set *val* where LB2 is on average slightly worse than the lower bound of LPU but runs approximately 20 times faster. The final lower bound LB4 is more time consuming, but is on average significantly tighter than previous ones on all data-sets tested. Indeed, LB4 is never worse than previous lower bounds, except for two instances (E21 from data-set *bmcv*, and s4-A from data-set *egl*). On average, it is always within less than 0.5% from the best known upper bounds.

Concerning the exact method, our results confirm the usefulness of the new lower bounds. A total of 27 instances could be solved for the first time by the exact algorithm: six from data-set egl, and 21 from data-set bmcv. Five new upper bounds were also found, two of which are optimal. The two val instances 5D and 8C are solved for the first time by our exact algorithm and by the algorithm of Bode and Irnich [2011]. The latter algorithm also optimally solves instances 4D and 5C for the first time. At present, 13 instances from egl, one from val, and 34 from bmcv remain open. Tables 1, 4, and 5 show that our exact algorithm outperforms the branch-and-cut-and-price of Longo et al., solving 11 more instances from data-sets egl and val, and being on average faster. It is also competitive with the branch-and-cut of Baldacci and Maniezzo, solving six more instances from data-sets egl and val, even though it is on average slower on data-set egl. Note that the model used by Baldacci and Maniezzo assumes that the number of vehicles K is an input parameter.

It is interesting to note that on data-set val the improvement of lower bound LB3 over LB2 is rather marginal. This seems to suggest that for these instances pricing elementary routes instead of non-elementary ones may not be worth the extra computational effort. Indeed, BP2 alone yields in this case very strong lower bounds within a rather limited computing time, suggesting that a branch-and-cut-and-price based on non-elementary routes may prove to be an effective solution method. The preliminary results reported by Bode and Irnich seem to confirm this hypothesis, although the incorporation of BP2 as a lower bounding method could provide some advantages because of the stronger cuts and q-route relaxation.

			LPU									
Ins.	$z_{UB}$	% LB1	$t_1$	% LB2	$t_2$	% LB3	$t_3$	%LB4	$t_4$	$ \mathscr{R}^* $	$t^*$	$t^{*1}$
gdb1	316	91.14	0.7	100.00	0.9	100.00	0.9	100.00	0.9	-	0.9	3.1
gdb2	339	93.81	0.1	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	1.4
gdb3	275	92.36	0.1	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	0.8
gdb4	287	93.73	0.1	100.00	0.1	100.00	0.1	100.00	0.1	-	0.1	0.8
gdb5	377	96.55	0.2	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	1.0
gdb6	298	95.97	0.1	100.00	0.1	100.00	0.1	100.00	0.1	-	0.1	0.3
gdb7	325	90.15	0.1	100.00	0.3	100.00	0.3	100.00	0.3	-	0.3	1.8
gdb8	348	94.83	0.3	100.00	1.2	100.00	1.2	100.00	1.2	-	1.2	32.5
gdb9	303	97.03	0.5	100.00	1.2	100.00	1.2	100.00	1.2	-	1.2	31.0
gdb10	275	93.09	0.1	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	6.3
gdb11	395	93.16	0.6	100.00	2.6	100.00	2.6	100.00	2.6	-	2.6	1364.6
gdb12	458	96.51	0.1	99.13	0.1	99.13	0.2	99.78	0.2	65	0.2	5.2
gdb13	536	98.13	0.2	99.63	0.3	99.63	0.6	99.63	0.7	3642	2.6	93.0
gdb14	100	100.00	0.1	100.00	0.1	100.00	0.1	100.00	0.1	-	0.1	0.2
gdb15	58	100.00	0.2	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	3.8
gdb16	127	96.06	0.3	100.00	0.4	100.00	0.4	100.00	0.4	-	0.4	26.4
gdb17	91	95.60	0.2	100.00	0.3	100.00	0.3	100.00	0.3	-	0.3	34.8
gdb18	164	100.00	0.5	100.00	0.5	100.00	0.5	100.00	0.5	-	0.5	56.4
gdb19	55	100.00	0.0	100.00	0.0	100.00	0.0	100.00	0.0	-	0.0	0.1
gdb20	121	94.21	0.2	100.00	0.3	100.00	0.3	100.00	0.3	-	0.3	4.5
gdb21	156	97.44	0.3	100.00	0.4	100.00	0.4	100.00	0.4	-	0.4	20.9
gdb22	200	98.50	0.4	100.00	0.6	100.00	0.6	100.00	0.6	-	0.6	112.1
gdb23	233	100.00	0.7	100.00	0.7	100.00	0.7	100.00	0.7	-	0.7	145.5
Ave	rage	96.01	0.3	99.95	0.5	99.95	0.5	99.97	0.5		0.6	84.6
kshs1	14661	94.64	0.6	100.00	0.6	100.00	0.6	100.00	0.6	-	0.6	0.8
kshs2	9863	90.53	0.3	100.00	0.4	100.00	0.4	100.00	0.4	-	0.4	0.5
kshs3	9320	91.18	0.1	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	1.0
kshs4	11498	97.04	0.0	99.89	0.1	100.00	0.1	100.00	0.1	-	0.1	1.0
kshs5	10957	94.53	0.2	100.00	0.3	100.00	0.3	100.00	0.3	-	0.3	0.7
kshs6	10197	91.64	0.2	100.00	0.3	100.00	0.3	100.00	0.3	-	0.3	1.5
Ave	rage	93.26	0.2	99.98	0.3	100.00	0.3	100.00	0.3		0.3	0.9

Table 1: Lower bounds on gdb and kshs instances

1. Total computing time spent by the branch-and-cut-and-price of Longo et al. for solving the problem to optimality by transforming it into a CVRP.

						Ou	ır algoritl	nm				BMCV
Ins.	$z_{UB}$ $z_{LB}$	% LB1	$t_1$	%LB2	$t_2$	$\% LB3^{1}$	$t_3$	$\% LB4^{1}$	$t_4$	$ \mathscr{R}^* $	$t^*$	$\% LB^2$
C01	4150 4105	93.52	3.4	98.92	42.6	98.92	M 2571.3	98.92	2571.3	-	-	98.31
C02	3135 3135	95.18	1.0	100.00	5.0	100.00	5.0	100.00	5.0	-	5.0	100.00
C03	2575 2567	94.37	2.0	99.57	16.3	99.57	219.9	99.69	509.0	55344	547.7	98.06
C04	3510 3478	93.73	2.7	99.09	30.8	99.09 7	м 1999.1	99.09	1999.1	-	-	98.43
C05	5365 5365	95.56	2.0	99.48	20.2	99.48	1834.1	100.00	2461.7	-	2461.7	98.88
C06	2535 2532	93.45	1.0	99.57	15.2	99.57	248.6	99.88	652.8	211326	1277.8	98.42
C07	4075 4063	93.33	0.9	98.67	14.4	98.80	372.8	99.71	814.9	9365	827.1	98.53
C08	4090 4083	94.28	1.6	99.44	21.5	99.44	59.0	99.83	90.6	5415	94.6	97.80
C09	5260 5233	95.25	4.0	99.49	73.9	99.49	w 3270.9	99.49	3270.9			99.14
C10	4700 4660	93.91	0.8	98.53	5.4	98.66	47.0	99.15	103.8	33557	127.8	98.30
C11	4635 4583	95.19	5.1	98.79	56.0	98.88	1472.8	98.88 M	9795.7	-		98.17
C12	4240 4209	94 29	1.8	98 70	42.2	98 73	1410.4	99.27	6386.2	14	-	97.64
C13	2955 2940	94 65	1 1	98 71	9.6	98.82	304 1	99.49	2301.2	372209	4200.2	97.97
C14	4030 4030	96 15	1.1	99.55	16.2	99.73	214.6	100.00	380.9	-	380.9	98.51
C15	4030 4030	05 01	8.6	00.00	101.2	00.13	214.0	00.00	5820.1		000.0	08.08
C16	1475 1475	03.20	0.0	00.03	6.4	00.03	20.5	100.00	24.2		24.2	90.00 00.66
C17	3555 3555	93.29	0.0	100.00	3.4	100.00	20.0	100.00	24.2		24.2	00 <i>11</i>
C18	5620 5577	95.00	0.7	00.00	133.6	00.00	6637 5	00.00	6637 5		5.4	08 75
C10	3115 3096	03.40	2.0	00.30	23.0	00.30	M = 13/1 A	00 30	1341 4		_	08 30
C20	2120 2120	03.07	1 4	100.00	20.0	100.00	1011	100.00	1041.4	-	19.1	100.00
C20	2120 2120	95.07	2.4	00.75	50.1	00.75	12.1	00.75	2084.1	-	12.1	00.50
C21	2245 2245	95.29	1.0	100.00	5.0	100.00	M 3004.1	100.00	5004.1	-	5.0	100.00
C22	4085 4022	90.09	5.7	08 70	50.2	08 70	0.0	100.00	6057.7	-	5.0	100.00
C23	2400 2284	91.00	5.6	90.70	09.0 46.4	90.707	M 0057.7	90.70	2071.2	-	-	96.29
C24	3400 3384	90.52	0.7	99.00	40.4	99.00 I	M 29/1.3	100.00	2971.3	-	- 9.1	99.12
020	2310 2310	95.02	0.7	100.00	2.1	00.40	1500.7	00.58	2.1	-	2.1	100.00
	Solved	34.41	2.1	33.50	52.0	33.40	1033.1	33.00	2232.4		14	30.10
F01	4010 4885	05.07	2.2	00.19	30.3	00.14	2467.8	00.40	13000.0		14	08.37
E01 E02	3000 3078	95.97	1 /	99.12 00.97	0.3	99.14 00.57	2407.0	99.49 00.70	185.1	53650	251.6	00.25
E02 E02	2015 2015	90.07 02.31	1.4	100.00	9.5	100.00	85	100.00	100.1	00000	201.0	39.20
E03	4155 4154	92.51	27	00.78	40.0	00.81	1010.9	00.00	2046.4	14445	2062.4	00.28
E04	4105 4104	95.90	1.6	99.10 00.76	40.9	00.02	40.4	100.00	2040.4	14440	61.9	99.20
E05	2055 2055	90.10	1.0	100.00	10.0	100.00	49.4	100.00	1 3	-	4.3	100.00
E00 E07	4155 4133	90.09	0.0	08.02	4.5 6.4	00.00	4.5 04-2	00.47	201.1	26687	4.5 310.0	07.11
E07	4155 4155	95.84	1.0	90.92	10.4	99.09 00.66	94.2 104.9	99.47	291.1 165.6	40082	200.2	97.11
E00	4/10 4/02	94.62	1.0	99.00	10.0	99.00	104.0 0400 E	99.00	100.0	40985	200.2	98.01
E09	3620 3760 2605 2605	95.57	0.7	99.31	23.2	99.31 J	M 2426.0	100.00	2428.0	-	- 97	96.71
E10 E11	3003 3003 AGEE 4627	97.00	0.0	100.00	3.1 40.4	100.00	0.1 0001 0	100.00	ე. <i>(</i> იიი ი	-	5.7	100.00
E11 E19	4033 4037	94.44	4.0	99.01	49.4	99.01 I	1005 1	99.01 00 FF	4761 4	-	CEPE 4	99.40
E12	4160 4101	90.54	1.0	98.04	20.3	99.02	210.5	99.55	4701.4	70047	1200.1	97.25
E13	3345 3337	95.87	1.0	99.07	9.7	100.00	312.5	99.70	1217.0	10841	1302.1	99.25
E14	4115 4115	94.63	1.4	99.95	10.0	100.00	01.1	100.00	07.1	-	07.1	99.27
E15	4205 4189	92.70	8.9	99.62	134.3	99.62 I	M 6743.7	99.62	6743.7	-	-	99.17
E16	3775 3755	96.58	2.4	99.47	20.3	99.47 I	M 1787.4	99.47	1787.4	-		98.94
E17	2740 2740	92.01	0.7	100.00	2.7	100.00	2.7	100.00	2.7	-	2.7	100.00
E18	3835 $3825$	94.00	-5.8	99.74	104.8	$99.74_{I}$	M 5999.8	99.74	5999.8	-	-	99.74
- H' L U	0005 0000	01.00	0.0	00.00	0 7 0	00.00	00 <b>7</b> 0 F	00.00				
E19	3235 3222	94.19	2.8	99.60	37.6	99.60 <sub>1</sub>	M 2270.5	99.60	2270.5	-	-	98.92
E19 E20	3235 3222 2825 2802	94.19 93.81	2.8 1.8	99.60 99.01	37.6 27.0	99.60 J 99.19	M 2270.5 2616.3	99.60 99.19 <sub>N</sub>	2270.5 10029.8	-	-	98.92 98.58
E19 E20 E21	3235 3222 2825 2802 3730 3728	94.19 93.81 94.66	2.8 1.8 3.6	99.60 99.01 99.95	37.6 27.0 26.3	99.60 1 99.19 99.95 1	$M 2270.5 \\ 2616.3 \\ M 2348.3 \\ 1100$	99.60 $99.19_{N}$ 99.95	2270.5 10029.8 2348.3	-	- - -	98.92 98.58 99.87
E19 E20 E21 E22	3235 3222 2825 2802 3730 3728 2470 2470	94.19 93.81 94.66 94.45	2.8 1.8 3.6 2.2	99.60 99.01 99.95 99.84	37.6 27.0 26.3 10.2	99.60 1 99.19 99.95 1 100.00	M 2270.5 2616.3 M 2348.3 149.4	99.60 $99.19_{N}$ 99.95 100.00	2270.5 10029.8 2348.3 149.4	- - -	- - 149.4	98.92 98.58 99.87 98.79
E19 E20 E21 E22 E23	3235 3222 2825 2802 3730 3728 2470 2470 3710 3686	94.19 93.81 94.66 94.45 91.29	2.8 1.8 3.6 2.2 4.5	99.60 99.01 99.95 99.84 99.35	37.6 27.0 26.3 10.2 92.4	99.60 1 99.19 99.95 1 100.00 99.35 1	M 2270.5 2616.3 M 2348.3 149.4 M 6350.0	99.60 $99.19_{M}$ 99.95 100.00 99.35	2270.5 10029.8 2348.3 149.4 6350.0	- - - -	- - 149.4 -	98.92 98.58 99.87 98.79 99.06
E19 E20 E21 E22 E23 E24	3235 3222 2825 2802 3730 3728 2470 2470 3710 3686 4020 4001	94.19 93.81 94.66 94.45 91.29 93.63	2.8 1.8 3.6 2.2 4.5 5.9	99.60 99.01 99.95 99.84 99.35 99.53	37.6 27.0 26.3 10.2 92.4 48.0	99.60 1 99.19 99.95 1 100.00 99.35 1 99.53 1	M 2270.5 2616.3 M 2348.3 149.4 M 6350.0 M 2682.9 M 2682.9	99.60 $99.19_{M}$ 99.95 100.00 99.35 99.53 100.00	2270.5 10029.8 2348.3 149.4 6350.0 2682.9	- - - -	- 149.4 -	98.92 98.58 99.87 98.79 99.06 97.76
E19 E20 E21 E22 E23 E24 E25	3235 3222 2825 2802 3730 3728 2470 2470 3710 3686 4020 4001 1615 1615	94.19 93.81 94.66 94.45 91.29 93.63 95.73	2.8 1.8 3.6 2.2 4.5 5.9 0.4	99.60 99.01 99.95 99.84 99.35 99.53 100.00	$37.6 \\ 27.0 \\ 26.3 \\ 10.2 \\ 92.4 \\ 48.0 \\ 1.2 \\ $	99.60 / 99.19 99.95 / 100.00 99.35 / 99.53 / 100.00	M 2270.5 2616.3 42348.3 149.4 6350.0 M 2682.9 1.2 1.2	99.60 $99.19_{M}$ 99.95 100.00 99.35 99.53 100.00	2270.5 $_{f}10029.8$ 2348.3 149.4 6350.0 2682.9 1.2	- - - - - -	- 149.4 - 1.2	98.92 98.58 99.87 99.06 97.76 100.00
E19 E20 E21 E22 E23 E24 E25	3235 3222 2825 2802 3730 3728 2470 2470 3710 3686 4020 4001 1615 1615 Average	94.19 93.81 94.66 94.45 91.29 93.63 95.73 94.87	$2.8 \\ 1.8 \\ 3.6 \\ 2.2 \\ 4.5 \\ 5.9 \\ 0.4 \\ 2.7 \\$	99.60 99.01 99.95 99.84 99.35 99.53 100.00 99.56	$\begin{array}{r} 37.6 \\ 27.0 \\ 26.3 \\ 10.2 \\ 92.4 \\ 48.0 \\ 1.2 \\ 31.4 \end{array}$	99.60 / 99.19 99.95 / 100.00 99.35 / 99.53 / 100.00 99.63	M 2270.5 2616.3 2348.3 149.4 4 6350.0 M 2682.9 1.2 1898.6	$\begin{array}{c} 99.60\\ 99.19_{M}\\ 99.95\\ 100.00\\ 99.35\\ 99.53\\ 100.00\\ 99.73\\ \end{array}$	2270.5 (10029.8) 2348.3 149.4 6350.0 2682.9 1.2 2859.9	- - - - - -	- 149.4 - 1.2	98.92 98.58 99.87 98.79 99.06 97.76 100.00 99.07

Table 2: Lower bounds on bmcv instances, classes C and E

M: Algorithm GENROUTES runs out of memory.
 Lower bound obtained by Beullens et al. by optimally solving a relaxation of the problem.

					Our	algorith	n				BMCV
Ins. $z_{UB} \ z_{LB}$	% LB1	$t_1$	%LB2	$t_2$	$\% LB3^{1}$	$t_3$	$\%LB4^{1}$	$t_4$	$ \mathcal{R}^* $	$t^*$	$\% LB^2$
D01 3215 3215	92.07	6.4	100.00	83.9	100.00	83.9	100.00	83.9	-	83.9	100.00
D02 2520 2520	93.57	2.4	100.00	18.8	100.00	18.8	100.00	18.8	-	18.8	100.00
D03 2065 2065	92.74	2.0	100.00	49.4	100.00	49.4	100.00	49.4	-	49.4	100.00
D04 2785 2785	89.48	5.8	100.00	70.0	100.00	70.0	100.00	70.0	-	70.0	100.00
D05 3935 3935	91.69	3.8	100.00	21.9	100.00	21.9	100.00	21.9	-	21.9	100.00
D06 2125 2125	89.18	2.8	100.00	15.8	100.00	15.8	100.00	15.8	-	15.8	100.00
D07 3115 3078	90.69	1.6	97.66	26.3	98.07	911.9	98.81	4478.4	418361	10446.1	96.79
D08 3045 2995	91.07	1.7	98.36	67.2	98.36	м 6714.5	98.36	6714.5	-	-	97.70
D09 4120 4120	93.11	12.4	100.00	102.8	100.00	102.8	100.00	102.8	-	102.8	100.00
D10 3340 3335	96.14	1.9	99.79	17.7	99.79	76.6	99.85	104.6	5789	107.2	99.70
D11 3745 3745	90.33	10.9	100.00	122.5	100.00	122.5	100.00	122.5	-	122.5	100.00
D12 3310 3310	89.52	4.1	100.00	77.7	100.00	77.7	100.00	77.7	-	77.7	100.00
D13 2535 2535	88.36	2.1	100.00	18.0	100.00	18.0	100.00	18.0	-	18.0	100.00
D14 3280 3272	90.00	2.8	99.76	49.0	99.76	м 5261.1	99.76	5261.1	-	_	99.70
D15 3990 3990	90.60	17.2	100.00	336.3	100.00	336.3	100.00	336.3	-	336.3	100.00
D16 1060 1060	98.11	0.8	100.00	8.6	100.00	8.6	100.00	8.6	-	8.6	100.00
D17 2620 2620	90.46	0.7	100.00	8.6	100.00	8.6	100.00	8.6	-	8.6	100.00
D18 4165 4165	92.70	26.2	100.00	454.9	100.00	454.9	100.00	454.9	-	454.9	100.00
D19 2400 2393	93.00	3.8	99.71	115.6	99.71	м 3413.1	99.71	3413.1	-		98.75
D20 1870 1870	91.18	3.3	100.00	27.4	100.00	27.4	100.00	27.4	-	27.4	100.00
D21 3050 2985	91.61	8.5	97.87	156.2	97.87	M 5292.3	97.87	5292.3	-		96.39
D22 1865 1865	92.12	3.0	100.00	19.7	100.00	19.7	100.00	19.7	-	19.7	100.00
D23 3130 3114	91.57	12.5	99.49	976.4	99.49	M 6897 1	99.49	6897 1	_	-	99.36
D24 2710 2676	91 77	14.2	98 75	304.5	98 75	M 7105.6	98 75	7105.6	_	_	98.15
D25 1815 1815	91.96	0.9	100.00	11 1	100.00	11 1	100.00	11 1	_	11.1	100.00
Average	91.72	6.1	99.65	126.4	99.67	1484.8	99.70	1628.6		11.1	99.46
Solved	01.12	0.1	55.00	120.4	55.01	1404.0	55.10	1020.0		10	17
F01 4040 4040	87.07	85	100.00	88.1	100.00	88.1	100.00	88.1		88.1	100.00
F02 3300 3300	94.00	2.0	100.00	18.0	100.00	18.0	100.00	18.0		18.0	100.00
F02 1665 1665	02 31	2.3	100.00	23.4	100.00	23.4	100.00	23.4		23.7	100.00
F04 3485 3476	89.07	74	99 74	126.3	99 74	20.4 109.4	99.74	4109.4		20.4	99.71
F05 3605 3605	00.85	1.4	100.00	27.5	100.00	M 4105.4 27.5	100.00	27.5		27.5	100.00
F06 1875 1875	90.89 90.72	9.1	100.00	121.0	100.00	121.0	100.00	121.0		127.0	100.00
F07 3335 3335	90.12	1.1	100.00	11.1	100.00	11.1	100.00	11.1		11.1	100.00
F08 3705 3600	92.00 80.96	1.0 9.3	00.60	50.3	00.60	11.2	00.60	3385.6	-	11.2	00.73
F00 4730 4730	00.07	15.8	100.00	136.6	100.00	M 5565.0	100.00	136.6	-	136.6	100.00
F10 2025 2025	90.97	10.0	100.00	130.0	100.00	130.0	100.00	130.0	-	130.0	100.00
F11 2825 2825	92.99 88 80	13.0	100.00	133.5	100.00	122.5	100.00	133.5	-	133.6	100.00
F12 3305 3300	01.22	10.7	00.85	77 1	00.85	100.0	00.85	2125.7	-	155.0	00.71
F12 0055 0055	91.22 01.94	9.0	100.00	1/.1	100.00	M 0120.7	100.00	14.2	-	- 1/9	100.00
F 13 2000 2000	91.24	2.0	100.00	14.0	100.00	14.0	100.00	14.0	-	14.0	100.00
F14 3330 3330 F15 2560 2560	90.15	25.0	100.00	20.3	100.00	20.5	100.00	20.5	-	20.5	100.00
F10 000 000	06 70	20.1	100.00	219.0	100.00	219.0	100.00	219.0	-	219.0	100.00
F10 2720 2720	90.70	4.0	100.00	21.2	100.00	21.2	100.00	21.2	-	21.2	100.00
F17 2000 2000	94.31 01 71	14.0	100.00	0.0	100.00	0.0	100.00	0.0	-	0.0	100.00
F10 3073 3003	91.71	14.0	99.01	318.0	99.01	M 9900.0	99.01	5900.0	-	-	99.01
F 19 2020 2000	91.50	0.0 E 1	99.01	134.9	99.01	M 0014.4	99.01	1014.4	-	-	98.42
F 20 2440 2440 F01 0020 0020	90.47	0.1	100.00	42.1	100.00	42.1	100.00	42.1	-	42.1	100.00
F21 2930 2930	92.35	9.2	100.00	10.4	100.00	10.4	100.00	10.4	-	10.4	100.00
F22 2010 2010	00.49	2.8	100.00	18.1	100.00	18.1	100.00	18.1	-	18.1	100.00
F23 3003 2994	90.48	9.5	99.03	340.4	99.03	M 9200.5	99.03	9200.5	-	140.0	99.33
F24 3210 3210	90.69	15.2	100.00	146.2	100.00	146.2	100.00	146.2	-	146.2	100.00
F 25 1390 1390	92.01	0.8	100.00	2.1	100.00	2.1	100.00	2.1	-	2.1	100.00
Average	91.11	6.6	99.90	85.6	99.90	1467.5	99.90	1467.5			99.86
Solved										19	19

Table 3: Lower bounds on *bmcv* instances, classes D and F

M: Algorithm GENROUTES runs out of memory.
 Lower bound obtained by Beullens et al. by optimally solving a relaxation of the problem

			Our algorithm										LPU				BM	BB		
Ins.	$z_{UB}$	$z_{LB}$	% LB1	$t_1$	% LB2	$t_2$	$\% LB3^{1}$	$t_3$	$\% LB4^{1}$	$t_4$	$ \mathscr{R}^* ^1$	$t^*$	$\% LB^2$	t	$t^*$	$\% LB^3$	t	$t^*$	$\% LB^4$	t
e1-A	3548	3548	95.69	3.9	100.00	15.9	100.00	15.9	100.00	15.9	-	15.9	100.00	144.2	144.2	100.00	12.7	12.7	99.07	32.0
e1-B	4498	4487	94.40	3.5	99.33	16.1	99.49	736.4	99.76	2527.8	43699	2619.5	99.33	52.6	-	99.24	23.7	450.3	98.62	35.8
e1-C	5595	5580	96.94	1.6	99.11	9.6	99.34	332.6	99.73	714.7	10465	732.7	99.05	46.1	-	98.89	38.5	-	97.46	22.4
e2-A	5018	5012	93.80	10.9	99.88	104.6	$99.88$ $_{1}$	$_{M}$ 1485.1	99.88	1485.1	-	-	99.86	521.2	-	99.86	159.1	182.0	99.52	50.5
e2-B	6317	6284	94.63	5.4	99.48	36.9	99.48 j	M 2368.4	99.48	2368.4	-	-	99.41	198.5	-	99.27	121.0	-	98.92	19.1
e2-C	8335	8319	97.37	3.5	99.08	14.1	99.47	564.9	99.81	3934.9	93018	4204.1	98.79	66.9	-	97.96	153.2	-	97.35	18.8
e3-A	5898	5898	95.07	15.9	100.00	72.6	100.00	72.6	100.00	72.6	-	72.6	100.00	924.9	924.9	100.00	143.5	143.5	99.51	86.8
e3-B	7775	7711	96.15	9.5	99.01	59.8	99.18	1078.7	99.18	$_{M}$ 8894.6	-	-	99.00	375.6	-	98.88	350.2	-	98.34	58.3
e3-C	10292	10244	96.75	5.3	98.98	22.7	99.13	658.0	99.53	2345.4	M	-	98.75	142.1	-	98.45	594.4	-	97.35	19.9
e4-A	6444	6395	94.94	19.2	99.24	184.3	99.24 j	M 3856.8	99.24	3856.8	-	-	99.24	1171.6	-	99.18	391.2	-	98.88	43.1
e4-B	8961	8935	95.50	9.4	99.26	46.8	99.43	830.1	99.71	8455.4	M	-	99.14	419.0	-	99.04	698.2	-	98.30	15.9
e4-C	11562	11493	97.31	7.4	99.05	28.1	99.21	644.1	99.40	2060.6	M	-	98.83	202.7	-	98.37	682.3	-	97.53	16.5
sl-A	5018	5018	95.72	7.2	99.92	84.7	99.96	794.6	100.00	1232.3	-	1232.3	99.92	750.4	-	99.95	89.7	91.8	99.48	1085.5
sI-B	6388	6388	95.13	4.4	99.87	64.3	99.94	315.4	100.00	344.1	-	344.1	99.86	204.5	-	99.85	148.2	-	97.07	216.1
sl-C	8518	8517	96.82	3.5	99.66	26.5	99.94	155.8	99.99	173.9	21158	195.8	99.55	67.0	-	99.46	457.1	-	97.56	102.7
s2-A	9884	9825	96.32	36.2	99.40	369.5	99.40		99.40		-	-	99.39	3260.3	-	-	-	-	98.95	521.8
s2-B	13100	13017	97.05	21.8	99.03	134.5	99.24	830.4	99.37	3777.8	M	15000.0	98.99	896.7	-	-	-	-	98.37	170.2
s2-C	16425	16407	98.57	14.7	99.63	59.3	99.75	867.9	99.89	2468.6	602630	15082.9	99.56	408.9	-	-	-	-	98.76	274.2
s3-A	10220	10145	95.67	40.1	99.27	435.9	99.27	M 5066.1	99.27	5066.1	-	-	99.25	1680.4	-	-	-	-	98.09	206.3
s3-В	13682	13648	97.28	26.1	99.54	155.5	99.64	1536.0	99.75	10721.5	M	19901 0	99.52	1639.5	-	-	-	-	99.06	100.7
s3-C	10000	17163	98.62	17.6	99.57	71.9	99.70	1261.9	99.85	4091.0	438007	13201.8	99.49	035.3	-	-	-	-	98.73	182.7
s4-A	12268	12141	96.27	57.0	98.96	459.9	98.96 1	M 7506.0	98.96	7506.0	-	-	98.98	14318.1	-	-	-	-	98.04	324.7
s4-В	10321	10098	90.12	31.2	98.54	219.3	98.03	2590.8	98.03		-	-	98.00	2/01.1	-	-	-	-	97.02	011.0
\$4-U	20481	20430	98.00	24.8	99.52	125.2	99.63	0000.0	99.75	3355.9	M	-	99.48	1120.0	-	-	-	-	98.53	211.0
	Average	e <sup>o</sup>	96.25	16.1	99.39	117.4	99.50	2026.0	99.61	4344.5			99.33	1333.6		-	-		98.38	224.6
	Average	90	95.75	7.4	99.46	52.5	99.58	927.3	99.71	2565.5		10	99.38	352.5	0	99.23	270.9	-	98.33	121.6
	Solved											10			2			5	L	0

1. M: algorithm GENROUTES runs out of memory.

2. Lower bound obtained by Longo et al. without branching by transforming the problem into a CVRP.

3. Lower bound obtained by Baldacci and Maniezzo without branching by transforming the problem into a CVRP.

4. Lower bound obtained by Belenguer and Benavent without branching by solving a relaxation of the problem.

5. Average over all instances considered by Longo et al.

6. Average over all instances considered by Baldacci and Maniezzo.

							Our	r algorithm	1				LPU		BM			BB		
Ins.	$z_{UB}$	$z_{LB}$	% LB1	$t_1$	% LB2	$t_2$	$%LB3^{1}$	$t_3$	$\% LB4^{1}$	$t_4$	$ \mathscr{R}^* ^1$	$t^*$	$\% LB^2$	t	$t^*$	$\% LB^3$	t	$t^*$	$\% LB^4$	t
val1A	247	247	89.07	1.4	100.00	5.9	100.00	5.9	100.00	5.9	-	5.9	100.00	98.3	98.3	100.00	2.0	2.0	100.00	0.5
val1B	247	247	90.28	0.8	100.00	4.8	100.00	4.8	100.00	4.8	-	4.8	100.00	54.6	54.6	100.00	2.1	2.1	100.00	0.6
val1C	319	314	92.79	0.1	98.12	1.7	98.12	15.4	98.43	39.7	54992	133.8	97.81	771.9	8916.8	97.35	45.8	890.4	96.87	0.7
val2A	298	298	91.61	1.0	100.00	5.5	100.00	5.5	100.00	5.5	-	5.5	100.00	79.4	5.5	100.00	0.5	0.5	100.00	0.1
val2B	330	330	92.12	0.6	99.70	8.1	100.00	290.3	100.00	290.3	-	290.3	99.70	169.0	671.3	99.61	9.9	11.1	100.00	0.2
val2C	528	528	98.11	0.1	100.00	0.2	100.00	0.2	100.00	0.2	-	0.2	100.00	1.0	1.0	99.67	4.8	7.8	99.62	0.4
val3A	105	105	88.57	0.8	100.00	5.5	100.00	5.5	100.00	5.5	-	5.5	100.00	127.6	127.6	100.00	1.5	1.5	100.00	0.2
val3B	111	111	90.99	0.3	100.00	3.6	100.00	3.6	100.00	3.6	-	3.6	100.00	134.3	134.3	100.00	1.3	1.3	100.00	0.2
val3C	162	162	95.68	0.2	99.38	1.3	100.00	3.0	100.00	3.0	-	3.0	99.38	3.2	328.9	100.00	5.3	5.3	99.38	0.9
val4A	522	522	91.76	12.5	100.00	80.0	100.00	80.0	100.00	80.0	-	80.0	100.00	2475.3	2475.3	100.00	60.8	60.8	100.00	0.5
val4B	534	534	92.13	6.0	100.00	49.5	100.00	49.5	100.00	49.5	-	49.5	100.00	1178.4	1178.4	100.00	54.8	54.8	100.00	0.3
val4C	550	550	93.64	5.3	100.00	28.2	100.00	28.2	100.00	28.2	-	28.2	100.00	824.6	824.6	100.00	86.7	86.7	100.00	1.0
val4D	652	649	95.09	1.8	99.39	20.2	99.39	1386.6	99.54	7926.6	M	-	99.39	76.6	-	98.40	186.1	-	98.77	7.2
val5A	566	566	92.93	7.9	100.00	34.2	100.00	34.2	100.00	34.2	-	34.2	100.00	629.4	629.4	100.00	53.0	53.0	100.00	1.4
val5B	589	588	93.04	5.8	99.83	48.8	99.83	$_{M}$ 2737.4	99.83	2737.4	-	-	99.83	388.1	-	99.44	99.8	4202.3	100.00	2.1
val5C	617	613	93.68	4.9	99.35	37.8	99.35	912.0	99.35	1293.4	M	-	99.35	274.8	-	98.63	114.2	-	99.19	1.7
val5D	718	717	96.10	1.6	99.58	9.3	99.72	108.6	99.86	280.6	295009	702.0	99.72	62.8	-	99.10	155.0	-	99.44	1.0
val6A	330	330	91.52	2.3	100.00	11.3	100.00	11.3	100.00	11.3	-	11.3	100.00	158.7	158.7	100.00	9.8	9.8	100.00	0.6
val6B	340	337	91.47	0.9	99.12	10.8	99.12	$_{M}$ 1647.3	99.12	1647.3	-	-	99.12	169.3	-	98.50	24.3	201.6	99.41	2.3
val6C	424	421	95.75	0.5	98.82	2.2	98.82	17.3	99.29	26.7	29798	55.7	99.06	119.4	-	98.58	14.0	312.0	98.58	1.8
val7A	382	382	92.15	3.1	100.00	24.6	100.00	24.6	100.00	24.6	-	24.6	100.00	319.4	319.4	100.00	9.2	9.2	100.00	0.3
val7B	386	386	91.97	2.6	100.00	13.3	100.00	13.3	100.00	13.3	-	13.3	100.00	163.8	163.8	100.00	8.3	8.3	100.00	0.2
val7C	437	437	92.45	0.9	99.08	23.8	99.08	319.7	100.00	1760.0	-	1760.0	99.77	607.6	132.0	99.70	15.5	92.6	99.77	3.2
val8A	522	522	93.87	6.0	100.00	20.9	100.00	20.9	100.00	20.9	-	20.9	100.00	359.4	359.4	100.00	32.7	32.7	100.00	0.3
val8B	531	531	94.73	4.0	100.00	16.4	100.00	16.4	100.00	16.4	-	16.4	100.00	168.9	168.9	100.00	34.7	34.7	100.00	0.1
val8C	657	655	97.11	1.2	99.54	6.6	99.54	52.7	99.70	226.7	607971	2496.3	99.54	376.9	-	98.52	98.1	-	99.39	3.7
val9A	450	450	90.67	30.2	100.00	212.8	100.00	212.8	100.00	212.8	-	212.8	100.00	17722.6	17722.6	100.00	406.5	406.5	100.00	4.32
val9B	453	453	91.39	14.4	100.00	114.7	100.00	114.7	100.00	114.7	-	114.7	100.00	4520.03	4520.03	100.00	430.6	430.6	100.00	1.97
val9C	459	459	91.72	9.7	100.00	63.2	100.00	63.2	100.00	63.2	-	63.2	100.00	1460.89	1460.89	100.00	517.8	517.8	100.00	2.07
val9D	516	512	94.38	2.7	99.22	31.1	99.22	579.8	99.22	8237.1	M	-	99.22	305.16	-	97.21	785.9	-	98.64	21.84
val10A	637	637	92.78	31.1	100.00	214.7	100.00	214.7	100.00	214.7	-	214.7	100.00	13336.6	13336.6	99.88	394.1	879.3	100.00	1.67
val10B	645	645	92.87	17.9	100.00	156.5	100.00	156.5	100.00	156.5	-	156.5	100.00	13719.4	13719.4	99.43	327.3	4250.4	100.00	1.44
val10C	655	655	93.13	10.9	100.00	96.8	100.00	96.8	100.00	96.8	-	96.8	100.00	5078.57	5078.57	99.44	468.3	5560.1	100.00	0.83
val10D	734	734	94.82	4.0	100.00	60.8	100.00	60.8	100.00	60.8	-	60.8	100.00	473.63	473.63	99.16	684.7	-	99.73	8.38
Av	verage		92.95	5.7	99.74	41.9	99.77	273.3	99.83	755.7			99.76	1953.2		99.49	151.3		99.67	2.2
S	olved											29			26			28		22

Table 5: Lower bounds on val instances

1. M: algorithm GENROUTES runs out of memory.

2. Lower bound obtained by Longo et al. without branching by transforming the problem into a CVRP.

Lower bound obtained by Baldacci and Maniezzo without branching by transforming the problem into a CVRP.
 Lower bound obtained by Belenguer and Benavent without branching by solving a relaxation of the problem.

# 9 Conclusions

We have developed a new lower bounding methodology and an exact algorithm based on a set partitioning-like formulation of the CARP strengthened by additional valid inequalities. We have reported results of an extensive computational study over a set of CARP benchmark instances showing that the new bounding scheme yields very tight lower bounds, and significantly improves most of the best known lower bounds for the open benchmark instances. To the best of our knowledge, this study represents the first implementation and computational evaluation of a direct solution method for the CARP based on column generation, and combining elementary CARP routes and cutting planes. The effectiveness of our proposed lower bounding algorithm was assessed by embedding it into an exact algorithm which proved to be competitive with the best known exact algorithms. It was capable of solving 27 open instances for the first time.

The methodology described in this paper can be extended in different ways. As is usually the case for cut-and-column-generation methods, major improvements can come from a more efficient column generation or stronger cutting planes. The most recent studies on the classical CVRP and the VRP with time windows [Fukasawa et al., 2006, Jepsen et al., 2008, Baldacci et al., 2008, 2011a] have reported major improvements in the effectiveness of stateof-the-art solution methods stemming from new developments in column generation techniques, and from a better integration between pricing and cutting. However, in the case of the CARP the situation is less clear. Polyhedral and mathematical programming approaches to the CARP can still be considered in their infancy, and pure branch-and-cut approaches suffer from the lack of a practical formulation containing a polynomial number of variables. This paper demonstrates that a direct cut-and-column-generation approach to the CARP using elementary CARP routes and cutting planes derived from different relaxations constitutes a promising solution approach. However, pricing elementary CARP routes seems to be particularly challenging and, unlike what happens for the CVRP, a set partitioning-like formulation for the CARP using elementary routes, but without incorporating additional cuts, yields a rather weak lower bound (in our preliminary experiments, the average lower bound ratio was ~ 93.5% for data-set val, and ~ 97.5% for data-set eql). We therefore believe that improvements to the effectiveness of cut-and-column-generation methods for the CARP can come both from the development of new pricing techniques, and from the integration of new cutting planes.

# References

- A. Amberg and S. Voß. A hierarchical relaxations lower bound for the capacitated arc routing problem. In H. Sprague, R., editor, *Proceedings of* the 35th Hawaii International Conference on System Sciences, volume 3, pages 1–10. IEEE Computer Society, Washington, DC, USA, 2002.
- A. A. Assad and B. L. Golden. Arc routing methods and applications. In M. O. Ball, Magnanti T. L., Monma C. L., and G. L. Nemhauser, editors, *Network Routing*. North-Holland, Amsterdam, 1995.
- A. A. Assad, W. L. Pearn, and B. L. Golden. The capacitated postman problem: Lower bounds and solvable cases. *American Journal of Mathematical* and Management Sciences, 7:63–88, 1987.
- R. Baldacci and V. Maniezzo. Exact methods based on node-routing formulations for undirected arc-routing problems. *Networks*, 47:52–60, 2006.
- R. Baldacci, N. Christofides, and A. Mingozzi. An exact algorithm for the vehicle routing problem based on the set partitioning formulation with additional cuts. *Mathematical Programming, Ser. A*, 115:351–385, 2008.
- R. Baldacci, A. Mingozzi, and R. Roberti. New route relaxation and pricing strategies for the vehicle routing problem. *Operations Research*, 2011a. To appear.
- R. Baldacci, A. Mingozzi, and R. Roberti. New state space relaxations for solving the traveling salesman problem with time windows. *Submitted for publication*, 2011b.
- J. M. Belenguer and E. Benavent. The capacitated arc routing problem: Valid inequalities and facets. *Computational Optimization and Applications*, 10: 165–187, 1998.
- J. M. Belenguer and E. Benavent. A cutting plane algorithm for the capacitated arc routing problem. *Computers & Operations Research*, 30:705–728, 2003.

- E. Benavent, V. Campos, A. Corberán, and E. Mota. The capacitated arc routing problem: Lower bounds. *Networks*, 22:669–690, 1992.
- P. Beullens and L. Muyldermans. Personal communication. 2010.
- P. Beullens, L. Muyldermans, D. Cattrysse, and D. Van Oudheusden. A guided local search heuristic for the capacitated arc routing problem. *Eu*ropean Journal of Operational Research, 147:629–643, 2003.
- M. Blais and G. Laporte. Exact solution of the generalized routing problem through graph transformations. *Journal of the Operational Research Society*, 54:906 – 910, 2003.
- C. Bode and S. Irnich. Cut-first branch-and-price-second for the capacitated arc-routing problem. Technical Report LM-2011-01 (preliminary version), Chair of Logistics Management, Gutenberg School of Management and Economics, Johannes Gutenberg University, Mainz, Germany, 2011.
- N. Christofides. The optimum traversal of a graph. Omega, 1:719–732, 1973.
- N. Christofides, A. Mingozzi, and P. Toth. Exact algorithms for the vehicle routing problem based on spanning tree and shortest path relaxation. *Mathematical Programming*, 20:255–282, 1981.
- A. Corberán and C. Prins. Recent results on arc routing problems: An annotated bibliography. *Networks*, 56:50–69, 2010.
- CPLEX. ILOG CPLEX 12.1 callable library. ILOG, 2008.
- M. Dror, editor. Arc Routing: Theory, Solutions and Applications. Kluwer, Boston, 2000.
- R. W. Eglese. Routeing winter gritting vehicles. Discrete Applied Mathematics, 48:231–244, 1994.
- H. A. Eiselt, M. Gendreau, and G. Laporte. Arc routing problems, part I: The Chinese postman problem. *Operations Research*, 43:231–242, 1995a.
- H. A. Eiselt, M. Gendreau, and G. Laporte. Arc routing problems, part II: The rural postman problem. *Operations Research*, 43:399–414, 1995b.

- R. Fukasawa, H. Longo, J. Lysgaard, M. Poggi de Aragão, M. Reis, E. Uchoa, and R. F. Werneck. Robust branch-and-cut-and-price for the capacitated vehicle routing problem. *Mathematical Programming, Ser. A*, 106:491–511, 2006.
- G. Ghiani and G. Improta. An efficient transformation of the generalized vehicle routing problem. *European Journal of Operational Research*, 122: 11–17, 2000.
- B. L. Golden and R. T. Wong. Capacitated arc routing problems. Networks, 11:305–315, 1981.
- B. L. Golden, J. S. DeArmon, and E. K. Baker. Computational experiments with algorithms for a class of routing problems. *Computers & Operations Research*, 10:47–59, 1983.
- D. Gómez-Cabrero, J. M. Belenguer, and E. Benavent. Cutting plane and column generation for the capacitated arc routing problem. *Presented at ORP3 MEETING, Valencia, Spain*, 2005.
- R. Hirabayashi, N. Nishida, and Y. Saruwatari. Node duplication lower bounds for the capacitated arc routing problems. *Journal of the Operations Research Society of Japan*, 35:119–33, 1992.
- M. Jepsen, B. Petersen, S. Spoorendonk, and D. Pisinger. Subset-row inequalities applied to the vehicle routing problem with time windows. *Operations Research*, 56:497–511, 2008.
- M. Kiuchi, Y. Shinano, R. Hirabayashi, and Y. Saruwatari. An exact algorithm for the capacitated arc routing problem using parallel branch and bound method. In *Abstracts of the 1995 Spring National Conference of the Operations Research Society of Japan*, pages 28–29, 1995.
- A. N. Letchford and A. Oukil. Exploiting sparsity in pricing routines for the capacitated arc routing problem. *Computers & Operations Research*, 36: 2320–2327, 2009.
- L. Y. O. Li and R. W. Eglese. An interactive algorithm for vehicle routing for winter-gritting. *Journal of the Operational Research Society*, 47:217–228, 1966.

- H. Longo, M. Poggi de Aragão, and E. Uchoa. Solving capacitated arc routing problems using a transformation to the CVRP. Computers & Operations Research, 33:1823–1837, 2006.
- J. Lysgaard. CVRPSEP : A package of separation routines for the capacitated vehicle routing problem. Technical Report Working paper 03-04, Department of Management Science and Logistics, Aarhus School of Business, Denmark, 2003.
- J. Lysgaard, A. N. Letchford, and Eglese R. W. A new branch-and-cut algorithm for the capacitated vehicle routing problem. *Mathematical Programming, Ser. A*, 100:423–445, 2004.
- R. Martinelli, D. Pecin, M. Poggi de Aragão, and H. Longo. Column generation bounds for the capacitated arc routing problem. *Presented at XLII* SBPO, Bento Gonçalves, Brazil, 2010.
- M. W. Padberg and M. R. Rao. Odd minimum cut-sets and b-matchings. Mathematics of Operations Research, 1:67–80, 1982.
- W. L. Pearn. New lower bounds for the capacitated arc routing problem. Networks, 18:181–191, 1988.
- L. Santos, J. Coutinho-Rodrigues, and J. R. Current. An improved ant colony optimization based algorithm for the capacitated arc routing problem. *Transportation Research Part B*, 44:246–266, 2010.
- Z. Win. Contributions to Routing Problems. PhD thesis, University of Augsburg, Germany, 1987.
- S. Wøhlk. New lower bound for the capacitated arc routing problem. Computers & Operations Research, 33:3458–3472, 2006.
- S. Wøhlk. A decade of capacitated arc routing. In B. L. Golden, S. Raghavan, and A. Wasil, editors, *The Vehicle Routing Problem: Latest Advances and New Challenges*. Springer, New York, 2008.