

## **The Multi-period Prize-collecting Steiner Tree Problem with Budget Constraints**

**Larissa F.T. Faria  
Jean-François Cordeau  
Sanjay Dominik Jena  
Hélio Lopes  
David Sotelo**

**September 2020**

**Bureau de Montréal**  
Université de Montréal  
C.P. 6128, succ. Centre-Ville  
Montréal (Québec) H3C 3J7  
Tél : 1 514 343-7575  
Télécopie : 1 514 343-7121

**Bureau de Québec**  
Université Laval  
2325, rue de la Terrasse  
Pavillon Palasis-Prince, local 2415  
Québec (Québec) G1V 0A6  
Tél : 1 418 656-2073  
Télécopie : 1 418 656-2624

# The Multi-Period Prize-Collecting Steiner Tree Problem with Budget Constraints

Larissa F.T. Faria<sup>1,2,3,\*</sup>, Jean-François Cordeau<sup>3,4</sup>, Sanjay Dominik Jena<sup>3,5</sup>,  
Hélio Lopes<sup>1</sup>, David Sotelo<sup>2</sup>

<sup>1</sup> Department of Computer Science, PUC-Rio, Brazil

<sup>2</sup> Operations Research and Data Science, Petrobras, Brazil

<sup>3</sup> Interuniversity Research Centre on Enterprise Networks, Logistics and Transportation (CIRRELT)

<sup>4</sup> Department of Logistics and Operations Management, HEC Montréal, Canada

<sup>5</sup> Department of Analytics, Operations and Information Technology, School of Management, ESG UQAM, Montréal, Canada

**Abstract.** The classical Prize-collecting Steiner Tree Problem aims at finding a connected subgraph that maximizes the revenues collected from connected vertices minus the costs to utilize the connecting edges. We consider a multi-period variant in which, additionally: (a) vertices are allowed to be added to the tree at different time periods; (b) a predefined budget is imposed on edges selected over specified sets of time periods; and (c) the total length of the edges that can be added over a time period is limited. We propose a branch-and-cut algorithm that satisfactorily solves in reasonable time benchmark instances from the literature, adapted to a multi-period setting, with up to 3300 vertices and 300 terminal vertices.

**Keywords:** Prize-collecting Steiner tree, multi-period, branch-and-cut, network design.

**Acknowledgements.** The authors gratefully acknowledge the support of the Coordination for the Improvement of Higher Education Personnel (CAPES) - Finance Code 001. The work of the third author was supported by the Natural Sciences and Engineering Research Council of Canada (NSERC) under grant 2017-05224.

Results and views expressed in this publication are the sole responsibility of the authors and do not necessarily reflect those of CIRRELT.

Les résultats et opinions contenus dans cette publication ne reflètent pas nécessairement la position du CIRRELT et n'engagent pas sa responsabilité.

---

\* Corresponding author: larissafft@gmail.com

Dépôt légal – Bibliothèque et Archives nationales du Québec  
Bibliothèque et Archives Canada, 2020

© Faria, Cordeau, Jena, Lopes, Sotelo and CIRRELT, 2020

## 1. Introduction

The Steiner Tree Problem (STP), also called Steiner Tree Problem in Graphs (Lucena and Beasley, 1998; Lucena and Resende, 2004; Rosseti et al., 2003), consists of building a tree of minimal weight from an undirected graph with non-negative edge weights and a subset of its vertices (named terminals). A feasible solution must include all terminal vertices, but may also contain additional non-terminal vertices.

Given a graph  $G$  which associates a prize to each vertex and a cost to each edge, the Prize-collecting Steiner Tree Problem (PCST) aims to build a connected subgraph of  $G$ , maximizing the sum of the selected vertices' prizes reduced by the sum of the selected edges' costs (Ljubić et al., 2005). The PCST is NP-hard (Karp, 1972), but several exact methods have been proposed to solve large instances to optimality (Canuto et al., 2001; Da Cunha et al., 2009; Feofiloff et al., 2007; Fischetti et al., 2017; Gamrath et al., 2017; Johnson et al., 2000; Klau et al., 2004; Ljubić et al., 2005, 2006; Lucena and Resende, 2004). Furthermore, real-world problems related to network expansion can be modeled based on the PCST, leading to variants of this classical problem (Arulselvan et al., 2011; Costa et al., 2006, 2009; Gollowitzer and Ljubić, 2011; Suhl and Hilbert, 1998). In this paper, we propose an exact method for a variant of the PCST, denoted as the Multi-period Prize-collecting Steiner Tree Problem with Budget Constraints (MPCSTB). This problem takes into account three additional elements when compared to the classical PCST:

1. Vertices and edges can be added to the solution in different time periods, chosen from a discrete set forming the time horizon. The prize associated to the insertion of a vertex may depend on the time period in which it is added.
2. Budgets may be defined for different sets of time periods, limiting the sum of the costs of the edges that can be added during specific periods of the planning horizon.
3. The total length of edges added to the subgraph may be limited over each time period.

These elements are important to consider when attempting to model a network design problem, for example, for the natural gas industry. In this context, a physical network is composed by pairs of cities which are joined by pipeline stretches. The distribution center can be modeled as the root of the pipeline network. Therefore, a city is said to be connected to the pipeline network if there is a pipeline path from the distribution center leading to this city. Natural gas flows in both directions of a pipeline stretch, leading to the pipeline network representation as an undirected graph. Naturally, various cities can be connected at different time periods, as long as a path is available due to the construction of pipeline stretches to guarantee the connection. The period in which a city is incorporated into the network results in different profits, usually related to the demand of that city, from the corresponding period to the end of the time horizon. These profits are represented as prizes, which are associated to the vertices of the undirected graph (i.e., the cities they represent). Similarly, building a new pipeline stretch involves costs that are associated to the corresponding edge of the undirected graph. At each set of time periods, budget constraints may restrict the maximum amount that can be spent on building pipeline stretches. Further, physical and logistical restrictions may require a distance limit on the maximum stretch length that can be built at each time period. Overall, the problem at hand can thus be used to model the expansion of a gas

network throughout a number of future periods, maximizing the difference between the sum of the profits of the incorporated cities and the cost of the new pipeline stretches built.

**Problem definition:** We now formally define the problem considered in this paper.

**Definition 1** (Multi-period Prize-collecting Steiner Tree Problem with Budget Constraints, MPCSTB). Let  $T = \{1, \dots, |T|\}$  be a *time horizon* over which is defined a function *distanceLimit* :  $T \rightarrow \mathbb{Q}^+$ . Let  $\hat{T}_B = \{T_B\}$ , where  $T_B \subseteq T$  is a subset of the time horizon over which is defined a function *budgetLimit* :  $\hat{T}_B \rightarrow \mathbb{Q}^+$ . Let  $G = (V, E)$  be an undirected graph with a *revenue function*  $r : (V, T) \rightarrow \mathbb{Q}^+$  defined on its vertices, a *cost function*  $c : (E, T) \rightarrow \mathbb{Q}^+$  defined on its edges and a *distance function*  $d : E \rightarrow \mathbb{Q}^+$  defined on its edges. There is a specially identified root vertex  $v_0 \in V$  that represents all vertices that are already connected to the network. Furthermore, let  $Z = (V_Z, E_Z)$  be a subgraph of  $G$  with functions  $\alpha : V_Z \rightarrow T$  and  $\beta : E_Z \rightarrow T$  mapping its vertices and edges to the time horizon, respectively. Finally, let  $Z_t = (V_{Z_t}, E_{Z_t})$  be the subgraph of  $Z$  where  $V_{Z_t} = \{v \in V_Z \mid \alpha(v) \leq t\}$  and  $E_{Z_t} = \{e \in E_Z \mid \beta(e) \leq t\}$ . The MPCSTB consists of finding a subgraph  $Z$  and the corresponding functions  $\alpha$  and  $\beta$ , which maximize:

$$profit(Z) = \sum_{v \in V_Z} r(v, \alpha(v)) - \sum_{e \in E_Z} c(e, \beta(e)) \quad (1)$$

subject to:

$$\sum_{e \in E_{Z_t}} c(e, \beta(e)) \leq budgetLimit_{T_B}, \forall T_B \in \hat{T}_B \quad (2)$$

$$\sum_{e \in E_{Z_t} \setminus E_{Z_{t-1}}} d(e) \leq distanceLimit_t, \forall t \in T \quad (3)$$

and  $Z_t$  is connected.

The set of all vertices  $V$  can be divided into terminal vertices, representing vertices that have profit greater than zero, and Steiner vertices, that represent vertices that have profit equal to zero. Figure 1 illustrates an example of a MPCSTB instance (based on a PCST instance given in Ljubić et al. (2006)) with three time periods. Each edge has fixed costs and a length (in kilometers), hollow circles represent terminal vertices and filled circles represent Steiner vertices. Each time period has a distance limit of 11 kilometers. The three-period time horizon has a budget limit of 100 units. Figure 2 shows a feasible state of the network at the first period of the planning horizon, Figure 3 shows a feasible network state at the second period and Figure 4 shows the final feasible, but not optimal, solution for all three periods.

**Academic contributions:** A slightly simpler problem than the one considered here has been introduced by Suhl and Hilbert (1998), who use a branch-and-cut algorithm to solve an integer programming formulation based exclusively on edge decision variables. We extend the problem by incorporating budget constraints that can be imposed for different subsets of time periods, which are common in projects such as those related to transportation and energy infrastructure expansion. We provide an intuitive mathematical formulation using both vertex and edge variables, and propose a branch-and-cut algorithm to solve the model.





Figure 1: Example of a MPCSTB instance. Figure 2: First period feasible network.





Figure 3: Second period feasible network. Figure 4: Feasible, but not optimal network.

In contrast to undirected generalized subtour elimination constraints (as used by Suhl and Hilbert (1998)), our mathematical formulation considers cut constraints. Our branch-and-cut algorithm uses two separation procedures, an integer and a fractional procedure, whereas Suhl and Hilbert (1998)’s work has no mention of a fractional separation procedure. We also present a primal heuristic that considerably improves the upper bounds. We have reimplemented Suhl and Hilbert (1998)’s model to compare results obtained on two different sets of instances. One of these was artificially generated while the other one is based on real-world instances from a gas company. Our algorithm outperforms Suhl and Hilbert (1998)’s results for the artificial instances, where we solve instances of size up to 3300 vertices and 18073 edges. On the instance set inspired by real-world data, both models present similar performance. In summary, our exact method is able to solve reasonably large instances for a natural extension of the PCST, finding solutions of high quality for realistic problem sizes in a reasonable amount of computing time. The computational experiments focus on evaluating the performance of our model and on exploring the impact of different budget limitations.

**Paper outline:** The remainder of the article is organized as follows: Section 2 provides a review on the literature related to the problem. Section 3 introduces a mixed-integer linear programming formulation while Section 4 provides a branch-and-cut algorithm for

the problem. Computational results are reported in Section 5. Finally, Section 6 draws conclusions and indicates possible future work directions.

## 2. Related Literature

### 2.1. Network design problems

The MPCSTB generalizes the PCST, and therefore extends classical network design problems. Network design problems aim at identifying a subset of edges in a graph that have minimum total cost while satisfying all constraints, for example, those required to connect pairs of origin and destination vertices in order to route commodities. Solution algorithms for these problems can be classified into exact and heuristic approaches. Examples of common exact techniques used include cutting planes (Poss, 2012) and branch-and-bound (Humpola and Fügenschuh, 2015). Additionally, when modeling a network design problem, its operation, its expansion or both may be of interest. Depending on the application context, flow-related constraints may be added. Borraz-Sánchez et al. (2016), for example, are interested in finding the optimal solution that would capture physical, operational or even contractual constraints. Their work focuses on adjusting the network’s parameters, including regular pipelines, valves, short pipes, control valves, compressor stations, and regulators, instead of focusing solely on the network expansion, as we do here.

### 2.2. PCST

Our problem, the MPCSTB, is an extension of the PCST. Lucena and Resende (2004) propose an integer programming formulation of the PCST problem and describe an algorithm based on polyhedral cutting planes to obtain lower bounds for the problem. Later, Ljubić et al. (2005) introduced a branch-and-cut algorithm based on a directed graph model where they efficiently separate sets of violated inequalities using a maximum flow algorithm. Ljubić et al. (2006) aim to solve large and difficult instances of the PCST to optimality in reasonable computing times using a branch-and-cut algorithm that adds violated cut constraints between an artificial root and the selected customer vertices.

Uchoa (2006) suggests applying redefined reduction tests, proven to be effective on the Steiner Tree Problem in Graphs. Da Cunha et al. (2009) generate primal and dual bounds to the problem, making use of a Lagrangian Non Delayed Relax and Cut algorithm. Finally, even if the PCST has proven to be a challenging NP-hard problem, Fischetti et al. (2017) present a simple solution method and obtain high quality solutions for hard instances from the literature. They use a model that exclusively uses node variables, which proves to be successful for instances where all edges have the same cost.

Additionally, metaheuristics have been developed to find quality solutions to the PCST. Canuto et al. (2001) develop a multi-start local-search-based algorithm with perturbations. Klau et al. (2004) propose a memetic algorithm with incorporated local improvement. For a general overview of the methods developed to solve the PCST, we refer to Costa et al. (2006).

### 2.3. PCST with budget constraints

Several works have proposed to add budget constraints to the PCST. Johnson et al. (2000) define the so-called quota version of the PCST by searching for the tree with minimum total

edge costs that contains vertices whose total prize is at least a given quota. Additionally, Johnson et al. (2000) consider the PCST with budget constraints, i.e., finding the tree with maximum prize, given that the total edge cost is within a given budget. The authors define the quota problem as a generalization of the  $k$ -Minimum Spanning Tree ( $k$ -MST) problem and propose to extend constant-factor approximation algorithms to solve it. The  $k$ -MST problem looks for a tree of minimum cost that has exactly  $k$  vertices, consequently forming a subgraph of a larger graph. For the (unrooted) budget problem, Johnson et al. (2000) propose to incorporate it into a practical heuristic, involving the performance of multiple runs of the Goemans-Williamson algorithm (Goemans and Williamson, 1997) and the use of an increasing sequence of prize multipliers.

Costa et al. (2009) define the Steiner tree problem with revenues, budget and hop constraints. This problem is a variant of the PCST problem with additional budget and hop constraints. Budget constraints impose limits on the total cost of the network, whereas hop constraints impose limits on the number of edges between each vertex and the root. For the PCST with budget constraints, the authors show that branch-and-cut algorithms using cut constraints (instead of generalized subtour elimination constraints) obtain the best results to date. Also, for several variants of the Steiner Tree problem, directed models are proven to be easier to solve than their undirected counterpart (see, e.g., Chopra and Rao (1994a), Chopra and Rao (1994b), Feremans et al. (2002), Ljubić et al. (2005) and Magnanti and Raghavan (2005)).

#### *2.4. Multi-period PCSTs with budget constraints*

To the best of our knowledge, Suhl and Hilbert (1998) constitute the only attempt to solve the MPCSTB. A gas network is represented by an undirected graph. Vertex profits are represented by negative edge weights, allowing the authors to use a formulation exclusively based on edge variables. A part of the graph may already have been connected in previous periods and at every subsequent period, the solution must be a tree. The task is to maximize the profit obtained by connecting vertices to the network over a multi-period study horizon. Furthermore, budget and distance constraints restrict the number of node connections per time period. The authors make use of an integer programming formulation leading to a branch-and-cut algorithm, along with an optimization software system (called MOPS (Suhl, 1994)) for solving the large-scale problem.

In this paper, we attempt to solve the MPCSTB with more general budget constraints using branch-and-cut with two separation procedures: one to separate integer solutions and another to separate fractional ones. In addition, we apply an algorithm to tighten the upper bound of the problem, helping to prove optimality. The mathematical formulation is given in Section 3 and the solution method is described in Section 4.

### **3. Mathematical Formulation**

In this section, we present an integer programming formulation for the MPCSTB. Even though the MPCSTB assumes that edges are undirected, we provide a formulation that is based on directed arcs, given that those formulations have been shown to provide stronger linear programming (LP) relaxation bounds (see, e.g., Chopra and Rao (1994a,b); Feremans

et al. (2002); Fischetti (1991); Goemans and Myung (1993); Ljubić et al. (2005); Magnanti and Raghavan (2005); Magnanti and Wolsey (1995)).

We denote by  $T$  the planning horizon (for example, 2021 to 2025), composed of time periods  $t \in T$  (which may, for example, represent one year each). We also denote by  $\hat{T}_B = \{T_B\}$  the set of all subsets of consecutive time periods from  $T$ . Let  $G = (V, A)$  be a directed graph with vertex set  $V = \{0, \dots, n\}$  and arc set  $A = \{a = (i, j) : i, j \in V\}$ , where each arc  $a \in A$  has an associated construction cost  $c_a^t$ , depending on the time period  $t$  when it is constructed. For  $W \subseteq V$ , define  $A_W$  as the set of arcs with both endpoints in  $W$ . We assume that there is a root vertex, denoted as  $v_0 \in V$  that represents all vertices that are already connected to the network at the beginning of the planning horizon. If the instance does not have an actual root vertex, an artificial one will be created. This root vertex  $v_0$  is assumed to be available throughout all time periods. In order to guarantee that the final network is connected, one needs to ensure that all selected vertices are connected to the root vertex  $v_0$ . To this end, let  $\delta^-(W) := \{(i, j) \in A \mid i \notin W, j \in W\}, \forall W \subseteq V$ , which denotes the set of arcs that have their origin vertex outside  $W$ , and their destination vertex within  $W$ .

We introduce binary variables  $y_i^t \in \{0, 1\}, \forall i \in V, \forall t \in T$ , which take value 1 if vertex  $i$  is connected for the first time in time period  $t$ , and 0 otherwise. We also use binary arc variables  $x_{ij}^t \in \{0, 1\}, \forall (i, j) \in A, \forall t \in T$ , which take value 1 if arc  $(i, j)$  is constructed (for the first time) in time period  $t$ , and 0 otherwise. Constant  $c_{ij}^t$  denotes the cost to install arc  $(i, j)$  in the beginning of time period  $t$ . The arc installation costs need to be paid only once: at the time period when they are built. However, note that the arc installation at an early time period may involve maintenance costs for the following time periods. Constants  $r_i^t$  represent the revenues collected when connecting vertex  $i$  to the existing network in period  $t$ . Note that the revenue constant may also contain revenues from subsequent time periods. Constants  $d_{ij}$  denote the distances between vertex  $i$  and vertex  $j$ .

In the Steiner tree literature, the profit function (1) given in Section 1 is known as the *Net Worth Maximization* function (Johnson et al., 2000). Equivalently, the so-called *Goemans and Williamson Minimization* function (Goemans and Williamson, 1997) aims at finding a subtree that minimizes the objective function  $\sum_T (\sum_{v \notin V_Z} r_i(v) + \sum_{e \in A_Z} c_t(a))$ . In this work, we use the *Goemans and Williamson Minimization* function, given by Equation (4), as it is common in the literature (see, e.g., Canuto et al. (2001), Goemans and Williamson (1997), Ljubić et al. (2005) and Ljubić et al. (2006)). The MPCSTB problem can be formulated as follows:

$$\text{Min} \sum_{t \in T} \left( \sum_{i \in V} r_i^t (1 - y_i^t) + \sum_{(i,j) \in A} c_{ij}^t x_{ij}^t \right) \quad (4)$$

Subject to:

**Cut constraints**

$$\sum_{t'=1}^t \sum_{(u,v) \in \delta^-(W)} x_{uv}^{t'} \geq \sum_{t'=1}^t y_i^{t'}, \quad \forall W \subseteq V \setminus \{v_0\}, i \in W, t \in T \quad (5)$$

### Multi-period constraints

$$\sum_{t \in T} x_{ij}^t \leq 1, \forall (i, j) \in A \quad (6)$$

$$\sum_{t \in T} y_i^t \leq 1, \forall i \in V \quad (7)$$

### Side constraints

$$\sum_{t \in T_B} \sum_{(i,j) \in A} c_{ij}^t x_{ij}^t \leq \text{budgetLimit}^{T_B}, \forall T_B \in \hat{T}_B \quad (8)$$

$$\sum_{(i,j) \in A} d_{ij} x_{ij}^t \leq \text{distanceLimit}^t, \forall t \in T \quad (9)$$

### Connectivity constraints

$$\sum_{t'=1}^t \sum_{j \in V} x_{ji}^{t'} \geq \sum_{t'=1}^t y_i^{t'}, \forall i \in V \setminus \{v_0\}, \forall t \in T \quad (10)$$

### Variable domains

$$x_{ij}^t \in \{0, 1\}, \forall (i, j) \in A, t \in T \quad (11)$$

$$y_i^t \in \{0, 1\}, \forall i \in V, t \in T. \quad (12)$$

The exponentially large set of cut constraints (5) ensures that, for each time period, all selected network vertices are also connected to the root vertex. A subset  $W$  of vertices  $i$  that does not contain the root vertex  $v_0$  is created. While attempting to connect  $i$  to the network, the set of cut constraints forces that an arc coming from  $\delta^-(W)$  is also connected, i.e., an arc that will connect the set where  $v_0$  is present to the complementary set  $W$  where  $v_0$  is not present. Inequalities (6) and (7) ensure that each vertex and arc can be selected at most once throughout the planning horizon. Constraints (8) express the maximum budget allowed for specified subsets of time periods and constraints (9) limit the total length of edges that can be added over each time period. The constraint set (10) guarantees that every selected vertex has exactly one predecessor on its path from the root. This connectivity constraint set is commonly seen in PCST formulations (Costa et al., 2009; Ljubić et al., 2005, 2006).

To improve the efficiency of the model, the following valid inequalities are added to the formulation above:

### Valid inequalities

$$\sum_{t'=1}^t y_i^{t'} \geq \sum_{t'=1}^t x_{ij}^{t'}, \forall i \in V \setminus \{v_0\}, \forall (i, j) \in A, \forall t \in T \quad (13)$$

$$x_{ij}^t + x_{ji}^t \leq 1, \forall i \in V \setminus \{v_0\}, \forall (i, j) \in A, \forall t \in T. \quad (14)$$

The valid inequalities (13) act as connectivity constraints: if arc  $(i, j)$  is available at time period  $t$ , vertex  $i$  has to be connected to the network at that time period or before. Constraints (14) show that every arc adjacent to a vertex in the solution tree can be selected only in one direction. These inequalities are commonly included in PCST formulations (see, e.g., Ljubić et al. (2005, 2006)) and are a special case of the cut constraints (5), written in their equivalent GSEC form (Ljubić et al., 2006). Adding these inequalities, specially all at once, may enlarge the LP. However, as they do not have to be separated implicitly during the branch-and-cut algorithm, they present a speed-up that outweighs the enlargement of the LP.

Since an artificial root vertex may be used to represent the connected network, some related constraints may be added to the above formulation:

**Artificial root vertex constraints**

$$\sum_{j \in V} x_{v_0 j}^{t=1} = 1 \tag{15}$$

$$y_{v_0}^{t=1} = 1 \tag{16}$$

**Symmetry constraints**

$$x_{v_0 j}^{t=1} + y_i^{t=1} \leq 1, \forall (i, j) \in A \mid j > i. \tag{17}$$

Constraints (15) guarantee that only one arc is chosen among the artificial root and any other vertex. This artificial arc has zero cost and does not alter the objective function value. Likewise, the artificial root vertex has no revenue and therefore has no effect on the objective function value of the model. In the same manner, constraints (16) ensure that the artificial root vertex enters the connected network at time period 1, i.e., the first time period of the planning horizon, since the root vertex represents the previously connected network. Finally, constraints (17) impose that the vertex adjacent to the root is the one with the smallest index. These constraints aim at excluding a plethora of symmetric solutions, therefore considerably reducing the solution time in a branch-and-bound framework (Gamrath et al., 2017).

The generation of the entire set of cut constraints (5) constitutes a critical issue for the integer programming (IP) model. Depending on the size of the graph, the number of cut constraints can be too large and render the corresponding IP model intractable. The number of cut constraints (5) actually violated by an integer solution obtained from a reduced model (without constraints (5)) is typically rather small compared to the total number of potential constraints (5). It is therefore common to add only those constraints that are violated during the branch-and-bound algorithm.

It is important to note that two separation procedures are used in this model: one to separate integer infeasible solutions and another to separate fractional solutions, both of them based on the cut constraint set (5). The separation procedures exploit the fact that constraints (5) imply the connectivity of the root to all other selected vertices (Costa et al., 2009). During the separation phase applied at each node of the branch-and-bound tree, we add constraints of type (5) that are violated by the current LP-relaxation solution (Ljubić et al., 2005). Further information concerning the separation procedures is provided in Section 4.1.

### 3.1. A note on Generalized Subtour Elimination Constraints vs. Cut Constraints

The classical generalized subtour elimination constraints (GSECs) are used in the Dantzig-Fulkerson-Johnson formulation and were introduced by Dantzig et al. (1954) for the Traveling Salesman Problem.

In our formulation, we use cut constraints (5) to guarantee connectivity in the network. They ensure that, if there is a  $W \subseteq V$  that includes a vertex  $i$ , but not the root vertex  $v_0$  and the vertex  $i$  is connected, one of the arcs in the set of all incoming arcs in  $W$  must be chosen to be in the solution. Note that disconnectivity would imply the existence of a cut separating  $v_0$  and  $i$ , which would clearly violate the corresponding cut constraint (Arulselvan et al., 2011).

Even though the lower bounding procedure presented in Lucena and Resende (2004) is based on undirected GSECs, Chopra and Rao (1994a) were able to show for the STP that directed GSECs prevail over directed counterparts of several other facet defining inequalities of the undirected (GSEC) formulation. Directed GSEC formulations are therefore preferable in practice (Ljubić et al., 2006), as directed models have demonstrated better results than the undirected counterparts for several variants of the STP (Chopra and Rao, 1994a,b; Costa et al., 2009; Feremans et al., 2002; Ljubić et al., 2005; Magnanti and Raghavan, 2005). Moreover, Fischetti (1991) shows that the cut constraints (5) can be rewritten as a directed version of the undirected GSECs. Finally, the model chosen in this work (using cut constraints (5)) is also less dense than the equivalent model based on directed GSECs, which is computationally preferable within a branch-and-cut framework (Ljubić et al., 2005). A computational comparison of one model with the model using the undirected GSECs can be found in Section 5.

### 3.2. Comparison to existing MPCSTB formulation

To the best of our knowledge, Suhl and Hilbert (1998) constitutes the only work that models the MPCSTB. The authors use a formulation exclusively based on arc variables, transforming all vertex variables into arc variables. Such a transformation replaces each vertex variable  $y$  by an arc variable  $x$ , which means that their formulation has the exact same number of variables than ours. The authors use the undirected GSEC inequalities to exclude cycles at each time period, which, as discussed in Section 3.1, is a methodology corroborated by the literature (Chopra and Rao, 1994a,b; Costa et al., 2009; Feremans et al., 2002; Fischetti, 1991; Ljubić et al., 2005, 2006; Magnanti and Raghavan, 2005) to be weaker than the one we propose. Moreover, the authors use branch-and-cut and insert violated subtour elimination constraints if the IP solution presents disconnected cycles. However, they do not mention any fractional separation algorithm to dynamically identify the constraints that have to be added to the model. Further, given that their work does not propose a primal heuristic to produce upper bounds, the instances solved are small in comparison to those that are solved to optimality in our work, as shown in Section 5. Finally, our side constraints that consider the budget limit (8) are broader than those considered in Suhl and Hilbert (1998) due to the flexibility of choosing subsets that may contain multiple time periods.

## 4. Branch and Cut Algorithm

### 4.1. Separation algorithms

An efficient separation of violated inequalities is crucial to tackle complex problem instances. We separate the constraints of type (5) during the optimization process using the separation procedures described in Sections 4.1.1 and 4.1.2.

#### 4.1.1. Integer infeasible solutions

Our branch-and-cut approach includes cutting off infeasible integer points as well as infeasible fractional ones. We describe the algorithm used to separate the integer infeasible solutions. Such solutions may have been enumerated during the branching procedure or may even have been detected by the heuristics of the MIP solver, since the set of constraints (5) is not provided and therefore the solver is not given the complete structure of the problem.

In order to separate integer infeasible solutions, we find the connected components of a selected vertex. If these do not include the root vertex, we add the corresponding cut. The algorithm (see Algorithm 1) that separates the integer infeasible solutions has a complexity of  $O(n + m)$ , where  $n$  is the number of vertices and  $m$  is the number of arcs. It is important to mention that we employ a Breadth-first search (BFS) (Cormen et al., 2009) to identify all connected nodes, starting at the tree root and exploring all neighbor nodes at the present depth prior to moving on to nodes at the next depth level.

---

#### Algorithm 1 Separation procedure at integer nodes

---

Input: The connected components of the current integer infeasible solution at time period  $t$ , found by a BFS.

2: Output: A set of violated inequalities incorporated into the current LP.

**while** !(Exist only one connected component including the root node) **do**

4:     **for** Each connected component that does not include the root node **do**

        Create set  $W$  that does not include the root node and contains the connected component.

6:     Create set  $\bar{W} = V \setminus W$ , complementary to set  $W$ , containing the root and all other vertices.

**for**  $w \in W$  **do**

8:             Add the violated cut  $\sum_{t' \leq t} \sum_{v \in \bar{W}} x_{vw}^{t'} \geq \sum_{t' \leq t} y_w^{t'}$  to the LP.

**end for**

10:    **end for**

**end while**

---

#### 4.1.2. Fractional infeasible solutions

For fractional solutions, cut constraints are separated by calculating the maximum flow value (Fischetti et al., 2017). Maximum flow problems aim to find the maximum possible flow rate through a network. The max-flow min-cut theorem (see, e.g., Conforti et al. (2014)) states that the maximum value of a flow from source  $s$  to sink  $t$  is equal to the minimum capacity of an  $s - t$  cut in a network.

For  $W \subseteq V$ , define  $A_W$  as the set of arcs with both endpoints in  $W$ . Denote  $(\hat{x}, \hat{y})$  the corresponding LP relaxation solution. Then, a support graph  $G_W = (W, A_W, \hat{x})$  is built as

a result of the LP solution: the arc capacities are defined as  $\hat{x}_{ij}^t$  for all  $(i, j, t) \in A_W$  and the support graph vertices are those where  $\hat{y}_i^t \neq 0$ . Subsequently, the maximum flow is calculated from the root node  $v_0$  to each vertex  $i \in W$  that has  $\hat{y}_i^t > 0$ . A violated inequality is added to the LP for each maximum flow value smaller than  $\hat{y}_i^t$ . Such violated inequality is induced by the corresponding min-cut in the graph  $G_W$  (see, e.g., Gollowitzer and Ljubić (2011)).

The outline of the separation procedure is given in Algorithm 2. Ljubić et al. (2005) originally presented the procedure for a single time period. The separation algorithm is executed independently for every time period of the planning horizon.

---

**Algorithm 2** Separation procedure at fractional nodes

---

Input: A support graph  $G_W = (W, A_W, \hat{x})$ .

Output: A set of violated inequalities incorporated into the current LP.

- 3: **for**  $i \in W \mid \hat{y}_i^t > 0$  **do**
    - $f = \text{MaxFlow}(G_W, \hat{x}, v_0, i, W_{v_0}, W_i)$ ;
    - Detect the cut  $\delta^+(W_{v_0})$  such that  $\hat{x}(\delta^+(W_{v_0})) = f, v_0 \in W_{v_0}$ ;
  - 6:   **if**  $f < \hat{y}_i^t$  **then**
    - Insert the violated cut  $x(\delta^+(W_{v_0})) \geq y_i^t$  into the LP;
    - end if**
  - 9: **end for**
- 

The input of the algorithm is a support graph of the form  $G_W = (W, A_W, \hat{x})$  that is built from the set of vertices  $W \subseteq V$ , the set of arcs  $A_W$  and the relaxed solution  $(\hat{x}, \hat{y})$ . We compute the maximum flow on the support graph for all  $(v_0, i)$  pairs of vertices, where  $i \in W$  and  $\hat{y}_i^t > 0$ . Goldberg’s implementation (Cherkassky and Goldberg, 1995) of the push-relabel maximum flow algorithm returns the maximum flow value  $f = \text{MaxFlow}(G_W, \hat{x}, v_0, i, W_{v_0}, W_i)$ , as well as sets  $W_{v_0}, v_0 \in W_{v_0}$  and  $W_i, i \in W_i$  that together define the minimum cut with value  $f$  (see, e.g., Ljubić et al. (2005)). Subset  $W_{v_0} \subset W$  contains root vertex  $v_0$  and induces a minimum cut closest to  $v_0$ . Therefore, as established by the max-flow min-cut theorem,  $x(\delta^+(W_{v_0})) = f$ . At the same time, subset  $W_i \subset W$  contains vertex  $i$  and induces a minimum cut closest to  $i$ , i.e.,  $x(\delta^-(W_i)) = f$ . Finally, if  $f < \hat{y}_i^t$ , we add the violated cut  $x(\delta^+(W_{v_0})) \geq y_i^t$  to the model.

#### 4.2. Primal heuristic

We use a primal heuristic to improve the upper bound of the problem (i.e., the best known integer feasible solution). Our heuristic is only called at the root node of the branch-and-bound tree, before the branching is performed, once the linear program is solved and no more violated inequalities are found. It is based on Ljubić et al. (2005)’s work and expanded to the multi-period setting with budget constraints.

The general idea of the heuristic is to pick the most promising vertices based on the LP relaxation solution and, using Kruskal’s minimum spanning tree heuristic (Cormen et al., 2009), select a set of promising edges to connect these vertices. In order to respect the budget and distance constraints, a second step of the heuristic consists in deciding in which time period each of the selected vertices and arcs are built. The first step taken by the algorithm is the selection of a set of vertices  $S$  from graph  $G = (V, A, c)$  that will be part of the heuristic solution. To select the most promising vertices, we use the information of the

fractional values of the  $y$  variables in the LP relaxation solution of the current node in the branch-and-cut tree. For each vertex, we sum over the  $y$  values of all time periods. If the sum is greater than 0.5, the vertex is selected and added to set  $S$ .

Next, a distance network  $G_S$  is calculated for  $S$ , where  $G_S = (S, S \times S, d_S)$ . We define the length  $d_S$  of an edge in  $G_S$  as the length of the shortest path connecting the two corresponding vertices of the edge in  $G$ . The shortest path matrix is calculated using the Floyd-Warshall algorithm (see, e.g., Cormen et al. (2009)) based on modified edge length from  $G$ . Specifically, we determine the length of an edge connecting two vertices in  $S$  as the value 1 minus the solution value of that edge, which is defined next. The solution value of an edge is the maximum value between the solution values of the  $x$  variables in the LP solution in the two arcs that define that edge. To be precise, we assign to each edge  $(i, j, t)$  the cost  $(1 - \max\{\hat{x}_{ij}^t, \hat{x}_{ji}^t\})$  where  $\hat{x}_{ij}^t$  is the value of the corresponding  $x$  variable in the fractional solution of the current branch-and-bound node. The shortest path is therefore based on the  $x$  variables that have high fractional values in the LP relaxation solution.

We then compute Kruskal's minimum spanning tree  $Z = (S, A_Z)$  (Cormen et al., 2009) on  $G_S$ . Naturally, there are vertices on the shortest paths that correspond to arcs in  $A_Z$ . Therefore, we define the set  $S'$  of vertices in  $G$  as the union of  $S$  and the set of all vertices that lie on the shortest paths. Consequently,  $G_H = (S', A_H, c)$  is defined as the subgraph of  $G$  induced by the vertex set  $S'$ . Notice that in  $G_H$ , the cost of each arc is equivalent to the original cost in the problem instance.  $G_H$  is clearly connected, allowing us to compute Kruskal's minimum spanning tree (MST)  $Z' = (S', A_{Z'})$ . Given that this heuristic produces a single-period solution, we need to manually separate it into several time periods.

The second step therefore separates the solution given by the MST  $Z'$  into several time periods such that both budget and distance constraints are satisfied. We use a greedy algorithm based on the fractional solution values of the  $y$  variables for each vertex in  $Z'$ . The initial vertex is set as  $v_0$ , no matter whether the instance has an actual root node or if that root node is artificially created. According to the structure of the minimum spanning tree, there may be several vertices that can now be connected to  $i$ . If there is only one vertex, then this vertex is connected. If there are several vertices, the greedy algorithm will select the vertex  $i$  with the highest fractional  $y$  solution value. If at the end of the planning horizon there are still nodes from  $Z'$  to be inserted in the multi-period solution  $Z''$ , these nodes are discarded in order to respect the budget and distance limits constraints.

Our primal heuristic for the MPCSTB runs in linear time and is depicted in Algorithm 3. The heuristic solution is integer feasible, ensuring that the vertices in  $S'$  are connected (as guaranteed by the Floyd-Warshall algorithm). Moreover, they are connected in an efficient way through a minimum spanning tree, that, by definition, connects all vertices in  $S'$  without cycles and with the minimum possible total arc weight. We also guarantee to respect the side constraints, separating the resulting minimum spanning tree  $Z'$  by time periods, applying a greedy algorithm. This algorithm, while respecting the budget and limit constraints, chooses to insert in the heuristic solution the maximum number of vertices of  $Z'$  possible in the first period, the maximum number of remaining vertices of  $Z'$  in the second period and so forth. In sum, all constraints in the problem are respected, guaranteeing a viable heuristic solution.

**Algorithm 3** Primal Heuristic

---

Input: Solution of LP relaxation  $(\hat{x}, \hat{y})$ .  
Output: A heuristic solution  $Z''$ .

**if**  $\sum_{t \in T} \hat{y}_i^t \geq 0.5$  **then**

4:  $S \leftarrow S \cup \{i\}$ ;

**end if**

Calculate  $\hat{x}_{ij} = \max\{\hat{x}_{ij}^t\} \mid \forall i, j \in S$ ;

Calculate  $l_S = (1 - \max\{\hat{x}_{ij}, \hat{x}_{ji}\}) \mid \forall i, j \in S$ ;

8: Calculate  $d_S = \text{Floyd-Warshall}(l_S)$ ;

Compute distance network  $G_S = (S, S \times S, d_S)$ ;

Compute Kruskal's  $Z = (S, A_Z)$  in  $G_S$ ;

Define  $S_{sp}$  as the set of all vertices on the shortest paths in  $A_Z$ ;

12: Define  $S' = S \cup S_{sp}$ ;

Define  $G_H = (S', A_H, c)$ ;

Compute Kruskal's  $Z' = (S', A_{Z'})$ ;

Separate single-period  $Z'$  into multi-period  $Z''$  by greedy algorithm.

---

**5. Computational Results**

We will now computationally evaluate the performance of our proposed algorithm. Our computational experiments have been performed on two different sets of instances:

- The “PUCNU”<sup>1</sup> dataset (Fischetti et al., 2017), whose instances are based on the PUC series (Rosseti et al., 2003) for the classical STP. These instances were designed for a single time period and, for the purpose of testing our model, they were transformed into multi-period instances with a number of periods equal to 2, 3, 5 or 8.
- The incomplete graph instances “IG instances”<sup>2</sup>, which we have generated by randomly selecting points in a defined Cartesian plan. These are instances with incomplete graphs, that is, edges are defined for only a subset of all vertex pairs with a cost equal to the Euclidean distance between the vertices. Note that the graphs are incomplete, but connected. Multi-period instances are created with a number of periods equal to 2, 3, 5, 8, 10 or 15.

Computational experiments were carried out on a Linux Mint 18.3 Cinnamon 64-bit operating system, version 3.6.7, using a single CPU with 3.40 GHz Intel processor and 16 GB of RAM. All runs had a time limit of 1 hour. The algorithm is written in the Java programming language. The commercial packages ILOG CPLEX and ILOG Concert Technology, version 12.7.1 (IBM, 2017) were used to solve the ILP. The cut constraints (5) are not part of the initial formulation, but dynamically added. Integer infeasible points are cut off by means of a **LazyConstraintCallback**, executing our separation algorithm, detailed in Section 4.1.1. Fractional infeasible points are cut off by means of a **UserCutCallback**,

<sup>1</sup>Publicly available at <http://dimacs11.zib.de/instances/PCSPG-PUCNU.zip> .

<sup>2</sup>Publicly available at <https://github.com/larissafff/IG-instances> .

executing the separation procedure explained in Section 4.1.2. It is important to note that the **UserCutCallback** is used within the cut loop that CPLEX calls at each node of the branch-and-cut algorithm, once CPLEX has ended its own cut generation. After that, CPLEX calls a **HeuristicCallback**, executing our primal heuristic, as described in Section 4.2. The algorithm terminates after proving optimality or after reaching the given time limit.

### 5.1. Distance and budget limits

It is important to mention that all sets of instances make use of the artificial root constraints (15), (16) and (17) and compel us to define the distance and budget limits in a way that challenges the algorithm to solve the problem. To define a tight distance limit per period, we use the average distance of the edges added throughout the entire planning horizon, referred to as  $\bar{d}$ , divided by the number of periods in the planning horizon  $|T|$ , given in equation (18):

$$distanceLimit^t = \frac{\bar{d}}{|T|}, \forall t \in T. \quad (18)$$

Equation (19) defines the total average distance  $\bar{d}$  as the product between the average distance  $D_a$  of building an edge and the number of terminals  $T_n$  that would maximize the number of ways to combine  $k$  terminals from a set of  $nT$  terminals.

$$\bar{d} = D_a \times T_n \quad (19)$$

In order to define a tight distance limit, we consider the  $k$ -combination of a set of terminals  $T_L$ , which is defined as a subset of  $k$  distinct elements of  $T_L$ . If the set has  $nT$  elements, the number of  $k$ -combinations is equal to the binomial coefficient, as in equation (20):

$$\binom{nT}{k} = \frac{nT!}{k!(nT-k)!}. \quad (20)$$

The value of  $k$  that maximizes the number of ways to combine  $k$  terminals from a set of  $nT$  terminals is at  $nT/2$ . Hence, the distance limit for each time period is calculated as the number of terminals ( $nT$ ) times the average distance  $D_a$  divided by 2 times the number of total periods, as in equation (21):

$$distanceLimit^t = \frac{nT \times D_a}{(2 \times |T|)}, \forall t \in T. \quad (21)$$

A tight budget limit is defined in a similar way, but considering the number of time periods in the subset for which it is defined, i.e.,  $|\hat{T}_B|$ .  $C_a$  is the average cost of building an edge. The percentage rate  $p_r$  has the purpose of making the budget limit even tighter, as shown in equation (22):

$$budgetLimit^{T_B} = \frac{nT \times C_a \times p_r \times |\hat{T}_B|}{(2 \times |T|)}, \forall T_B \in \hat{T}_B. \quad (22)$$

## 5.2. Modified PUCNU instances

The test instances known as “PUC series” were introduced by Rosseti et al. (2003) with the purpose of evaluating and comparing existing and newly developed algorithms for the Steiner problem in graphs. Such instances are not amenable to reductions proposed by preprocessing techniques. They also presented large integrality gaps between the optimal integer solution and that of the LP relaxation. Moreover, they are prone to a lot of symmetry, which made them difficult to solve to optimality for both exact methods and heuristics.

The PUCNU instances presented in Fischetti et al. (2017) have been generated based on the “PUC series” instances. They contain incomplete graphs with edge costs equal to 1 and vertex profits varying from 0 to 2. It is important to note that a vertex with profit 0 corresponds to a Steiner node and a vertex with profit 1 or 2 corresponds to a terminal node. The edge costs are the same for all time periods and the profit accumulates over time: if a vertex is selected at a certain time period, its profit is accounted for that period and for the following periods. In these instances, costs and profits are close to each other. This allows for many feasible solutions of high quality but make it difficult to prove optimality. Given that the PUCNU instances were designed for a single time period, we transform them into multi-period instances to test our algorithm.

### 5.2.1. Instance characteristics

Table 1 reports the characteristics of the PUCNU dataset. For each instance, it summarizes the instance name, the number of vertices, the number of edges and the number of terminal nodes (“nT”).

Table 1: Modified PUCNU instances

| <b>name</b> | $ V $ | $ E $ | <b>nT</b> |
|-------------|-------|-------|-----------|
| bip42nu     | 1200  | 3982  | 200       |
| bip52nu     | 2200  | 7997  | 200       |
| bip62nu     | 1200  | 10002 | 200       |
| bipa2nu     | 3300  | 18073 | 300       |
| bipe2nu     | 550   | 5013  | 50        |
| cc10-2nu    | 1024  | 5120  | 135       |
| cc11-2nu    | 2048  | 11263 | 244       |
| cc12-2nu    | 4096  | 24574 | 473       |
| cc3-10nu    | 1000  | 13500 | 50        |
| cc3-11nu    | 1331  | 19965 | 61        |
| cc3-12nu    | 1728  | 28512 | 74        |
| cc3-4nu     | 64    | 288   | 8         |
| cc3-5nu     | 125   | 750   | 13        |
| cc5-3nu     | 243   | 1215  | 27        |
| cc6-2nu     | 64    | 192   | 12        |
| cc6-3nu     | 729   | 4368  | 76        |
| cc7-3nu     | 2187  | 15308 | 222       |
| cc9-2nu     | 512   | 2304  | 64        |

## 5.2.2. Results

We here show the results for instances with 8 time periods based on the PUCNU instances, with two different settings: one with one budget limit for the entire time horizon (see Table 2) and another with a separate budget limit for time periods 1 to 4 and another budget limit for time periods 5 to 8 (see Table 3).

Tables 2 and 3 show the best lower (“LB”) and upper bound (“UB”) found, the final optimality gap, the number of nodes explored in the branch-and-bound tree, the number of total cuts added by the model and the computing time. A time limit of one hour was used for all experiments. However, if the time limit has been exceeded while a callback was running, the callback has been finished before stopping the algorithm. Therefore, some time markers may have values greater than 3600 seconds.

Table 2: Modified PUCNU instances with 8 time periods  
— one budget limit for entire planning horizon

| <b>name</b> | <b>LB</b> | <b>UB</b> | <b>gap(%)</b> | <b># nodes</b> | <b># cuts</b> | <b>time(s)</b> |
|-------------|-----------|-----------|---------------|----------------|---------------|----------------|
| bip42nu     | 1813.01   | 1831.00   | 0.98          | 34             | 1764          | 3806.37        |
| bip52nu     | 1765.67   | 1781.00   | 0.86          | 4              | 1523          | 3650.91        |
| bip62nu     | 1717.40   | 1733.00   | 0.90          | 1              | 781           | 3618.07        |
| bipa2nu     | -         | -         | -             | -              | -             | Memout         |
| bipe2nu     | 373.37    | 385.00    | 3.02          | 20             | 305           | 3605.16        |
| cc10-2nu    | 1206.26   | 1285.00   | 6.13          | 4              | 2833          | 3612.95        |
| cc11-2nu    | 2249.05   | 2354.00   | 4.46          | 1              | 606           | 3645.99        |
| cc12-2nu    | -         | -         | -             | -              | -             | Memout         |
| cc3-10nu    | 367.81    | 417.00    | 11.80         | 6              | 1504          | 3614.96        |
| cc3-11nu    | 573.67    | 618.00    | 7.17          | 3              | 827           | 3624.34        |
| cc3-12nu    | 685.50    | 746.00    | 8.11          | 1              | 361           | 3639.49        |
| cc3-4nu     | 51.99     | 65.00     | 20.01         | 21             | 1097          | 3671.80        |
| cc3-5nu     | 111.27    | 118.00    | 5.70          | 113            | 2180          | 3705.38        |
| cc5-3nu     | 232.20    | 257.00    | 9.65          | 16             | 2331          | 3894.27        |
| cc6-2nu     | 88.59     | 99.00     | 10.51         | 21             | 1022          | 3707.83        |
| cc6-3nu     | 684.50    | 730.00    | 6.23          | 7              | 2419          | 3607.58        |
| cc7-3nu     | 2059.48   | 2178.00   | 5.44          | 1              | 1053          | 3653.51        |
| cc9-2nu     | 580.28    | 603.00    | 3.77          | 14             | 5506          | 3603.97        |

Table 3: Modified PUCNU instances with 8 time periods  
— One budget limit for periods 1 to 4 and another for periods 5 to 8

| <b>name</b> | <b>LB</b> | <b>UB</b> | <b>gap(%)</b> | <b># nodes</b> | <b># cuts</b> | <b>time(s)</b> |
|-------------|-----------|-----------|---------------|----------------|---------------|----------------|
| bip42nu     | 1879.99   | 1884.00   | 0.21          | 99             | 3101          | 3630.98        |

*Continued on next page*

Table 3 – *Continued from previous page*

| <b>name</b> | <b>LB</b> | <b>UB</b> | <b>gap(%)</b> | <b># nodes</b> | <b># cuts</b> | <b>time(s)</b> |
|-------------|-----------|-----------|---------------|----------------|---------------|----------------|
| bip52nu     | 1833.40   | 1850.00   | 0.90          | 2              | 810           | 3651.62        |
| bip62nu     | 1790.91   | 1822.00   | 1.71          | 3              | 820           | 3605.00        |
| bipa2nu     | -         | -         | -             | -              | -             | Memout         |
| bipe2nu     | 390.73    | 402.00    | 2.80          | 7              | 738           | 3605.25        |
| cc10-2nu    | 1245.15   | 1323.00   | 5.88          | 6              | 4091          | 3612.79        |
| cc11-2nu    | 2324.57   | 2423.00   | 4.06          | 0              | 910           | 3646.51        |
| cc12-2nu    | -         | -         | -             | -              | -             | Memout         |
| cc3-10nu    | 381.10    | 434.00    | 12.19         | 5              | 1324          | 3615.03        |
| cc3-11nu    | 588.27    | 640.00    | 8.08          | 3              | 859           | 3623.98        |
| cc3-12nu    | 711.00    | 744.00    | 4.44          | 2              | 608           | 3639.60        |
| cc3-4nu     | 55.37     | 64.00     | 13.48         | 23             | 1042          | 3686.08        |
| cc3-5nu     | 115.54    | 122.00    | 5.29          | 53             | 1462          | 3614.99        |
| cc5-3nu     | 239.53    | 262.00    | 8.58          | 25             | 2508          | 3654.69        |
| cc6-2nu     | 92.03     | 102.00    | 9.78          | 29             | 1259          | 3603.03        |
| cc6-3nu     | 708.01    | 758.00    | 6.59          | 10             | 3049          | 3607.21        |
| cc7-3nu     | 2124.20   | 2244.00   | 5.34          | 1              | 1461          | 3653.22        |
| cc9-2nu     | 592.74    | 615.00    | 3.62          | 9              | 3364          | 3754.10        |

The large instances (**cc12-2nu** and **bipa2nu**) have not been solved due to a lack of memory, i.e., CPLEX reached its memory limit and could not build the model. Instance **cc11-2nu** is solved at the root node of the branch-and-bound tree (**# nodes** equals 0). The gaps observed for both settings of budget limits are similar in magnitude, no matter whether the budget limit is defined for the entire planning horizon or for the sets of periods (periods 1 to 4, and 5 to 8).

To analyze the impact of the different side constraints, we can compare the structure of the best integer feasible solutions found (not necessarily optimal) for each setting. This information is shown in Table 4 for the case where there is one budget limit for the full planning horizon and for the case with one budget limit for time periods 1 to 4 and another one for time periods 5 to 8. The table shows the number of terminals that are present in the integer feasible solution found, the budget limit value and distance limit value calculated for those instances, the total revenue obtained by the solutions and the total amount spent. It can be seen that a budget limit for the full planning horizon allows the terminal vertices to enter the network at an earlier time period than they would for a budget limit per subset of time periods. That conclusion is reached due to the value of the total revenue obtained for the different integer feasible solutions. Because of a rounding procedure at the calculation of the budget limit, the budget limit may be one unit larger for the case where there is one budget limit for a subset of time periods. Hence, extra terminals may be able to be selected. However, the integer feasible solution found has a lower net worth than the net worth for the case where there is only one budget limit per time horizon. This illustrates that, while budget constraints on subsets of time periods are important to model real world applications, such restrictions may lead to significantly less revenue in practice.

Table 4: Modified PUCNU instances with 8 time periods  
— Solution structure

| name     | term | InSol | budgetLimit | distLimit | One total budget |            | Two budgets |            |
|----------|------|-------|-------------|-----------|------------------|------------|-------------|------------|
|          |      |       |             |           | totalRev         | totalSpent | totalRev    | totalSpent |
| bip42nu  |      | 61    | 73          | 13        | 690              | 73         | 638         | 74         |
| bip52nu  |      | 62    | 73          | 13        | 708              | 73         | 640         | 74         |
| bip62nu  |      | 67    | 73          | 13        | 756              | 73         | 668         | 74         |
| bipa2nu  |      | 1     | 107         | 19        | 16               | 0          | 16          | 0          |
| bipe2nu  |      | 21    | 23          | 4         | 238              | 23         | 222         | 24         |
| cc10-2nu |      | 34    | 51          | 9         | 366              | 51         | 323         | 46         |
| cc11-2nu |      | 63    | 90          | 16        | 688              | 90         | 619         | 90         |
| cc12-2nu |      | 1     | 168         | 30        | 16               | 0          | 16          | 0          |
| cc3-10nu |      | 13    | 23          | 4         | 150              | 23         | 134         | 24         |
| cc3-11nu |      | 14    | 23          | 4         | 164              | 22         | 144         | 24         |
| cc3-12nu |      | 17    | 28          | 5         | 194              | 28         | 196         | 28         |
| cc3-4nu  |      | 3     | 6           | 1         | 42               | 3          | 46          | 6          |
| cc3-5nu  |      | 5     | 6           | 1         | 56               | 6          | 52          | 6          |
| cc5-3nu  |      | 6     | 12          | 2         | 74               | 11         | 66          | 8          |
| cc6-2nu  |      | 4     | 6           | 1         | 42               | 5          | 39          | 5          |
| cc6-3nu  |      | 21    | 28          | 5         | 210              | 28         | 182         | 28         |
| cc7-3nu  |      | 55    | 79          | 14        | 597              | 79         | 532         | 80         |
| cc9-2nu  |      | 15    | 23          | 4         | 164              | 23         | 153         | 24         |

### Comparison with formulation from Suhl and Hilbert (1998)

We re-implemented Suhl and Hilbert (1998)’s model to be able to compare our results to theirs. Tables 5 and 6 show the computational results for instances with 5 time periods, where each time period has its individual budget. As our problem is a minimization problem and Suhl and Hilbert (1998)’s is a maximization problem, lower bounds and upper bounds differ in value and in meaning. For a minimization problem, the upper bound is the best integer feasible solution found whereas the lower bound is the relaxed solution. For a maximization problem, the upper bound is the relaxed solution and the lower bound is the incumbent solution. To facilitate the comparison between the models, we have transformed the lower and upper bounds of Suhl and Hilbert (1998)’s model as if their objective function was of the *Goemans and Williamson Minimization* Problem. It can be seen that Suhl and Hilbert (1998)’s model may have difficulties finding good integer feasible solutions. Our model outperforms Suhl and Hilbert (1998)’s for all instances, except for **cc3-5nu**, **cc5-3nu** and **cc6-2nu**.

Table 5: Modified PUCNU instances — Number of periods: 5 — One budget limit per time period — MPCSTB

| <b>name</b> | <b>LB</b> | <b>UB</b> | <b>gap(%)</b> | <b># nodes</b> | <b># cuts</b> | <b>time(s)</b> |
|-------------|-----------|-----------|---------------|----------------|---------------|----------------|
| bip42nu     | 1237.60   | 1240.00   | 0.19          | 20             | 1900          | 3741.92        |
| bip52nu     | 1209.43   | 1217.00   | 0.62          | 34             | 1665          | 3662.16        |
| bip62nu     | 1186.12   | 1200.00   | 1.16          | 10             | 1203          | 3611.56        |
| bipa2nu     | 1726.99   | 1763.00   | 2.04          | 0              | 0             | 3681.66        |
| bipe2nu     | 276.34    | 282.00    | 2.01          | 207            | 1617          | 3630.32        |
| cc10-2nu    | 815.89    | 849.00    | 3.90          | 5              | 3464          | 3608.50        |
| cc11-2nu    | 1509.45   | 1567.00   | 3.67          | 2              | 2029          | 3630.05        |
| cc12-2nu    | -         | -         | -             | -              | -             | Memout         |
| cc3-10nu    | 264.39    | 284.00    | 6.91          | 9              | 1888          | 3609.96        |
| cc3-11nu    | 377.78    | 410.00    | 7.86          | 6              | 1336          | 3615.97        |
| cc3-12nu    | 455.00    | 480.00    | 5.21          | 5              | 1014          | 3625.99        |
| cc3-4nu     | 44.00     | 44.00     | 0.00          | 27             | 862           | 3352.47        |
| cc3-5nu     | 63.48     | 70.00     | 9.32          | 31             | 1830          | 3627.00        |
| cc5-3nu     | 148.45    | 159.00    | 6.63          | 25             | 3242          | 3601.30        |
| cc6-2nu     | 51.67     | 58.00     | 10.91         | 30             | 1260          | 3651.13        |
| cc6-3nu     | 454.00    | 486.00    | 6.58          | 9              | 3173          | 3605.35        |
| cc7-3nu     | 1359.74   | 1427.00   | 4.71          | 2              | 1225          | 3635.84        |
| cc9-2nu     | 380.46    | 392.00    | 2.94          | 6              | 2351          | 3603.07        |

Table 6: Modified PUCNU instances — Number of periods: 5 — One budget limit per time period — SUHL AND HILBERT

| <b>name</b> | <b>LB</b> | <b>UB</b> | <b>gap(%)</b> | <b># nodes</b> | <b># cuts</b> | <b>time(s)</b> |
|-------------|-----------|-----------|---------------|----------------|---------------|----------------|
| bip42nu     | 1205.63   | 1252.00   | 3.70          | 5501           | 6             | 3603.57        |
| bip52nu     | 1182.78   | 1232.00   | 4.00          | 718            | 0             | 3600.47        |
| bip62nu     | 1167.23   | 1212.00   | 3.69          | 398            | 3             | 3635.43        |
| bipa2nu     | 1693.39   | 2180.00   | 22.32         | 0              | 1             | 3772.37        |
| bipe2nu     | 269.93    | 285.00    | 5.29          | 1674           | 1             | 3601.10        |
| cc10-2nu    | 778.85    | 851.00    | 8.48          | 23918          | 65            | 3600.37        |
| cc11-2nu    | 1443.74   | 1706.00   | 15.37         | 6300           | 34            | 3603.86        |
| cc12-2nu    | -         | -         | -             | -              | -             | Memout         |
| cc3-10nu    | 254.29    | 287.00    | 11.40         | 6436           | 45            | 3600.16        |
| cc3-11nu    | 361.43    | 434.00    | 16.72         | 2100           | 12            | 3612.27        |
| cc3-12nu    | 436.81    | 476.00    | 8.23          | 801            | 3             | 3816.92        |
| cc3-4nu     | 44.00     | 44.00     | 0.00          | 221            | 0             | 1.55           |
| cc3-5nu     | 69.00     | 69.00     | 0.00          | 9731           | 0             | 61.88          |
| cc5-3nu     | 148.57    | 157.00    | 5.37          | 200901         | 44            | 3600.86        |
| cc6-2nu     | 55.00     | 55.00     | 0.00          | 4320           | 0             | 10.96          |


*Continued on next page*

Table 6 – *Continued from previous page*

| name    | LB      | UB     | gap(%) | # nodes | # cuts | time(s) |
|---------|---------|--------|--------|---------|--------|---------|
| cc6-3nu | 438.60  | 481.00 | 8.81   | 40801   | 86     | 3602.24 |
| cc7-3nu | 1306.80 | -      | -      | 6679    | 51     | 3600.35 |
| cc9-2nu | 366.92  | 392.00 | 6.40   | 98784   | 26     | 3600.10 |

### Visualization of a solution

Figure 5 visualizes the best integer feasible solution found by our model for the 5-periods instance **cc6-2nu**. The figure indicates the nodes connected by a thick solid line in the first time period, by a dashed line in the second time period, by a dotted line in the third time period, by a dash-dot line in the fourth time period and finally by a thin solid line in the fifth time period. The lower bound, upper bound, optimality gap, the number of nodes and cuts, and the required computing time are as reported in Table 5.

Figure 5: Integer feasible solution found for instance **cc6-2nu** for a 5-periods run.

### 5.3. Randomly generated instances of incomplete graphs

The randomly generated instances are inspired by real-world Brazilian gas network expansion instances, which could not be directly used in this paper due to confidentiality agreements. We will use these instances to test the scalability of our proposed approach. The so-called “IG instances” define 95% of the nodes as Steiner nodes (with zero profit) and 5% of nodes have random fractional value profits. We first randomly selected the edges that should be included in the graph. Then, to ensure that the graph is connected, we apply a connected components algorithm, guaranteeing that all nodes in the graph are in the same connected component. Moreover, we chose the generated instances of incomplete graphs with respective densities as low as possible, without losing connectivity. The cost of the selected edges are fractional and randomly drawn from a uniform distribution, proportional to the Euclidean distance of the vertices, drawn randomly from a Cartesian plan. Since these instances are made of incomplete graphs, they have fewer variables and fewer constraints than complete graph instances. At first glance, incomplete graph instances seem to be easier to solve due to the smaller number of variables. However, the opposite may be the case, as the path to a profitable node may include several zero revenue ones along the way.

### 5.3.1. Instance characteristics

We have generated instances with different numbers of vertices  $|V| \in \{50, 100, 150, 200, 250, 300\}$ . For each  $|V|$ , we randomly selected 5 instances. Table 7 reports the instance characteristics of the IG dataset: the instance name, the number of vertices, the number of edges, the number of terminals (“nT”) and the percentage of edges that have been retained in the instance from the complete graph.

Table 7: IG instance characteristics

| <b>name</b> | <b> V </b> | <b> E </b> | <b>nT</b> | <b>perc(%)</b> |
|-------------|------------|------------|-----------|----------------|
| 50_1        | 50         | 117        | 3         | 9.55           |
| 50_2        | 50         | 106        | 3         | 8.65           |
| 50_3        | 50         | 137        | 3         | 11.18          |
| 50_4        | 50         | 139        | 3         | 11.35          |
| 50_5        | 50         | 120        | 3         | 9.80           |
| 100_1       | 100        | 245        | 5         | 4.95           |
| 100_2       | 100        | 260        | 5         | 5.25           |
| 100_3       | 100        | 304        | 5         | 6.14           |
| 100_4       | 100        | 261        | 5         | 5.27           |
| 100_5       | 100        | 248        | 5         | 5.01           |
| 150_1       | 150        | 413        | 7         | 3.70           |
| 150_2       | 150        | 409        | 7         | 3.66           |
| 150_3       | 150        | 428        | 7         | 3.83           |
| 150_4       | 150        | 423        | 7         | 3.79           |
| 150_5       | 150        | 435        | 7         | 3.89           |
| 200_1       | 200        | 565        | 10        | 2.84           |
| 200_2       | 200        | 559        | 10        | 2.81           |
| 200_3       | 200        | 552        | 10        | 2.77           |
| 200_4       | 200        | 541        | 10        | 2.72           |
| 200_5       | 200        | 544        | 10        | 2.73           |
| 250_1       | 250        | 837        | 12        | 2.69           |
| 250_2       | 250        | 826        | 12        | 2.65           |
| 250_3       | 250        | 850        | 12        | 2.73           |
| 250_4       | 250        | 828        | 12        | 2.66           |
| 250_5       | 250        | 823        | 12        | 2.64           |
| 300_1       | 300        | 1215       | 15        | 2.71           |
| 300_2       | 300        | 1359       | 15        | 3.03           |
| 300_3       | 300        | 1234       | 15        | 2.75           |
| 300_4       | 300        | 1277       | 15        | 2.85           |
| 300_5       | 300        | 1275       | 15        | 2.84           |

### 5.3.2. Results

As before, we will compare between two different settings of budget limits. In all following experiments, instances have two time periods. Table 8 shows the average results for the

setting of one single budget limit over the 2 time periods and Table 9 summarizes the results for the setting of one budget limit for each of the 2 time periods.

Table 8: Average results for IG instances with 2 time periods — One budget limit over both periods

| $ V $ | <b>LB</b> | <b>UB</b> | <b>gap</b> (%) | <b># nodes</b> | <b># cuts</b> | <b>time</b> (s) |
|-------|-----------|-----------|----------------|----------------|---------------|-----------------|
| 50    | 12.19     | 12.19     | 0.00           | 9              | 74            | 11.56           |
| 100   | 17.08     | 17.08     | 0.00           | 46             | 869           | 302.79          |
| 150   | 21.05     | 22.59     | 6.07           | 138            | 3273          | 2395.95         |
| 200   | 27.98     | 29.24     | 4.27           | 150            | 4869          | 2204.92         |
| 250   | 32.41     | 35.02     | 7.47           | 248            | 6977          | 3735.59         |
| 300   | 36.57     | 45.96     | 20.47          | 67             | 9207          | 3698.31         |

Table 9: Average results for IG instances with 2 time periods — One budget limit for each time period

| $ V $ | <b>LB</b> | <b>UB</b> | <b>gap</b> (%) | <b># nodes</b> | <b># cuts</b> | <b>time</b> (s) |
|-------|-----------|-----------|----------------|----------------|---------------|-----------------|
| 50    | 12.19     | 12.19     | 0.00           | 8              | 75            | 6.49            |
| 100   | 17.61     | 17.61     | 0.00           | 53             | 995           | 510.38          |
| 150   | 22.01     | 22.57     | 2.19           | 153            | 2965          | 2386.11         |
| 200   | 29.10     | 29.55     | 1.47           | 142            | 4390          | 2416.38         |
| 250   | 31.20     | 35.45     | 11.66          | 161            | 6918          | 3152.42         |
| 300   | 36.30     | 46.67     | 22.17          | 65             | 6959          | 3626.73         |

We now analyze the structure of the best found feasible integer solution. Table 10 indicates the average number of terminals that were able to enter the network, the budget and distance limit values, the total revenue and the total amount spent for that run. A single budget limit for the entire horizon tends to increase the total revenue when compared to a budget limit for each time period, because the nodes are allowed to enter the network at an earlier time period.

Table 10: Average results for IG instances with 2 time periods — Solution structure

| $ V $ | <b>termInSol</b> | <b>budgetLimit</b> | <b>distLimit</b> | <b>One total budget</b> |                   | <b>Two budgets</b> |                   |
|-------|------------------|--------------------|------------------|-------------------------|-------------------|--------------------|-------------------|
|       |                  |                    |                  | <b>totalRev</b>         | <b>totalSpent</b> | <b>totalRev</b>    | <b>totalSpent</b> |
| 50    | 2                | 2.00               | 1.60             | 10.90                   | 0.27              | 10.90              | 0.27              |
| 100   | 2                | 2.00               | 2.00             | 11.03                   | 0.66              | 10.50              | 0.66              |
| 150   | 3                | 2.00               | 2.00             | 10.18                   | 0.65              | 10.18              | 0.63              |
| 200   | 3                | 2.00               | 2.00             | 11.53                   | 1.04              | 11.13              | 0.95              |

*Continued on next page*

Table 10 – *Continued from previous page*

| $ V $ | termInSol | budgetLimit | distLimit | totalRev | totalSpent | totalRev | totalSpent |
|-------|-----------|-------------|-----------|----------|------------|----------|------------|
| 250   | 4         | 2.00        | 2.00      | 12.53    | 0.85       | 12.14    | 0.89       |
| 300   | 5         | 3.00        | 3.00      | 14.90    | 2.14       | 15.43    | 2.07       |

### Comparison with formulation from Suhl and Hilbert (1998)

Next, we compare our model results with the one of Suhl and Hilbert (1998)’s. Table 11 presents the results the latter obtains using one budget limit per time period. Comparing their results to ours (see Table 9 for this particular setting), it seems that both models achieve similar performance on average for the IG dataset.

Table 11: Average results for IG instances with 2 time periods — One budget limit for each time period — SUHL AND HILBERT

| $ V $ | LB    | UB    | gap(%) | # nodes | # cuts | time(s) |
|-------|-------|-------|--------|---------|--------|---------|
| 50    | 12.19 | 12.19 | 0.00   | 59      | 2      | 0.17    |
| 100   | 17.61 | 17.61 | 0.00   | 8061    | 28     | 7.85    |
| 150   | 22.57 | 22.57 | 0.00   | 214702  | 168    | 420.04  |
| 200   | 29.55 | 29.55 | 0.00   | 369445  | 198    | 971.94  |
| 250   | 31.10 | 34.67 | 10.26  | 1007466 | 416    | 3600.16 |
| 300   | 31.69 | 43.95 | 27.98  | 1062307 | 940    | 3600.15 |

### Visualization of a solution

Figure 6 gives an illustrative example of the optimal solution found by our model for a 5-periods run of instance **100\_4**.




Figure 6: Optimal solution found for instance **100\_4** for a 5-periods run.

### Impact of number of time periods

As a final analysis, we now explore how the number of time periods impacts the difficulty of solving the problem. Table 12 presents results for instance **100\_2** with different numbers of time periods ranging from 2 to 15. We observe that the difficulty of solving the problem does not grow exponentially with the increase in the number of periods. We therefore expect that the problem can be reasonably well solved even if the number of time periods is large.

Table 12: IG instances — Instance 100.2

| # per | LB     | UB     | gap(%) | # nodes | # cuts | time(s) |
|-------|--------|--------|--------|---------|--------|---------|
| 2     | 20.04  | 20.04  | 0.00   | 71      | 1059   | 326.21  |
| 3     | 33.18  | 33.18  | 0.00   | 55      | 797    | 244.60  |
| 5     | 51.09  | 51.09  | 0.00   | 100     | 1623   | 762.57  |
| 8     | 75.96  | 75.96  | 0.00   | 234     | 3666   | 1052.68 |
| 10    | 88.49  | 88.49  | 0.00   | 264     | 3551   | 987.62  |
| 15    | 116.23 | 116.24 | 0.01   | 542     | 7142   | 2094.73 |

## 6. Conclusions

The Multi-period Prize-collecting Steiner Tree problem with Budget constraints is a generalization of the classical Prize-collecting Steiner Tree problem. Customers are selected and connected by a network of minimum cost, along different time periods and respecting a predefined budget and a predefined distance limit. Therefore, the problem involves planning the expansion of a network throughout multiple time periods, respecting the distance limit given per period and the budget limit given per subset of periods. The objective is to maximize the sum of the profits of the incorporated vertices reduced by the cost of the new edges.

The objective of this paper is to provide an algorithm that is capable of finding solutions of high-quality to realistically sized problems in reasonable computing times. We propose a branch-and-cut approach where the connectivity cut constraints are dynamically generated only when they are violated. We use two separation procedures and a primal heuristic that are vital for the performance of the algorithm. Benchmark instances from the literature, adapted to a multi-period setting, with up to 3300 vertices and 300 terminals, are satisfactorily solved with our approach. Randomly generated incomplete graph instances with up to 300 vertices, where approximately 15 are terminals, are also satisfactorily solved. We note that these problems are generally hard to solve. Using a 60 minutes time limit, some of the instances still presented large optimality gaps. Given the strategic nature of the problem, we suspect that the allowance of more computing time will further help to close those gaps. Our approach was compared to Suhl and Hilbert (1998)’s model and outperformed this benchmark on the first data set. On the second data set, both models performed similarly well.

Possible future work includes (a) the use of different budget and distance limits for subset-sets of time periods; and (b) introducing stochasticity to the model, given that several parameters (such as profits) may not be subject to uncertainty.

## Acknowledgements

The authors gratefully acknowledge the support of the Coordination for the Improvement of Higher Education Personnel (CAPES) - Finance Code 001. The work of the third author was supported by the Natural Sciences and Engineering Research Council (NSERC) of Canada under grant 2017-05224.

## References

- Arulsevan, A., Bley, A., Gollowitzer, S., Ljubić, I., and Maurer, O. (2011). MIP modeling of incremental connected facility location. In *Network Optimization*, pages 490–502. Springer.
- Borraz-Sánchez, C., Bent, R., Backhaus, S., Hijazi, H., and Van Hentenryck, P. (2016). Convex relaxations for gas expansion planning. *INFORMS Journal on Computing*, 28(4):645–656.
- Canuto, S. A., Resende, M. G., and Ribeiro, C. C. (2001). Local search with perturbations for the prize-collecting Steiner tree problem in graphs. *Networks: An International Journal*, 38(1):50–58.
- Cherkassky, B. V. and Goldberg, A. V. (1995). On implementing push-relabel method for the maximum flow problem. In *International Conference on Integer Programming and Combinatorial Optimization*, pages 157–171. Springer.
- Chopra, S. and Rao, M. R. (1994a). The Steiner tree problem I: Formulations, compositions and extension of facets. *Mathematical Programming*, 64(1-3):209–229.
- Chopra, S. and Rao, M. R. (1994b). The Steiner tree problem II: Properties and classes of facets. *Mathematical Programming*, 64(1-3):231–246.
- Conforti, M., Cornuéjols, G., and Zambelli, G. (2014). *Integer Programming*. Springer.
- Cormen, T. H., Leiserson, C. E., Rivest, R. L., and Stein, C. (2009). *Introduction to Algorithms*. MIT press.
- Costa, A. M., Cordeau, J.-F., and Laporte, G. (2006). Steiner tree problems with profits. *INFOR: Information Systems and Operational Research*, 44(2):99–115.
- Costa, A. M., Cordeau, J.-F., and Laporte, G. (2009). Models and branch-and-cut algorithms for the Steiner tree problem with revenues, budget and hop constraints. *Networks: An International Journal*, 53(2):141–159.
- Da Cunha, A. S., Lucena, A., Maculan, N., and Resende, M. G. (2009). A relax-and-cut algorithm for the prize-collecting Steiner problem in graphs. *Discrete Applied Mathematics*, 157(6):1198–1217.
- Dantzig, G., Fulkerson, R., and Johnson, S. (1954). Solution of a large-scale traveling-salesman problem. *Journal of the Operations Research Society of America*, 2(4):393–410.

- Feofiloff, P., Fernandes, C. G., Ferreira, C. E., and de Pina, J. C. (2007). Primal-dual approximation algorithms for the prize-collecting Steiner tree problem. *Information Processing Letters*, 103(5):195–202.
- Feremans, C., Labbé, M., and Laporte, G. (2002). A comparative analysis of several formulations for the generalized minimum spanning tree problem. *Networks: An International Journal*, 39(1):29–34.
- Fischetti, M. (1991). Facets of two Steiner arborescence polyhedra. *Mathematical Programming*, 51(1-3):401–419.
- Fischetti, M., Leitner, M., Ljubić, I., Luipersbeck, M., Monaci, M., Resch, M., Salvagnin, D., and Sinnl, M. (2017). Thinning out Steiner trees: a node-based model for uniform edge costs. *Mathematical Programming Computation*, 9(2):203–229.
- Gamrath, G., Koch, T., Maher, S. J., Rehfeldt, D., and Shinano, Y. (2017). SCIP-Jack- a solver for STP and variants with parallelization extensions. *Mathematical Programming Computation*, 9(2):231–296.
- Goemans, M. X. and Myung, Y.-S. (1993). A catalog of Steiner tree formulations. *Networks*, 23(1):19–28.
- Goemans, M. X. and Williamson, D. P. (1997). The primal-dual method for approximation algorithms and its application to network design problems. *Approximation algorithms for NP-hard problems*, pages 144–191.
- Gollwitzer, S. and Ljubić, I. (2011). MIP models for connected facility location: A theoretical and computational study. *Computers & Operations Research*, 38(2):435–449.
- Humpola, J. and Fügenschuh, A. (2015). Convex reformulations for solving a nonlinear network design problem. *Computational Optimization and Applications*, 62(3):717–759.
- IBM (2017). ILOG CPLEX 12.7.1. *CPLEX User’s Manual*.
- Johnson, D. S., Minkoff, M., and Phillips, S. (2000). The prize collecting Steiner tree problem: theory and practice. In *SODA*, volume 10, page 4. Citeseer.
- Karp, R. M. (1972). Reducibility among combinatorial problems. In *Complexity of Computer Computations*, pages 85–103. Springer.
- Klau, G. W., Ljubić, I., Moser, A., Mutzel, P., Neuner, P., Pferschy, U., Raidl, G., and Weiskircher, R. (2004). Combining a memetic algorithm with integer programming to solve the prize-collecting Steiner tree problem. In *Genetic and Evolutionary Computation Conference*, pages 1304–1315. Springer.
- Ljubić, I., Weiskircher, R., Pferschy, U., Klau, G. W., Mutzel, P., and Fischetti, M. (2005). Solving the prize-collecting Steiner tree problem to optimality. In *ALENEX/ANALCO*, pages 68–76.

- Ljubić, I., Weiskircher, R., Pferschy, U., Klau, G. W., Mutzel, P., and Fischetti, M. (2006). An algorithmic framework for the exact solution of the prize-collecting Steiner tree problem. *Mathematical Programming*, 105(2-3):427–449.
- Lucena, A. and Beasley, J. (1998). A branch and cut algorithm for the Steiner problem in graphs. *Networks: An International Journal*, 31(1):39–59.
- Lucena, A. and Resende, M. G. (2004). Strong lower bounds for the prize collecting Steiner problem in graphs. *Discrete Applied Mathematics*, 141(1-3):277–294.
- Magnanti, T. L. and Raghavan, S. (2005). Strong formulations for network design problems with connectivity requirements. *Networks: An International Journal*, 45(2):61–79.
- Magnanti, T. L. and Wolsey, L. A. (1995). Optimal trees. *Handbooks in Operations Research and Management Science*, 7:503–615.
- Poss, M. (2012). Models and algorithms for network design problems. *4OR*, 10(2):215–216.
- Rosseti, I., De Aragão, M. P., Ribeiro, C. C., Uchoa, E., and Werneck, R. F. (2003). New benchmark instances for the Steiner problem in graphs. In *Metaheuristics: Computer Decision-Making*, pages 601–614. Springer.
- Suhl, U. H. (1994). MOPS—mathematical optimization system. *European Journal of Operational Research*, 72(2):312–322.
- Suhl, U. H. and Hilbert, H. (1998). A branch-and-cut algorithm for solving generalized multiperiod Steiner problems in graphs. *Networks: An International Journal*, 31(4):273–282.
- Uchoa, E. (2006). Reduction tests for the prize-collecting Steiner problem. *Operations Research Letters*, 34(4):437–444.